
AERIAL

Designed by Ariga Mahmoudlou for RK Featuring Rings And Dots www.robertkaufman.com



Finished quilt measures: 68" x 76"

Difficulty Rating: Beginner

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

R

1

C

S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	amd-19074-344 Cobblestone	2 yards		I	AMD-19074-15 IVORY	1/3 yard
	В	amd-19074-2 Black	1-1/3 yard		J	AMD-19074-305 GRAPHITE	1/4 yard
	С	AMD-19074-167 CHOCOLATE	1/3 yard		K	AMD-19074-373 COAL	1/3 yard
	D	amd-19074-153 Sand	1/4 yard		L	AMD-19074-186 SILVER	1/4 yard
000	E	amd-19074-174 Espresso	1/3 yard		Μ	AMD-19074-16 BROWN	1/3 yard
	F	amd-19074-161 Straw	1/4 yard	5005	Ν	AMD-19074-174 ESPRESSO	1/3 yard
	G	amd-19074-336 Fog	1/3 yard		0	AMD-19074-410 HAZE	1/4 yard
	Н	AMD-19074-168 CINNAMON	1/4 yard		Ρ	AMD-19074-163 SPICE	1/3 yard

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	Q	AMD-19074-184 CHARCOAL	1/4 yard		0	AMD-19074-167 CHOCOLATE so used for Fabric C	5/8 yard
	R	AMD-19074-286 WILD	1/4 yard				
F		2019, Robert Kaufman use only - Not for resal	e			ill also need: ds for backing	

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

fourteen 3-1/2" x WOF strips. Sew together, end-to-end, then trim: two 3-1/2" x 68-1/2" top/bottom outer borders six 3-1/2" x 70-1/2" column sashing strips four 2-1/2" x WOF strips. Subcut: fifteen 2-1/2" x 10-1/2" block sashing strips one 9-1/4" x WOF strip. Subcut: two 9-1/4" squares for the flying geese

From Fabric B, cut:

twenty-seven 1-1/2" x WOF strips. Subcut: ten 1-1/2" x 20-1/2" strips for the Block 4 side borders ten 1-1/2" x 16-1/2" strips for the Block 4 side borders ten 1-1/2" x 12-1/2" strips for the Block 4 side borders ten 1-1/2" x 8-1/2" strips for the Block 4 side borders forty 1-1/2" x 10-1/2" strips for the top/bottom Block borders one 4-7/8" x WOF strip. Subcut:

eight 4-7/8" squares for the flying geese

From each of Fabrics C, E, G, I, K, M, N and P, cut:

one 9-1/4" x WOF strip. Subcut: two 9-1/4" squares for the flying geese

From each of Fabrics D, F, H, J, L, O, Q and R, cut:

one 4-7/8" x WOF strip. Subcut: eight 4-7/8" squares for the flying geese


From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Flying Geese Units



Step 1: Pin two 4-7/8" Fabric D squares in opposing corners of a 9-1/4" Fabric C square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 4: Place one 4-7/8" Fabric D square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 4-1/2" x 8-1/2" if necessary. Repeat to make four flying geese blocks.



Step 6: Repeat with all remaining 4-7/8" squares and 9-1/4" squares to make a total of:



eight C/D flying geese



eight I/J flying geese



eight N/O flying geese



eight E/F flying geese



seven K/L flying geese



eight P/Q flying geese

Assemble the Blocks



eight G/H flying geese



seven M/B flying geese



eight A/R flying geese

<u>Block 1</u>



Step 7: Gather:

two flying geese units (refer to the images here for exact fabric placement) two 1-1/2" x 10-1/2" Fabric B strips two 1-1/2" x 8-1/2" Fabric B strips

Step 8: Sew the flying geese together along the longest edge and press the seam in one direction.

Step 9: Sew the 1-1/2" x 8-1/2" Fabric B strips to the left and right edges of the unit. Press. Sew the 1-1/2" x 10-1/2" Fabric B strips to the top and bottom of the unit. Press. The completed block should measure 10-1/2" square. This will now be referred to as Block 1.

Step 10: Repeat to make a total of five Block 1 units, in the fabric combinations shown here.



Block 2



Step 11: Gather:

three flying geese units (refer to the images here for exact fabric placement) two 1-1/2" x 10-1/2" Fabric B strips two 1-1/2" x 12-1/2" Fabric B strips

Step 12: Sew the flying geese together along the longest edge and press the seam in one direction.

Step 13: Sew the 1-1/2" x 12-1/2" Fabric B strips to the left and right edges of the unit. Press. Sew the 1-1/2" x 10-1/2" Fabric B strips to the top and bottom of the unit. Press. The completed block should measure 10-1/2" x 14-1/2". This will now be referred to as Block 2.

Step 14: Repeat to make a total of five Block 2 units, in the fabric combinations shown here.



<u>Block 3</u>



Step 15: Gather:

four flying geese units (refer to the images here for exact fabric placement) two 1-1/2" x 10-1/2" Fabric B strips two 1-1/2" x 16-1/2" Fabric B strips

Step 16: Sew the flying geese together along the longest edge and press the seam in one direction.

Step 17: Sew the 1-1/2" x 16-1/2" Fabric B strips to the left and right edges of the unit. Press. Sew the 1-1/2" x 10-1/2" Fabric B strips to the top and bottom of the unit. Press. The completed block should measure 10-1/2" x 18-1/2". This will now be referred to as Block 3.

Step 18: Repeat to make a total of five Block 3 units, in the fabric combinations shown here.











<u>Block 4</u>




Step 19: Gather:

five flying geese units (refer to the images here for exact fabric placement) two 1-1/2" x 10-1/2" Fabric B strips two 1-1/2" x 20-1/2" Fabric B strips

Step 20: Sew the flying geese together along the longest edge and press the seam in one direction.

Step 21: Sew the 1-1/2" x 20-1/2" Fabric B strips to the left and right edges of the unit. Press. Sew the 1-1/2" x 10-1/2" Fabric B strips to the top and bottom of the unit. Press. The completed block should measure 10-1/2" x 22-1/2". This will now be referred to as Block 4.

Step 22: Repeat to make a total of five Block 4 units, in the fabric combinations shown here.



Assemble the Quilt



Step 23: Arrange the Block 1, Block 2, Block 3 and Block 4 units together as indicated in the Quilt Assembly Diagram. Sew each column together, using block sashing strips between each block. Press seams toward the sashing. Repeat to make five block columns.

Step 24: Sew the sashing and block columns together. Press seams open or to the sashing. Sew the top and bottom borders to the quilt and press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.