


ANIMAL PARADE

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

SUZY'S mini 
SUZY ULTMAN



Finished quilt measures: 44-1/2" x 57-1/2"

Pattern Level: Enthusiastic Novice




"I am a total beginner and want to learn more!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	1 yard		H	K001-450 TORCH	1/4 yard
	B	ASD-16320-1 WHITE	1/4 yard		I	K001-445 KALE	1/4 yard
	C	ASD-16321-5 YELLOW	1/4 yard		J	K001-440 BREAKERS	1/4 yard
	D	ASD-16322-276 COUNTRY	1/4 yard		K	K001-414 PEAPOD	1/4 yard
	E	ASD-16323-9 NAVY	1/4 yard		L	K001-449 SUNNY	1/4 yard
	F	ASD-16325-1 WHITE	1/4 yard		M	K001-415 REGAL *includes binding	3/4 yard
	G	ASD-16326-12 GREY	1/4 yard	<div style="background-color: #cccccc; padding: 10px; text-align: center;"> <p>You will also need: 3 yards for backing</p> </div> <p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

six 1-1/2" x WOF strips. Subcut:

eight 1-1/2" x 12-1/2" block sashing strips

three 1-1/2" x 38-1/2" row sashing strips

five 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 3-1/2" x 51-1/2" side outer borders

two 3-1/2" x 44-1/2" top/bottom outer borders

From each of Fabrics B-G, cut:

eight 4-3/4" squares, each cut on point



From each of Fabrics H-M, cut:


two 4" x WOF strips. Subcut:

sixteen 4" squares. Cut each square in half once along a diagonal.

From the binding fabric (Fabric M), cut:

six 2-1/2" x WOF strips


Assemble the Square-in-a-Square (SIAS) Blocks



Step 1: Sew a Fabric H triangle to opposite sides of a Fabric B square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric B square. Trim the SIAS block to 6-1/2" square.

Step 2: Repeat Step 1 with all remaining triangles and print squares, mixing and matching the solid and print pairings, while using one solid for an each individual block. Make forty-eight 6-1/2" SIAS blocks.

Assemble the Quilt



Step 3: Arrange the forty-eight SIAS blocks into eight rows of six blocks each, orienting the print squares as illustrated in the Quilt Assembly Diagram. Tip: Balance the look of the quilt by placing each solid fabric once in each row.

Step 4: Keeping the arrangement you established in Step 3, sew four 6-1/2" SIAS units together to form a block. Press the seams open. Repeat to form twelve 12-1/2" SIAS blocks.

Step 5: Sew three 12-1/2" blocks together, alternating with two block sashing strips to form a row. Repeat to make four rows. Press all seams open or toward the sashing.

Step 6: Sew the rows together, alternating with three row sashing strips, pressing all seams open or toward the sashing.

Step 7: Sew the side border strips to the quilt center, pressing the seams toward the border. Sew the top/bottom border strips to the quilt center, pressing the seams toward the border.

Your quilt top is now complete! Baste, quilt, bind and enjoy!