

AUTUMN BLISS

Designed by Darlene Zimmerman
www.feedsacklady.com

Featuring **KONA**® ∞ COLOR
cotton solids 201 OF THE
YEAR



Finished quilt measures: 58-1/2" x 67"

Pattern Level: Confident Beginner

















*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-957 TIGERLILY	2 yards			K001-443 CEDAR	*included in fat quarter pack
	B	K001-1069 CHAMPAGNE	1-1/2 yards			K001-482 TERRACOTTA	*included in fat quarter pack
		FQ-911-12 RATATOILLE Fat Quarter Pack including:	1 fat quarter pack*			K001-150 PAPRIKA	*included in fat quarter pack
		K001-353 SUNFLOWER	*included in fat quarter pack			K001-1075 CINNAMON	*included in fat quarter pack
		K001-148 DAFFODIL	*included in fat quarter pack			K001-159 SPICE	*included in fat quarter pack
		K001-1704 OCHRE	*included in fat quarter pack			K001-1237 MOCHA	*included in fat quarter pack
		K001-349 BUTTERSCOTCH	*included in fat quarter pack			K001-1045 BROWN	*included in fat quarter pack
		K001-1479 AMBER	*included in fat quarter pack		Binding*	K001-957 TIGERLILY	5/8 yards

**Also used for Fabric A*

Copyright 2017, Robert Kaufman
For individual use only - Not for resale

You will also need:
3-1/2 yards for backing
Optional: Easy Angle ruler
Companion Angle ruler

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

five 1-1/2" x WOF strips.

Subcut twenty-eight 1-1/2" x 6-1/2" sashing rectangles.

six 1-1/2" x 55-1/2" strips cut *lengthwise* for sashing.

four 6-1/2" x 62" strips cut *lengthwise* for borders.

From Fabric B, cut:

five 2-1/2" x WOF strips.

Subcut sixty-six 2-1/2" squares

**six 2-1/2" x WOF strips.

Subcut one-hundred and thirty-two Easy Angle Triangles.

***Note: If not using the Easy Angle Ruler, cut five 2-7/8" strips instead, then subcut sixty-six 2-7/8" squares. Cut each square once on the diagonal.*

***nine 1-3/4" x WOF strips.

Subcut into one-hundred and seventy-five Companion Angle triangles.

****Note: If not using the Easy Angle Ruler, cut four 3-3/4" strips instead, then subcut forty-four 3-3/4" squares. Cut each square along both diagonals.*

From Brown Fat Quarter, cut:

two 3-1/2" x 20" strips.

Subcut thirty-three 3/4" x 3-1/2" rectangles for the stems.

From each of the remaining 11 solid colors, cut:

three 2-1/2" x 20" strips.

Subcut three 2-1/2" x 4-1/2" rectangles, three 2-1/2" squares, and twelve Easy Angle triangles.



three 2" x 20" strips for the strip sets.

From the binding fabric, cut:

seven 2-1/2" x WOF strips for binding.


Assembling the Maple Leaf Blocks

Step 1 Pair each Fabric B triangle with a solid color triangle, cut from the fat quarters. Sew together to form half-square triangles. Press toward the darker fabric.







Step 2 Mark a diagonal line on the front side of thirty-three – 2-1/2" Fabric B squares, marking 1/8" off center.

Step 3 Align an edge of the 3/4" wide brown strip with the line. Sew a 1/4" seam. Roll and tuck the edge of the brown strip opposite the seam wrap to around the raw edge and be underneath the edge closest to the seam, creating a stem. Stitch down by hand or machine. Make thirty-three stem units.





Step 4 Arrange the squares, triangles, rectangle and stem units as shown below. Follow pressing directions. Make thirty-three leaf blocks, each measuring 6-1/2" square.




Assembling the Indian Corn Rows

Step 1 Sew a variety of four solid colors together into a strip set. Repeat to make a total of eight strip sets. Press the seams all one direction.



Step 2 Cut the strip sets into 2" wide units. Cut eighty units. Set aside six units to be used for the ends of the rows.


Step 3 Sew a Fabric B triangle to the left side of each unit as shown. The triangles will be larger than needed to allow for trimming the edges later.



Step 4 Sew a Fabric B triangle to the right side of each unit as shown. Press the seams in the same direction as the colored squares.





Step 5 Sew twenty-four units from Step 4 together off-setting each row as shown, and alternating the direction of the seam allowances in each row. Repeat to make a total of three long columns.



Step 6 Using two of the remaining Step 2 units, seam rip the center seam to create two sets of two squares each, then sew light triangles on as shown. Make three. Press.




Step 7 Using three of the remaining Step 2 units, seam rip the seam to remove one square, creating a sets of three squares and one single square each, then sew Fabric B triangles on as shown. Make three of each. Press.




Step 8 Sew two Fabric B triangles together as shown. Make three. Press. Sew to the top of the Step 6 unit to make three corner units. Press.


Step 9 Before sewing the corner unit to one end of the Indian Corn row, remove the Fabric B triangle indicated in the illustration. Sew the corner unit to the end of the Indian Corn row. Press. Add the leftover triangle, turned, to complete the opposite corner. Press.



Step 10 Sew the Step 7 units to the remaining end of the Indian Corn row. Press. Sew a Fabric B triangle to the unfinished corner, as shown. Carefully trim the sides of the Indian Corn row, trimming only enough to barely straighten the edge. At this point the strip should measure approximately 6" wide.



Assembling the Quilt



Step 1 Arrange the leaf blocks in four vertical rows of eight blocks (there will be one block left over for a signature block). Sew the sashing rectangles between the blocks, pressing toward the sashing.

Step 2 The rows should measure 55-1/2" long. Trim the Indian Corn rows to the same length as the leaf rows. If necessary, take in or let out a few seams to make it fit.

Step 3 Alternating the leaf rows and the Indian Corn rows, sew the rows together with the 1-1/2" wide sashing strips to create the quilt top. Press toward the sashing strips.

Step 4 Trim two 6-1/2" border strips to 55-1/2". Sew to the sides of the quilt. Press towards the border strips.

Step 5 Measure and trim two 6-1/2" border strips the width of the quilt. Sew to the top and bottom of the quilt. Press toward the borders.

Finishing the Quilt

Your quilt top is complete! Baste, quilt, bind and enjoy! Sign and date the leftover leaf block and stitch it to the back of the quilt.