

AUTUMNAL WINDOW

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **Shades of the Season**



Finished quilt measures: 53-1/2" x 71-1/2"

Pattern Level: Experienced Intermediate


















"I know the ropes and would like to test my skills!"

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKM-16746-196 HARVEST	2/3 yard		J	SRKM-16747-125 SUNFLOWER	1/8 yard
	B	SRKM-16750-16 BROWN	1/4 yard		K	SRKM-16749-7 GREEN	1/8 yard
	C	SRKM-16751-191 AUTUMN	1-1/8 yards		L	SRKM-16749-196 HARVEST	1/8 yard
	D	SRKM-16750-133 GOLD	5/8 yard		M	SRKM-16750-179 RUST	1/8 yard
	E	SRKM-16750-7 GREEN <i>*includes binding</i>	1 yard		N	SRKM-16751-196 HARVEST	1/8 yard
	F	SRKM-16747-2 BLACK	1/8 yard		O	SRKM-16751-16 BROWN	1/8 yard
	G	SRKM-16749-16 BROWN	1/8 yard		P	SRK-16927-15 IVORY	1/4 yard
	H	SRKM-16748-2 BLACK	1/8 yard		Q	SRK-16927-5 YELLOW	5/8 yard
	I	SRKM-16748-196 HARVEST	1/8 yard	<p>Copyright 2017, Robert Kaufman For individual use only - Not for resale</p> <p>You will also need: 3-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

one 22-1/2" x 40-1/2" center panel

From Fabric B, cut:

four 1-1/4" x WOF strips. Subcut:

two 1-1/4" x 22-1/2" top and bottom panel borders

two 1-1/4" x 42" side panel borders

From Fabric C, cut:

six 5-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 5-1/2" x 40-1/2" top and bottom middle borders

two 5-1/2" x 68-1/2" side middle borders

one 3" x WOF strip. Subcut:

two 3" squares

Trim the remainder of the strip to 2-1/2" wide, then subcut:

two 2-1/2" x 6-1/2" rectangles

two 2-1/2" x 4-1/2" rectangles

From Fabric D, cut:

six 2-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 2-1/2" x 50-1/2" top and bottom outer borders

two 2-1/2" x 72-1/2" side outer borders

one 3" x WOF strip. Subcut:

two 3" squares

Trim the remainder of the strip to 2-1/2" wide, then subcut:

two 2-1/2" x 6-1/2" rectangles

two 2-1/2" x 4-1/2" rectangles

From Fabric E, cut:

five 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 36-1/2" top and bottom inner borders

Sew the remaining strips together, end-to-end, then trim to yield:

two 2-1/2" x 58-1/2" side inner borders

seven 2-1/2" x WOF strips for the binding

From each of Fabrics F-M, cut:

one 3" x WOF strip. Subcut:

two 3" squares

Trim the remainder of the strip to 2-1/2" wide, then subcut:

two 2-1/2" x 6-1/2" rectangles

two 2-1/2" x 4-1/2" rectangles

From each of Fabrics N and O, cut:

one 3" x WOF strip. *Trim selvages sparingly, in order to leave at least 42" of fabric.*

Subcut:

three 3" squares

Trim the remainder of the strip to 2-1/2" wide, then subcut:

three 2-1/2" x 6-1/2" rectangles

three 2-1/2" x 4-1/2" rectangles

From Fabric P, cut:

two 2-1/2" x WOF strips. Subcut:

twenty-six 2-1/2" squares

From Fabric Q, cut:

two 3" x WOF strips. Subcut:

twenty-six 3" squares

five 2-1/2" x WOF strips. Subcut:

seventy-eight 2-1/2" squares

Assemble the Blocks

Step 1: Pair each Fabric C, D, and Fabric F-O 3" square with a Fabric Q 3" square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat with all remaining 3" squares.



C/Q



D/Q



F/Q



G/Q



H/Q



I/Q



J/Q



K/Q



L/Q



M/Q





N/Q




O/Q

Step 2: Place a Fabric Q 2-1/2" square RST at one end of a Fabric D 2-1/2" x 6-1/2" rectangle. Sew along the diagonal as shown. Cut away the excess fabric, leaving a 1/4" seam allowance. Press the seam to one side. Repeat for all remaining 2-1/2" x 6-1/2" rectangles for all of the block print fabrics.



Step 3: Place a Fabric Q 2-1/2" square RST at one end of a Fabric D 2-1/2" x 4-1/2" rectangle. Sew along the diagonal as shown. Cut away the excess fabric, leaving a 1/4" seam allowance. Press the seam to one side. Repeat for all remaining 2-1/2" x 4-1/2" rectangles for all of the block print fabrics.


Step 4: Gather one Fabric D/Q 4-1/2" rectangle, one D/Q 6-1/2" rectangle, two D/Q HSTs, one Fabric Q square and one Fabric P square. Arrange in three rows, following the Block Assembly Diagram. Sew together to form the block, pressing seams to one side. The block should measure 6-1/2" square. Make twenty-six blocks, using matching print fabrics in each block.




Assemble the Quilt

Step 5: Sew the Fabric B 1-1/4" x 22-1/2" strips to the top and bottom of the Fabric A panel. Press the seams toward the strips. Sew the Fabric B 1-1/4" x 42" strips to the sides of the Fabric A panel. Press the seams toward the strips.


Step 6: Sew each pair of matching blocks together, as shown, noting the orientation of each block. Press the seam to one side. Note: You will have one N and one O block remaining.




Step 7: Sew the Fabric N, M and O pairs together in that order, noting the block orientation in the diagram, to form the top row of pieced blocks.



Step 8: Sew the Fabric F, D and J pairs together in that order, noting the block orientation in the diagram, to form the bottom row of pieced blocks. Press all seams to one side.



Step 9: Sew the Fabric I, G, H pairs and single N block together in that order, noting the block orientation in the diagram, to form the left side of the pieced block section.



Step 10: Sew the single O Block, Fabric L, K and C blocks together in that order, noting the block orientation in the diagram, to form the right side of the pieced block section. Press all seams to one side.



Step 11: Sew the completed Step 9 unit to the left edge of the quilt center, pressing the seam toward the quilt center. Sew the completed Step 10 unit to the right edge of the quilt center, pressing the seam toward the quilt center. Sew the completed Step 7 unit to the top of the quilt center, pressing the seam toward the center. Sew the completed Step 8 unit to the bottom of the quilt center, pressing the seam toward the center.



Step 12: Sew the Fabric E top and bottom inner borders to the quilt center. Press toward the borders. Sew the Fabric E side inner borders to the sides of the quilt center. Press toward the borders.

Step 13: Sew the Fabric C top and bottom middle borders to the quilt center. Press toward the borders. Sew the Fabric C side middle borders to the sides of the quilt center. Press toward the borders.

Step 14: Sew the Fabric D top and bottom outer borders to the quilt center. Press toward the borders. Sew the Fabric D side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!