

BARNYARD BUDDIES

Designed by Ariga Mahmoudlou for RK Featuring
www.robertkaufman.com

WHAT DO THE ANIMALS SAY?



Finished quilt measures: 52" x 52"










Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ATK-18060-276 COUNTRY	2/3 yard (one complete panel)		F	ATK-18065-47 GRASS	5/8 yard
	B	ATK-18062-4 BLUE	1/4 yard		G	K001-1321 SAGE	1/4 yard
	C	ATK-18065-15 IVORY	1/4 yard		H	ATK-18063-4 BLUE	1 yard
	D	ATK-18066-125 SUNFLOWER	1/3 yard		Binding*	E064-1371 TAUPE <i>*Also used for Fabric E</i>	1/2 yard
	E	E064-1371 TAUPE	1-3/4 yards	<div>You will also need: 3-3/8 yards for backing</div>			
Copyright 2018, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

twenty 5-1/2" squares

From Fabric B, fussy cut:

one 4-1/8" square (on point) for the center Square-in-a-Square block

From Fabric C, cut:

one 3-1/2" x WOF strip. Subcut:

four 3-1/2" squares for the HSTs

From the remainder of the strip, cut:

two 3-3/8" squares for the center Square-in-a-Square block. Cut each square in half along the diagonal.

From Fabric D, cut:

three 3-1/2" x WOF strips. Subcut:

thirty-six 3-1/2" squares for the HSTs

From Fabric E, cut:

two 5-1/2" x WOF strips. Subcut:

four 5-1/2" squares

sixteen 3" x 5-1/2" rectangles

four 4-1/2" x WOF strips. Subcut:

twenty-eight 4-1/2" squares for the quarter-square triangles (QSTs)

From the remainder, cut:

four 4" squares for the corner HSTs

four 3-1/2" x WOF strips. Subcut:

forty 3-1/2" squares for the HSTs

five 3" x WOF strips. Subcut:

four 3" x 15-1/2" rectangles

sixteen 3" squares

From Fabric F, cut:

four 4-1/2" x WOF strips. Subcut:

twenty-eight 4-1/2" squares for the quarter-square triangles (QSTs)

From the remainder, cut:

four 4" squares for the corner HSTs

From Fabric G, cut:

four 1-1/2" x WOF strips. Trim to:

two 1-1/2" x 40-1/2" side inner borders

two 1-1/2" x 42-1/2" top/bottom inner borders

From Fabric H, cut:

three 2-1/2" x length of fabric strips. Sew together, end-to-end, then trim:

two 2-1/2" x 48-1/2" side outer borders

four 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 52-1/2" top/bottom outer borders

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 3-1/2" Fabric E square with a 3-1/2" Fabric D square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3" square. Repeat to make seventy-two D/E HSTs.




Step 2: Repeat Step 1 with a 3-1/2" Fabric E and 3-1/2" Fabric C square. Trim to 3-1/2" square. Repeat to make eight C/E HSTs. Set aside for the Center Section.

Step 3: Repeat Step 1 with a 4" Fabric E and 4" Fabric F square. Trim to 3-1/2" square. Repeat to make four E/F HSTs. Set aside for the corners of the pieced border.




Assemble the Quarter-Square Triangles (QSTs)

Step 4: Pair a 4-1/2" Fabric E square with a 4-1/2" Fabric F square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric.



Step 5: Pair two Step 4 HSTs, RST, matching opposite fabrics together. Mark a diagonal line perpendicular to the seam line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two quarter-square triangles (QSTs). Press toward the seam open or to one side. Trim to 3-1/2" square.




Step 6: Sew fourteen completed Step 5 units together to form a pieced border, noting that the edges with Fabric F are sewn together in each border. Press. Repeat to make four pieced borders.



Assemble the Center Block

Step 7: Sew a Fabric C triangle to opposite sides of the Fabric B square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric B square. Trim the Square-in-a-Square block to 5-1/2" square.



Step 8: Gather:

- twelve D/E HSTs
- four 3" Fabric E squares
- four 3" x 5-1/2" Fabric E rectangles
- eight C/E HSTs
- the completed Step 7 block


Arrange the Center Block in five rows. Sew the units together to form sections and rows, pressing the seams in opposite directions before nesting the seams and sewing the rows together.

Assemble the Remaining Pieced Sections




Step 9: Gather:

- eleven D/E HSTs
- two 3" Fabric E squares
- two 3" x 5-1/2" Fabric E rectangles
- two Fabric A squares

Arrange the Corner Block in rows. Sew the units together to form sections and rows, pressing the seams in opposite directions before nesting the seams and sewing the rows together.




Step 10: Repeat Step 9 to make the remaining three Corner Block sections.




Step 11: Gather:

four D/E HSTs
two 3" x 5-1/2" Fabric E rectangles
one 3" x 15-1/2" Fabric E rectangle
one 5-1/2" Fabric E square
three Fabric A squares


Arrange the Side Block in rows. Sew the units together to form sections and rows, pressing the seams in opposite directions before nesting the seams and sewing the rows together.



Step 12: Repeat Step 11 to make the remaining three Side Block sections.



Assemble the Quilt



Step 13: Arrange the blocks into three rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 14: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 15: Sew the rows together to form the quilt center. Press the row seams open.

Step 16: Sew the Fabric G side inner borders to the sides of the quilt center. Press toward the borders. Sew the Fabric G top and bottom inner borders to the quilt center. Press toward the borders.

Step 17: Sew a pieced border to the left and right edges of the quilt center. Press. Sew an E/F HST to the ends of the remaining pieced borders, noting the fabric placement. Press. Sew the borders to the top and bottom edges of the quilt. Press.

Step 18: Sew the Fabric H side inner borders to the sides of the quilt center. Press toward the borders. Sew the Fabric H top and bottom inner borders to the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!