


BLAKE

Designed by Carolyn Friedlander
www.carolynfriedlander.com

Featuring

KONA[®] 2016 COLOR
cotton solids OF THE
YEAR



Finished quilt measures: 58" x 71-1/2"





Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-550 HIGHLIGHT * includes binding	2-1/2 yards		C	K001-480 PICKLE	3/8 yards
	B	AFR-13503-12 GREY	3/8 yards		D	AFRX-15031-305 GRAPHITE	3/4 yard at 108"-wide (or 1-5/8 yards at 44"-wide)
<p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 2-1/4 yards at 108"-wide (or 3 3/4 yards at 44"-wide) for backing</p>			

Pattern Notes

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

(See Cutting Diagrams.)

From Fabric A, cut:

one 58-1/2" x WOF piece. From this, cut:

one 21" x 58-1/2" (border) cut along the length of fabric

one 2" x 58-1/2" (horizontal sashing) cut along the length of fabric


five 2-1/2" x 58-1/2" (binding strips)

nine 2" x 18" (vertical sashing)

From remaining yardage, cut:


seven 2-1/2" x WOF strips (gingham blocks)

three 2" x 18" (vertical sashing)




From Fabric B, cut:

four 2-1/2" x WOF strips (gingham blocks)




From Fabric C, cut:

three 2-1/2" x WOF strips (gingham blocks)




From Fabric D, cut:

fourteen 7-1/2" x 18"




Gingham Block Assembly

1. Subcut one 2-1/2" square from a Fabric B gingham block strip. Reserve for use in step 6.
2. Sew four Fabric A gingham block strips to four Fabric B gingham block strips in pairs along the longest side. Press seam toward Fabric A.
3. Sew three Fabric A gingham block strips to three Fabric C gingham block strips, in pairs along the longest side. Press seam toward Fabric A.
4. Subcut A/B strips into fifty-nine 2-1/2" units. See [Diagram 1](#).





[Diagram 1](#)

5. Subcut A/C strips into forty-two 2-1/2" units. See [Diagram 2](#).




[Diagram 2](#)

6. Sew the Fabric B 2-1/2" square (from step 1), A/B and A/C units together as shown in [Diagrams 3 and 4](#). Press seams as shown according to arrows.



Big Grid Block Assembly

See [Diagram 5](#).



[Diagram 5](#)

7. Create two rows of A/D units by attaching seven Fabric D rectangles to six Fabric A vertical sashing rectangles. Press seams toward Fabric A.
8. Attach Fabric A horizontal sashing strip between assembled rows. Press Seam toward Fabric A.

Big Grid Block Assembly

9. Lay out as shown in Diagram 6 with Border at top, Gingham block in the center and Big Grid block below. Attach units together, pressing seams as shown.




Diagram 6

10. Baste and quilt as desired.
11. Attach binding strips together at short ends. Press seam open. Press lengthwise together and attach using favorite binding technique.