

# BOOK FAIR

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring

## CELEBRATE SEUSS !



Finished quilt measures: 55" x 65"











**Pattern Level: Confident Beginner**

*"I have basic block construction down and would like to learn a new trick!"*

**ROBERTKAUFMAN**  
F A B R I C S

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 40" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADE 15668-267 ADVENTURE	2/3 yard (one panel)		F	ADE 12778-47 GRASS	1/4 yard
	B	ADE 10789-203 CELEBRATION	3/8 yard		G	ADE 12778-246 WATER	fat eighth
	C	ADE 15669-2 BLACK	1/4 yard		H	ADE 12778-130 SUNSHINE	1/4 yard
	D	ADE 15670-2 BLACK	1/4 yard		I	K001-410 KUMQUAT (includes binding)	1-1/3 yard
	E	ADE 15669-4 BLUE	1/3 yard		J	ADE 10792-203 CELEBRATION	1 yard
Copyright 2015, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards backing			

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Remember to measure twice and cut once!

## Cutting Instructions

### Fabric A:

Fussy cut each of the ten panel blocks to 7-1/2" x 10-1/2"

### Fabric B:

Cut one 10-1/2" x WOF strip. From this, cut:

Four 10-1/2" x 4"

Trim the remaining WOF strip to be 7-1/2" wide. From this, cut:

One 7-1/2" x 14-1/2"

Two 4" x 7-1/2"

### Fabric C:

Cut four 5-1/2" x 5-1/2", on point



### Fabric D:

Cut four 5-1/2" x 5-1/2"

### Fabric E:

Cut two 7-1/2" x 10-1/2"

Cut four 7-1/2" x 3-1/2"

### Fabric F:

Cut eight 7-1/2" x 4"

### Fabric G:

Cut four 4" x 4"

Cut four 2-1/2" x 2-1/2"

### Fabric H:

Cut eight 7-1/2" x 3-1/2"

### Fabric I:

Cut two 4-3/8" x WOF strips. From these, cut:

Sixteen 4-3/8" x 4-3/8" squares. Cut each once on the diagonal to form thirty-two triangles.

Cut eighteen 2-1/2" x WOF strips. Set aside seven strips for binding.

Sew six strips together, end to end. Trim these to create:

Two 2-1/2" x 46-1/2"

Two 2-1/2" x 56-1/2"

From the remaining strips, cut:

Four 2-1/2" x 28-1/2"



Four 2-1/2" x 7-1/2"  
Four 2-1/2" x 10-1/2"

**Fabric J:**

Cut three 3" x WOF strips.

Sew the strips together, end to end. Trim these to create:

Two 3" x 56-1/2"

Cut three 5" x WOF strips.

Sew the strips together, end to end. Trim these to create:

Cut two 5" x 55-1/2"

Assemble the Quilt Center

1. Gather all Fabric C and D squares. Taking care not to handle the bias edges of the Fabric C blocks, sew Fabric I triangles to opposite sides of each square, pressing away from the square. Sew triangles to the remaining sides, pressing away from the square. Square in a Square blocks should measure 7-1/2" x 7-1/2".
2. Sew 4" x 7-1/2" Fabric B pieces to one side of a Fabric D Square in a Square block. Repeat for a second Fabric D block. Press seams toward Fabric B.
3. Sew a Fabric D Square in a Square block to both ends of the 7-1/2" x 14-1/2" Fabric B piece. Press toward Fabric B.
4. Sew 4" x 7-1/2" Fabric F pieces to the left side of a Fabric C Square in a Square block. Repeat for a second Fabric C block. Press seams toward Fabric C. Repeat with two more Fabric C blocks and F rectangles, sewing the Fabric F piece to the right side of the blocks.
5. Sew a 4" Fabric G square to a 4" x 7-1/2" Fabric F rectangle. Press toward the rectangle. Repeat to form a total of four FG units.
6. Assemble the quilt center in rows, following the Quilt Center Assembly Diagram. Press seams to one side.



## Assemble the Borders

1. Sew a 2-1/2" Fabric G square to each end of a 28-1/2" Fabric I strip. Repeat to form both side sashing strips.
2. Sew 2-1/2" x 28-1/2" Fabric I strips to the top and bottom of the quilt center. Press toward the sashing. Sew the sashing strips assembled in Step 1 to the sides. Press toward the sashing.
3. Create the side inner borders by sewing together the following pieces, referring to the Border Assembly Diagram for placement:
  - Three Fabric A panel pieces
  - Two Fabric I 2-1/2" x 7-1/2" rectangles
  - Four Fabric H 7-1/2" x 3-1/2" rectangles
  - Two Fabric E 7-1/2" x 3-1/2" rectangles

Sew along the 7-1/2" sides of each piece. Repeat to create a second side inner border.

4. Create the top/bottom inner borders, by sewing together the following pieces, referring to the Border Assembly Diagram for placement:
  - Two Fabric A panel pieces
  - Two Fabric I 2-1/2"x10-1/2" rectangles
  - One Fabric E 7-1/2" x 10-1/2" rectangle
  - Two Fabric B 10-1/2" x 4" rectangles

Sew along the 10-1/2" sides of each piece. Repeat to create a second top/bottom inner border.

5. Sew the top and bottom inner borders to the quilt center, pressing toward the border. Sew the side inner borders to each side of the quilt, pressing toward the border.
6. Sew the 46-1/2" Fabric I sashing strips to the top and bottom of the quilt. Press toward sashing.

Sew the 56-1/2" Fabric I sashing strips to the sides of the quilt, pressing toward the sashing.

7. Sew the 3" x 56-1/2" Fabric J borders to the sides of the quilt. Press toward the outer border. Sew the 5" x 55-1/2" Fabric J borders to the top and bottom of the quilt. Press toward the outer border.





Your quilt top is complete. Baste, quilt, bind and enjoy!