

CANDLELIGHT RUNNER

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring

Stars of Light STUDIO
RK



Finished project measures: 42" x 19-1/2"

Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKM-14476-303 BLANC	3/4 yard		E	SRKM-21056-4 BLUE	1/8 yard
	B	K106-1925 GILDED BEIGE	1/8 yard		F	SRKM-21735-9 NAVY	1/3 yard
	C	SRKM-19955-289 LT. BLUE	1/8 yard		Binding*	K106-1925 GILDED BEIGE <small>*Also used for Fabric B</small>	1/3 yard
	D	SRKM-19956-9 NAVY	1/8 yard	You will also need: 1-1/2 yards for backing			

Copyright 2023, Robert Kaufman
 For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

three 3-1/2" x WOF strips. Subcut:
eight 3-1/2" x 11" rectangles.
three 2" x WOF strips. Subcut:
two 2" x 36-1/2" top/bottom inner borders.
two 2" x 11" side inner borders.
one 1-1/2" x WOF strip. Subcut:
five 1-1/2" x 4" rectangles.
three 1-1/2" x 3-1/2" rectangles.
one 1" x WOF strip. Subcut:
thirty-six 1" squares.

From Fabric B, cut:

one 1-1/2" x WOF strip. Subcut:
four 1-1/2" x 3" rectangles.
five 1-1/2" x 2-1/2" rectangles.

From each of Fabrics C and E, cut:

one 1-1/2" x WOF strip. Subcut:
three 1-1/2" x 5-1/2" rectangles of each fabric.

From Fabric D, cut:

one 1-1/2" x WOF strip. Subcut:
one 1-1/2" x 8-1/2" rectangle.
two 1-1/2" x 5-1/2" rectangles.

From Fabric F, cut:


three 3-1/2" x WOF strips. Subcut:
Note: If the usable width of your fabric is less than 42-1/2", sew the strips together end-to-end before subcutting.
two 3-1/2" x 42-1/2" top/bottom outer borders.
two 3-1/2" x 14" side outer borders.

From the Binding Fabric, cut:


four 2-1/2" x WOF strips.

Assemble the Stitch-and-Flip Units

Step 1: Gather four 1" Fabric A squares and one 1-1/2" x 2-1/2" Fabric B rectangle. Mark a diagonal line on the wrong side of each square. Place two squares on opposite corners of the rectangle with the marked lines oriented as shown. Sew on the marked lines, then trim the excess fabric 1/4" away from the sewn seams. Press towards the corners.




Step 2: Place the two remaining squares on the remaining corners of the unit with the lines oriented as shown. Sew on the marked lines, then trim the excess fabric 1/4" away from the sewn seams. Press towards the corners.




Step 3: Repeat Steps 1 and 2 to make five small flames.

Step 4: Gather four 1" Fabric A squares and one 1-1/2" x 3" Fabric B rectangle. Mark a diagonal line on the wrong side of each square. Place two squares on opposite corners of the rectangle with the marked lines oriented as shown. Sew on the marked lines, then trim the excess fabric 1/4" away from the sewn seams. Press towards the corners.



Step 5: Place the two remaining squares on the remaining corners of the unit with the lines oriented as shown. Sew on the marked lines, then trim the excess fabric 1/4" away from the sewn seams. Press towards the corners.




Step 6: Repeat Steps 4 and 5 to make four large flames.

Assemble the Blocks

Step 7: Gather one Step 2 unit, one 1-1/2" x 4" Fabric A rectangle, and one 1-1/2" x 5-1/2" Fabric C rectangle. Sew the Fabric A rectangle to the top of the Step 2 unit, then press the seam towards the top. Sew the Fabric C rectangle to the bottom of the unit, then press the seam towards the bottom.

Repeat to make three identical blocks.



Step 8: Gather one Step 2 unit, one 1-1/2" x 4" Fabric A rectangle, and one 1-1/2" x 5-1/2" Fabric D rectangle. Sew the Fabric A rectangle to the top of the Step 2 unit, then press the seam towards the top. Sew the Fabric D rectangle to the bottom of the unit, then press the seam towards the bottom.

Repeat to make two identical blocks.



Step 9: Gather one Step 5 unit, one 1-1/2" x 3-1/2" Fabric A rectangle, and one 1-1/2" x 5-1/2" Fabric E rectangle. Sew the Fabric A rectangle to the top of the Step 5 unit, then press the seam towards the top. Sew the Fabric E rectangle to the bottom of the unit, then press the seam towards the bottom.


Repeat to make three identical blocks.



Step 10: Gather one Step 5 unit and one 1-1/2" x 8-1/2" Fabric D rectangle. Sew the Fabric D rectangle to the bottom of the Step 5 unit, then press the seam towards the bottom.



Assemble the Runner



Step 11: Alternate between the blocks and 3-1/2" x 11" Fabric A rectangles to form a row. See the Assembly Diagram to arrange the blocks in the same order as our sample project.

Step 12: Sew the blocks together to form rows. Press the seams towards the Fabric A rectangles.

Step 13: Sew the side inner borders to the sides of the project center. Press toward the borders. Sew the top and bottom inner borders to the project center. Press toward the borders.

Step 14: Sew the side outer borders to the sides of the project center. Press toward the borders. Sew the top and bottom outer borders to the project center. Press toward the borders.

Your project top is complete! Baste, quilt, bind, and enjoy!