


DIAMOND TRANSPARENCY

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring ARTISAN
FABRICS

Coral Reef 



Finished quilt measures: 83" x 83"













Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-364 ASTRAL	3-3/4 yards		G	SRK-18731-361 CAPRI	3/8 yard
	B	SRK-18729-195 BRIGHT	1/4 yard		H	SRK-19073-248 MARINE	3/8 yard
	C	SRK-19072-330 GINGER	1/2 yard		I	SRK-18731-4 BLUE	5/8 yard
	D	SRK-18727-333 SEA GLASS	5/8 yard		J	SRK-18732-327 LAGUNA	1/3 yard
	E	SRK-18731-50 LIME	7/8 yard		K	SRK-19071-6 PURPLE	1/4 yard
	F	SRK-18729-70 AQUA	7/8 yard		Binding*	SRK-19073-248 MARINE <i>*Also used for Fabric H</i>	3/4 yard
<p>Copyright 2019, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 7-5/8 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

twenty-four 5-3/8" x WOF strips. Subcut:

one hundred sixty-two 5-3/8" squares. Cut each square in half along one diagonal.

From Fabric B, cut:

one 4-1/8" x WOF strip. Subcut:

ten 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric C, cut:

one 5-1/8" x WOF strip. Subcut:

five 5-1/8" squares

two 4-1/8" x WOF strips. Subcut:

sixteen 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric D, cut:

one 5-1/8" x WOF strip. Subcut:

eight 5-1/8" squares

three 4-1/8" x WOF strips. Subcut:

twenty-four 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric E, cut:

two 5-1/8" x WOF strips. Subcut:

twelve 5-1/8" squares

four 4-1/8" x WOF strips. Subcut:

thirty-two 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric F, cut:

two 5-1/8" x WOF strips. Subcut:

sixteen 5-1/8" squares

four 4-1/8" x WOF strips. Subcut:

thirty-two 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric G, cut:

two 5-1/8" x WOF strips. Subcut:

sixteen 5-1/8" squares

From Fabric H, cut:

three 4-1/8" x WOF strips. Subcut:

twenty-four 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric I, cut:

two 5-1/8" x WOF strips. Subcut:

twelve 5-1/8" squares

two 4-1/8" x WOF strips. Subcut:

sixteen 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric J, cut:

one 5-1/8" x WOF strip. Subcut:

eight 5-1/8" squares

one 4-1/8" x WOF strip. Subcut:

eight 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric K, cut:


one 5-1/8" x WOF strip. Subcut:

four 5-1/8" squares

From the Binding Fabric, cut:

nine 2-1/2" x WOF strips


Assemble the Square in a Square Blocks (SIAS)




Step 1: Sew a Fabric B triangle to opposite sides of a Fabric C square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric C square. Trim to 6-7/8" square, if necessary.

Step 2: Sew a Fabric A triangle to opposite sides of the unit from Step 1. Press seam allowances toward the triangles. Repeat on remaining sides of the unit.


Trim the SIAS block to 9-1/2" square.




Repeat Steps 1 and 2 to complete the following blocks:



Fabric B/C: Make five



Fabric C/D: Make eight



Fabric D/E: Make twelve




Fabric E/F: Make sixteen




Fabric F/G: Make sixteen



Fabric H/I: Make twelve




Fabric I/J: Make eight



Fabric J/K: Make four

Assemble the Quilt



Step 3: Arrange the blocks into nine rows of nine blocks. Note the fabric placement in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 5: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.