


DRINK UP

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

Cheers!



Finished quilt measures: 71" x 78-1/2"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 43" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOM-16462-7 GREEN	7/8 yard		E	AOM-16464-1 WHITE	1/3 yard
	B	AOM-16462-184 CHARCOAL	1-1/8 yard		F	AOM-16464-7 GREEN	1/3 yard
	C	AOM-16463-2 BLACK	1/4 yard		G	K001-1080 COAL <small>*includes binding</small>	1-1/2 yards
	D	AOM-16463-7 GREEN	1/4 yard		H	K001-1019 BLACK	2-1/8 yards
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: 5 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 43" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabrics A and B, fussy cut:

a total of eighteen 9-1/4" x 10-1/2" panel pieces, nine of each style (nine large quotes and nine large glasses)

From each of Fabrics C and D, cut:

one 5-1/2" x WOF strip. Subcut:

nine 4-3/4" x 5-1/2" rectangles

From each of Fabrics E and F, cut:

three 3" x WOF strip. Subcut:

thirty-six 3" x 2-3/4" rectangles

From Fabric G, cut:

six 2-3/4" x WOF strips. Subcut:

thirty-six 2-3/4" x 5-1/2" rectangles

four 3" x WOF strips. Subcut:

thirty-six 3" x 4-3/4" rectangles

eight 2-1/2" x WOF strips for the binding

From Fabric H, cut:

three 10-1/2" x WOF strips. Subcut:

forty-two 10-1/2" x 3" sashing strips

twelve 3" x WOF strips. Sew together, end-to-end, in sets of three then trim to yield:

seven 3" x 70-1/2" row sashing strips

Assemble the A Blocks




Step 1: Sew two matching Fabric E rectangles to either end of a 3" x 4-3/4" Fabric G rectangle. Press the seam toward the Fabric E pieces. Repeat with all remaining Fabric E rectangles.

Step 2: Sew a 2-3/4" x 5-1/2" Fabric G rectangle to opposite sides of a Fabric D rectangle. Press toward the Fabric D rectangle. Repeat for all remaining Fabric D pieces.

Step 3: Sew a completed Step 1 unit to the top and bottom of the block. Press the seams to one side.

Repeat for all remaining Step 2 units.

Assemble the B Blocks




Step 4: Sew two matching Fabric F rectangles to either end of a 3" x 4-3/4" Fabric G rectangle. Press the seam toward the Fabric F pieces. Repeat with all remaining Fabric F rectangles.

Step 5: Sew a 2-3/4" x 5-1/2" Fabric G rectangle to opposite sides of a Fabric C rectangle. Press toward the Fabric C rectangle. Repeat for all remaining Fabric C pieces.

Step 6: Sew a completed Step 4 unit to the top and bottom of the block. Press the seams to one side.

Repeat for all remaining Step 5 units.

Sewing Blocks to Form Rows



Step 7: Arrange the blocks together as indicated in the Quilt Assembly Diagram, noting the fabric placement of the panel pieces. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make six block rows.

Step 8: Sew the rows together, placing a row sashing strip between each row. Press seams open or to the sashing.

Step 9: Sew the remaining two row sashing strips to the top and bottom of the quilt center. Press toward the strips.

Your quilt top is now complete. Baste, quilt, bind and enjoy!