


FLIGHTY

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

petite classics

SEVENBERRY®



Finished quilt measures: 55" x 55"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	1-1/8 yards		J	SB-6114D5-10 BLACK	1/4 yard
	B	SB-88621D2-3 POPPY	1/2 yard		K	SB-88620D1-3 POPPY	1/4 yard
	C	SB-88621D2-12 CRIMSON	1/3 yard		L	SB-88620D1-5 JET	1/4 yard
	D	SB-6114D3-1 WHITE	1/4 yard		M	SB-88620D1-8 RED	1/4 yard
	E	SB-6114D3-5 RED	1/4 yard		N	SB-88620D1-10 BLACK	1/4 yard
	F	SB-6114D3-10 BLACK	1/8 yard		O	SB-88620D1-12 CRIMSON	1/4 yard
	G	SB-6114D4-1 WHITE	1/4 yard		P	SB-88621D1-3 POPPY	1/4 yard
	H	SB-6114D4-9 BLACK	1/8 yard		Q	SB-88621D1-5 JET	1/8 yard
	I	SB-6114D5-8 RED	1/4 yard		R	SB-88621D2-5 JET	1/8 yard



S

SB-88621D2-8
RED

1/8 yard



T

K001-7
TOMATO
**includes binding*

1/4 yard

Copyright 2016, Robert Kaufman
For individual use only - Not for resale

You will also need:
3-1/2 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

five 4-1/4" x WOF strips. Subcut:

two 4-1/4" x 42-1/2" side inner borders

Sew the remaining three strips together, end-to-end, and trim to yield:

two 4-1/4" x 50" top and bottom inner borders

six 2-1/2 x WOF strips, Subcut:

twelve 2-1/2" x 9-1/2" block sashing strips

Trim the three remaining strips to make:

three 2-1/2" x 42-1/2" row sashing strips

From each of Fabrics B and C, cut:

three 3-1/4" x WOF strips. Subcut:

thirty-eight 3-1/4" squares from each fabric for the pieced outer border

From each of Fabrics B, D, E, G, K, L, M, O, and P, cut:

one 3-1/4" x WOF strip. Subcut:

ten 3-1/4" squares for HSTs

one 2-3/4" x WOF strip. Subcut:

six 2-3/4" squares

From Fabric F, cut:

one 3-1/4" x WOF strip. Subcut:

five 3-1/4" squares for HSTs

From each of Fabrics H, Q, R and S, cut:

one 3-1/4" x WOF strip. Subcut:

five 3-1/4" squares for HSTs

Trim the remainder of the strip to 2-3/4" wide. Cut:

six 2-3/4" squares

From each of Fabrics I, J, N cut:

two 3-1/4" x WOF strips. Subcut:

fifteen 3-1/4" squares for HSTs

Trim the remainder of the strip to 2-3/4" wide. Cut:

six 2-3/4" squares

From the binding fabric, cut:


six 2-1/2" x WOF strips

Assemble the Blocks


Note, these assembly instructions are specific to Block 1. The same steps apply to the remaining blocks. Pair fabrics for Blocks 2-16 using the Quilt Assembly Diagram.

Step 1: Gather five 3-1/4" Fabric O squares, five 3-1/4" Fabric D squares and six 2-3/4" Fabric O squares.

Step 2: Pair a 3-1/4" Fabric O and D square RST. Mark a diagonal line on the wrong side of Fabric D. Sew 1/4" away from both sides of the marked line. Cut along the marked line, creating two half-square triangles (HSTs). Press the seam toward the darker fabric. Trim the square to 2-3/4". Repeat with remaining O/D pairs.



Step 3: Arrange all 2-3/4" squares and HSTs, following the Block Assembly Diagram for placement and orientation. Sew the units together in four rows of four, pressing seams to the left in the odd numbered rows and to the right in even numbered rows. Sew the rows together, pressing seams open. Resulting block should measure 9-1/2" square.




Step 4: Repeat Steps 1-3 to create Blocks 2-16.

Assemble the Outer Border

Step 5: Gather ten 3-1/4" squares each of Fabrics B and C. Sew together in one row, alternating the fabrics, to create a top/bottom outer border. Press all seams toward the darker fabric. Repeat to make a second top/bottom outer border.

Step 6: Gather nine 3-1/4" squares each of Fabrics B and C. Sew together in one row, alternating the fabrics, to create a side outer border. Press all seams toward the darker fabric. Repeat to make a second side outer border.

Assemble the Quilt



Step 7: Arrange Blocks 1-16 in four rows of four blocks. Sew each row together, placing a block sashing strip between each block. Press toward the sashing strips.

Step 8: Sew the rows together to form the quilt center, placing a row sashing strip between each row. Press toward the sashing strips.

Step 9: Sew a side inner border to both sides of the quilt center, pressing seams toward the border. Sew a top/bottom inner border to the top and bottom of the quilt center, pressing seams toward the border.

Step 10: Sew a side outer border to both sides of the quilt center, pressing seams toward the outer border. Sew a top/bottom outer border to the top and bottom of the quilt center, pressing seams toward the outer border.

Your quilt top is now complete! Baste, quilt, bind and enjoy!