


FLOWER BOX TABLE RUNNER

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

Emma



Finished project measures: 54" x 33"

Pattern Level: Experienced Intermediate












"I know the ropes and would like to test my skills!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRK-6726-122 CAMELLIA	3/8 yard		I	SRK-6721-104 PRIMROSE	1/8 yard
	B	SRK-6726-97 ROSE	1/2 yard		J	SRK-6721-136 BUTTERCUP	1/8 yard
	C	SRK-6726-43 LEAF	1/4 yard		K	SRK-6722-34 SAGE	1/8 yard
	D	SRK-6726-68 DUSTY BLUE <i>*includes binding</i>	3/4 yard		L	SRK-6722-66 SLATE	1/8 yard
	E	SRK-6726-84 CREAM	1/2 yard		M	SRK-6725-68 DUSTY BLUE	1/8 yard
	F	SRK-6726-154 CHAMPAGNE	1/4 yard		N	SRK-6725-96 BLUSH	1/8 yard
	G	SRK-6720-68 DUSTY BLUE	1/8 yard		O	SRK-6725-15 IVORY	3/8 yard
	H	SRK-6720-96 BLUSH	1/8 yard		P	SRK-6724-34 SAGE	3/4 yard

Copyright 2016, Robert Kaufman
For individual use only - Not for resale


You will also need:
1-3/4 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Templates

Prepare thirty-two copies of EACH foundation paper template on copy paper. Trim to the outer seam allowance marking.



Cutting Instructions

From Fabric A, cut:

two 4" x WOF strips. Subcut:

- eight 4" x 2" rectangles for Section 1 of Template A/A Reversed
- eight 4" squares. Cut each square in half along one diagonal and set aside for Section 4 of Template B/B Reversed
- From the remainder of the second strip, cut:
 - eight 3" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template A/A Reversed

two 2-1/2" x WOF strips. Subcut:

- eight 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template A/A Reversed
- eight 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template B/B Reversed
- eight 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template B/B Reversed

From Fabric B, cut:

two 4" x WOF strips. Subcut:

- eight 4" x 2" rectangles for Section 1 of Template A/A Reversed
- eight 4" squares. Cut each square in half along one diagonal and set aside for Section 4 of Template B/B Reversed
- From the remainder of the second strip, cut:
 - four 3" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template A/A Reversed

one 2-1/2" x WOF strip. Subcut:

- four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template A/A Reversed
- four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template B/B Reversed
- eight 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template B/B Reversed
- four 1-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:
 - two 1-1/2" x 46" top/bottom inner borders
 - two 1-1/2" x 23" side inner borders

From Fabric C, cut:

one 4" x WOF strip. Subcut:

- four 4" squares. Cut each square in half along one diagonal and set aside for Section 4 of Template B/B Reversed

four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template B/B Reversed

two 2" x WOF strips. Subcut:

- eight 2" x 4" rectangles for Section 1 of Template A/A Reversed
- fifteen 2" squares for cornerstones

From Fabric D, cut:

two 4" x WOF strips. Subcut:

- eight 2" x 4" rectangles for Section 1 of Template A/A Reversed
- eight 4" squares. Cut each square in half along one diagonal and set aside for Section 4 of Template B/B Reversed
- From the remainder of the second strip, cut:
 - four 3" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template A/A Reversed

six 2-1/2" x WOF strips. Subcut:

- four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template A/A Reversed
- four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template B/B Reversed
- eight 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template B/B Reversed
- set the remaining five strips aside for binding

From Fabric E, cut:

two 4" x WOF strips. Subcut:

- sixteen 4" x 2" rectangles for Section 1 of Template A/A Reversed
- four 4" squares. Cut each square in half along one diagonal and set aside for Section 4 of Template B/B Reversed

one 3" x WOF strip. Subcut:

- twelve 3" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template A/A Reversed

two 2-1/2" x WOF strips. Subcut:

- twelve 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template A/A Reversed
- twelve 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template B/B Reversed
- four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template B/B Reversed

From Fabric F, cut:

one 4" x WOF strips. Subcut:

- sixteen 2" x 4" rectangles for Section 1 of Template A/A Reversed

one 3" x WOF strip. Subcut:

- four 3" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template A/A Reversed
- From the remainder of the strip cut:
 - four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 3 of Template A/A Reversed
 - four 2-1/2" squares. Cut each square in half along one diagonal and set aside for Section 2 of Template B/B Reversed

From Each of Fabrics G-N, cut:

one 2-3/4" x WOF strip. Subcut:

- eight 2-3/4" x 4-1/2" rectangles for Section 1 of Template B/B Reversed

From Fabric O, cut:

six 2" x WOF strips. Subcut:

- twenty-two 2" x 9-1/2" sashing strips

From Fabric P, cut:

four 4-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:



- two 4-1/2" x 54" top/bottom outer borders
- two 4-1/2" x 25" side outer borders

Assemble the Blocks



Step 1: This quilt is constructed by paper piecing the blocks. Sew the pieces in the order indicated on the template. Trim seam allowances to 1/4" as each new piece is added. Refer to the Quilt Assembly Diagram for fabric placement within the block.

Step 2: Sew a completed Template A to a completed Template B. Remove the template paper and press the seam open. Repeat four times per block.



Step 3: Sew a completed Template A Reversed to a completed Template B Reversed. Remove the template paper and press the seam open. Repeat four times per block.

Step 4: Sew a Step 2 unit to a Step 3 unit as shown. Press the seam open. Repeat to make four units.




Step 5: Sew the units from Step 4 together to form the block. Press seams to one side. Block should measure 9-1/2" square.

Step 6: Repeat Steps 1-5 for the remaining blocks.



Assemble the Table Runner



Step 7: Arrange the blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make two block rows.

Step 8: Gather five cornerstone squares and four sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make three sashing rows.

Step 9: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 10: Sew the 1-1/2" inner borders to the sides of the quilt center. Press toward the border. Sew the remaining inner borders to the top and bottom of the quilt center. Press toward the border.

Step 11: Sew the 4-1/2" outer borders to the sides of the quilt center. Press toward the border. Sew the remaining outer borders to the top and bottom of the quilt center. Press toward the border.

Your table runner top is now complete! Baste, quilt, bind and enjoy!