GALLERY OPENING

Designed by Robert Kaufman Fabrics Featuring www.robertkaufman.com

Vincent van Gogh



Finished quilt measures: 32-1/2" x 40-1/2"

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AVG-15797-125 SUNFLOWER	2/3 yard (one panel)		D	AVG-15799-155 STONE	1/4 yard
	В	AVG-15801-46 PEAR	1/4 yard		Е	AVG-15799-184 CHARCOAL *includes binding	1/2 yard
	С	AVG-15799-158 WHEAT	1/8 yard	women menage in a constant men	F	AVG-15798-12 GREY	1/3 yard
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: 1-1/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

Fussy cut panel to 22-1/2" x 30-1/2"

Fabric B

Cut one strip 6" x WOF
sub cut one strip 6" x 27-1/2"
sub cut strip into three 2" strips
trim one strip to 2" x 22-1/2"
trim two strips to 2" x 27-1/2"
use remainder of 6" strip to cut four 3" squares

Fabric C

Cut one strip 2"x WOF Sub cut into one 2" x 22-1/2" strip and two 2" x 6-1/2" strips

Fabric D

Cut four strips 1-1/2" x WOF trim two strips to 1-1/2" x 35-1/2" trim two strips to 1-1/2" x 25-1/2"

Fabric E

Cut two strips 3" x WOF sub cut into sixteen 3" x 3" squares Cut four strips 2-1/4" x WOF, set aside for binding

Fabric F

Cut four strips 3" x WOF trim two strips to 3" x 35-1/2" trim two strips to 3" x 27-1/2"

Making the Borders

Step 1 Sew a 2" x 6-1/2" Fabric C strip to the end of a 2" x 27-1/2" Fabric B strip. Repeat to make two.



Step 2 Sew a 2" x 22-1/2" Fabric B strip to the top of your panel.

Step 3 Sew a 2" x 22-1/2" Fabric C strip to the bottom of your panel.

Step 4 Sew the two strips from Step 1 the the left and right sides of the panel. Make sure the green is on the top of the quilt and the brown is on the bottom (see fig. 1 below).



fig. 1

Step 5 Sew the two 1-1/2" x 25-1/2" fabric D strips to the top and bottom of the quilt.


Step 6 Sew the two 1-1/2" x 35-1/2" fabric D strips to the left and right sides of the quilt. (see

fig. 2 below).




fig. 2

Step 7 Sew a Fabric E square from corner to corner on each end of a fabric F strip (see black line in diagram below). Trim away excess and press towards fabric E.



Repeat for all fabric F strips.

Step 8 Sew another Fabric E square from corner to corner on each end of the strips created in Step 7, this time sewing in the opposite direction. Trim excess fabric and press towards fabric E. (See diagram below).



Step 9 Sew a Fabric B 3" square to either end of the 35-1/2" strips. Press towards fabric B.



Step 10 Sew the two 3" \times 27-1/2" strips from Step 8 to the top and bottom of the quilt.

Step 11 Sew the two strips from Step 9 to the left and right sides of the quilt.

Finishing the Quilt

Step 12 Trim the backing to 40" x 48" or larger.

Step 13 Layer your backing face down, then batting, then your quilt top face up.

Step 14 Baste through all layers, then quilt as desired. Bind using Fabric E.

