

# MAHOGANY

Designed by Darlene Zimmerman  
[www.feedsacklady.com](http://www.feedsacklady.com)

Featuring  
**KONA**<sup>®</sup>  
cotton solids



Finished quilt measures: 58" x 76"


**Pattern Level: Experienced Intermediate**

*"I know the ropes and would like to test my skills!"*

**ROBERT KAUFMAN**  
F A B R I C S

# Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1215 MAHOGANY <i>(includes binding)</i>	2-1/3 yards		G	K001-352 RUBY	*charm squares
	B-M	CHS-347-42 MAHOGANY PALETTE	6 charm packs		H	K001-1390 WINE	*charm squares
*FABRICS B-M use charm squares from CHS-347-42					I	K001-1082 COCOA	*charm squares
	B	K001-1483 SALMON	*charm squares		J	K001-1042 BRICK	*charm squares
	C	K001-1332 SIENNA	*charm squares		K	K001-1091 CRIMSON	*charm squares
	D	K001-355 CAYENNE	*charm squares		L	K001-1151 GARNET	*charm squares
	E	K001-1480 CHINESE RED	*charm squares		M	K001-1215 MAHOGANY	*charm squares
	F	K001-1551 RICH RED	*charm squares	You will also need: 3-1/2 yards for backing			

Copyright 2015, Robert Kaufman  
For individual use only - Not for resale

## Tool Requirements

- Tri-Recs (EZ Quilting )
- 3-1/2" square (EZ Quilting)

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

From **Fabric A**, cut:

one 4-1/2" x WOF strip. Sub-cut:

four 4-1/2" squares for border corners


four Recs triangles (for blocks)

ten 1-3/8" x 4-1/2" strips (for pieced border)

three 2-1/2" x WOF strips (top and bottom border)

nine 2-1/2" x 68" strips *cut lengthwise* for vertical sashing and side borders

Use remainder of fabric to cut 300" of 2-1/2" wide bias binding strips.




**Step 1:** Layer two charm squares, then trim to 4-1/2" square.


**Step 2:** From each 4-1/2" square, cut two Recs triangles, including the cut-off tip on the Recs tool. Repeat for all the charm squares. TIP: For best results, only cut two charm squares at a time. *Save the remaining 1-3/8" x 4-1/2" for the borders.*

## Assemble the Blocks

**Step 3:** Pair a light Recs triangle with a darker Recs triangle. Place them right sides together, aligning the two cut-off tips with the bottom corners of the triangles as shown. Repeat to make divided rectangles as shown below; one hundred twenty-eight facing left (B units), one hundred twenty-eight facing right (C units). Press the seams open.




**Step 4:** Join two of the B and C units from Step 3 to make a triangle-within-a-square unit. Repeat to make one hundred twenty-eight units. Press the seams open. At this point the units should measure 4-1/2" square.



 PRESS SEAM OPEN

**Step 5:** Join two of the Step 4 units to make a diamond block. Press the center seam open. Repeat to make sixty-four diamond blocks.



 PRESS SEAM OPEN

## Assemble the Quilt Center

**Step 6:** Sew eight diamond blocks together into eight vertical rows, pressing the seams open.




*Row shown above is actually vertical within the quilt, but is shown horizontal in the diagram.*

**Step 7:** Measure the vertical diamond block rows. Trim the 2-1/2" x 68" sashing strips to that measurement. Join the block rows with the vertical sashing. Also sew sashing on both long sides of the quilt top. Press towards the sashing.

**Step 8:** Measure the quilt across the width. Piece, then sew the three 2-1/2" x WOF sashing strips together and trim to create two strips the measurement of the top and bottom border. Sew to the top and bottom of the quilt. Press toward the sashing.

## Assemble the Borders

**Step 9:** Using the 1-3/8" x 4-1/2" strips from the charm squares and the additional mahogany strips, sew together on the long edges to make two borders the width of the quilt. Press the seams all one direction. *(TIP: If the borders don't quite fit, you can take in or let out a few seams in the pieced border until they fit properly.)* Sew to the top and bottom of the quilt. Press toward the inner border.



**Step 10:** Repeat this process for the sides of the quilt. Before sewing the borders on the quilt, add the 4-1/2" corner squares to the ends of the borders. Press the seams all one direction and toward the corner squares. Sew to the sides of the quilt.



Your quilt top is now complete! Baste, quilt, bind and enjoy!