

# NO PAT NO

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring

## HOP ON POP



TM & © 2017 Dr. Seuss Enterprises, L.P. All rights reserved.  
For Individual Use Only.



Finished quilt measures: 69" x 76"

**Pattern Level: Enthusiastic Novice**


"I am a total beginner and want to learn more!"

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADE-17013-195 BRIGHT	2/3 yard (one complete panel)		G	ADE-17015-4 BLUE	1/4 yard
	B	ADE-17018-195 BRIGHT	3/4 yard		H	ADE-17015-7 GREEN	1/2 yard
	C	K001-1387 WHITE	1-3/8 yards		I	ADE-17016-195 BRIGHT	1/2 yard
	D	K001-440 BREAKERS	1/4 yard		J	ADE-17018-5 YELLOW	1/2 yard
	E	ADE-17017-195 BRIGHT	7/8 yard		K	ADE-17014-4 BLUE	1/2 yard
	F	ADE-17014-3 RED	1/2 yard		Binding*	K001-1296 POPPY	5/8 yard

Copyright 2017, Robert Kaufman  
For individual use only - Not for resale

You will also need:  
4-1/2 yards for backing

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, fussy cut:**

ten 7-1/2" x 11-1/2" rectangles

### **From Fabric B, cut:**

two 11-1/2" x WOF strips. Subcut:  
ten 7-1/2" x 11-1/2" rectangles

### **From Fabric C, cut:**

thirteen 2-1/2" x WOF strips. Subcut:  
twenty-five 2-1/2" x 7-1/2" sashing strips  
twenty-four 2-1/2" x 11-1/2" sashing strips  
seven 1-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:  
two 1-1/2" x 55-1/2" top and bottom middle borders  
two 1-1/2" x 64-1/2" side middle borders  
eight 1-1/2" x 6-1/2" border strips

### **From Fabric D, cut:**

two 2-1/2" x WOF strips. Subcut:  
thirty 2-1/2" squares for the cornerstones

### **From Fabric E, cut:**

six 4-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:  
two 4-1/2" x 47-1/2" top and bottom inner borders  
two 4-1/2" x 62-1/2" side inner borders

### **From each of Fabrics F and H-K, cut:**

two 6-1/2" x WOF strips. Subcut:  
two 6-1/2" x 11-1/2" for the pieced top and bottom outer borders  
two 6-1/2" x 12-7/8" for the pieced side outer borders

### **From Fabric G, cut:**

one 6-1/2" x WOF strip. Subcut:  
four 6-1/2" squares for the outer border corners

### **From the Binding Fabric, cut:**

eight 2-1/2" x WOF strips

## Assemble the Quilt Center



**Step 1:** Arrange the Fabric A and B rectangles together as indicated in the Quilt Assembly Diagram. Sew each row together, using 2-1/2" x 11-1/2" sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make four block rows.

**Step 2:** Gather six cornerstone squares and five 2-1/2" x 7-1/2" sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make five sashing rows.

**Step 3:** Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

## Add the Borders



**Step 4:** Sew the Fabric E top and bottom inner borders to the quilt center. Press toward the borders. Sew the Fabric E side inner borders to the sides of the quilt center. Press toward the borders.

**Step 5:** Sew the Fabric C top and bottom middle borders to the quilt center. Press toward the borders. Sew the Fabric C side middle borders to the sides of the quilt center. Press toward the borders.

**Step 6:** Sew together 6-1/2" x 12-7/8" rectangles in the following order: Fabric F + Fabric H + Fabric I + Fabric K + Fabric J. Press the seams to one side. Sew a 1-1/2" x 6-1/2" Fabric C strip to each end of the border and press toward the print fabrics. This is a pieced side outer border.

Repeat to make a second pieced side outer border. Sew to the left and right edges of the quilt center, noting the orientation in the Quilt Assembly Diagram. Press toward the border.

**Step 7:** Sew together 6-1/2" x 11-1/2" rectangles in the following order: Fabric F + Fabric H + Fabric I + Fabric K + Fabric J. Press the seams to one side. Sew a 1-1/2" x 6-1/2" Fabric C strip to each end of the border and press toward the print fabrics. Sew a 6-1/2" Fabric G corner square to each end of the border and press toward the corner square. This is a pieced top/bottom outer border.

Repeat to make a second pieced top/bottom outer border. Sew to the top and bottom edges of the quilt center, noting the orientation in the Quilt Assembly Diagram. Press toward the border.

Your quilt top is now complete. Baste, quilt, bind and enjoy!