Oh Tannenbaum

Designed by Janice Zeller Ryan www.betteroffthread.com

Featuring
"Winter's Grandeur



Finished project measures 60" x 80" Shown in "Holiday" colorstory. For alternate colorstories see pages 8-9.

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	¥	One FQ Bundle o s Grandeur Holiday (FQ-888-10) yardage needed for fab	Colorstory		F	SRKM-15189-224 EVERGREEN	1/4 yard
	A	SRKM-15186-223 HOLIDAY	1 panel		G	SRKM-15190-3 RED	1/4 yard
* *	В	SRKM-15187-3 RED	3/4 yard		Н	SRKM-15190-223 HOLIDAY	1/4 yard
	С	SRKM-15188-3 RED	1/3 yard		I	SRKM-15192-7 GREEN	1/4 yard
	D	SRKM-15188-133 GOLD	5/8 yard		J	SRKM-15192-15 IVORY	2-3/4 yards
	E	SRKM-15188-224 EVERGREEN	1/4 yard		5 yards 1/2 yard	will also need: Backing Fabric d Binding Fabric 6" Quilt Batting	

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Remember to measure twice and cut once!

Tip: When sewing the long borders to the quilt top, be sure to lay the pieces flat and pin liberally. This will assure that the borders and the quilt top do not stretch as you sew them together.

Cutting Instructions

Fabric A

- Trim panel to 22-1/2" x 43".

Fabric B

- Cut six strips 2-1/2" x WOF.
- Cut one strip 2-1/2" x WOF, then subcut into four strips 2-1/2" x 8-1/2".
- Cut eight squares 4-1/2" x 4-1/2", then subcut two squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".



Fabric C

- Cut twelve squares 4-1/2" x 4-1/2", then subcut four squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".

Fabric D

- Cut four strips 2-1/2" x WOF.
- Cut ten squares 4-1/2" x 4-1/2", then subcut four squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".

Fabric E

- Cut eight squares 4-1/2" x 4-1/2", then subcut two squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".

Fabric F

- Cut six squares 4-1/2" x 4-1/2", then subcut two squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".

Fabric G

- Cut four squares 4-1/2" x 4-1/2".

Fabric H

- Cut eight squares 4-1/2" x 4-1/2.

Fabric I

- Cut ten squares 4-1/2" x 4-1/2", then subcut six squares on the diagonal.
- Cut sixteen squares 2-1/2" x 2-1/2".

Fabric J

- Cut six strips 4-1/2" x WOF, then subcut into forty-eight squares 4-1/2" x 4-1/2".
 - Subcut fourteen squares on the diagonal.
- Cut six strips 2-1/2" x WOF, then subcut into forty-eight rectangles 2-1/2" x 4-1/2".
- Cut three strips 2-1/2" x WOF, then subcut into forty-eight squares 2-1/2" x 2-1/2".
- Cut four strips 8-1/2" x WOF, then subcut:
 - Four squares 8-1/2" x 8-1/2".
 - Four rectangles 8-1/2" x 10-1/2".
 - Four rectangles 8-1/2" x 16-1/2".

Assembly Instructions

Prepare the Center Panel


- 1. Sew the Fabric D 2" strips to the top, bottom and sides of the Panel, trimming the excess length as you go.
- 2. Measure the width and height of the pieced unit and trim each side, so that it measures 25-1/2" x 45-1/2" (fig. 1).

Note: the side strips will most likely be wider than the top and bottom strips, once trimmed.


Make the HSTs

1. Place a Fabric J 4-1/2" square right sides together on a Fabric B 4-1/2" square. Draw a line diagonally from corner to corner and sew a scant 1/4" from either side of the line (fig. 2). Cut along the drawn line and press the HSTs open and flat (fig. 3). You will now have two J/B HSTs. Trim to 4" x 4", if needed.







- Repeat to make the following number of HSTs (fig. 4):



C make 16











Assemble the HST Borders

1. Sew the Top HST border together as pictured (fig. 5). You will sew the diagonal rows first using two HSTS and two triangles and then sew the rows together. Repeat to make a Bottom HST borders (fig. 6).




2. Sew the Right HST border together as pictured (fig. 7). You will sew the diagonal rows first using two HSTs and two triangles and then sew the rows together. Repeat to make a Left HST border (fig. 8).



Make the Flying Geese


1. Place a Fabric B 2-1/2" square, right sides together, along the left edge of a Fabric J 2-1/2" x 4-1/2" rectangle. Draw a diagonal line, as pictured, and sew along the drawn line (fig. 9). Trim seam allowance and flip and press Fabric B flat (fig. 10). Repeat with a Fabric C square lined up with the right edge of the rectangle (fig. 11). Trim the flying geese to 2-1/2" x 4-1/2", if necessary (fig. 12).



- Repeat to make the following number of flying geese (fig. 13):



Red Flying Geese: make 16



Green Flying Geese: make 16



Gold Flying Geese: make 16

Assemble the Star Blocks

- 1. Sew a Fabric J 2-1/2" square to either short side of a red Fabric B/C flying geese unit. Press seam allowances toward Fabric J. Repeat with a second B/C unit.
- 2. Sew a B/C flying geese unit to either side of a Fabric H square. Press seam allowances toward Fabric H.
- 3. Sew the units from step 1 to the top and bottom of the step 2 unit (fig. 14).






fig. 14


- Repeat to make the following number of Star Blocks (fig. 15):



Red Star Block: make 4




Gold Star Block: make 4




Green Star Block: make 4

Assemble the Outer Borders

1. Sew a Fabric J 8-1/2" x 16-1/2" rectangle to each short side of a Red Star Block. Sew a Fabric B 2-1/2" x WOF strip to the bottom and trim the excess fabric from the ends. Press the seam allowances toward Fabric B. (fig. 16). Repeat to make a Bottom Outer Border.




2. Sew the Right Outer Border together as pictured (fig. 17). Begin with the Red Star Block in the center and work your way out to the edges. Press seam allowances away from the Star Blocks. Sew two Fabric B 2-1/2" x WOF strips with short ends together. Sew to the bottom of the Right Outer Border and trim excess fabric from the ends. Press the seam allowances toward Fabric B. Repeat to make a Left Outer Border.



Assemble the Quilt Top

Follow the Quilt Assembly Diagram to sew the top together (fig. 18):

- 1. Sew the HST borders to top, bottom and sides of the center panel, stopping your stitches 1/4" before the end of each seam and backstitching to secure the stitches. Press seam allowances toward the center.
- 2. Sew the mitered corner seams with right sides together.
- 3. Sew the Top and Bottom Outer Borders to the quilt top and press the seam allowances toward the Fabric B strips.
- 4. Sew the Right and Left Outer Borders to the quilt top and press the seam allowances toward the Fabric B strips.



Your quilt top is complete. Baste, quilt, bind and enjoy!

Oh Tannenbaum: "Winter" Colorstory



Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		One FQ Bundle of Grandeur Winter Co (FQ-886-10) ırdage needed for fabrics			F	SRKM-15189-277 WINTER	1/4 yard
	Α	SRKM-15186-277 WINTER	1 panel		G	SRKM-15191-277 WINTER	1/4 yard
	В	SRKM-15187-277 WINTER	3/4 yard		Н	SRKM-15190-277 WINTER	1/4 yard
	С	SRKM-15188-277 WINTER	1/3 yard		I	SRKM-15192-277 WINTER	1/4 yard
	D	SRKM-15192-186 SILVER	5/8 yard		J	SRKM-15192-184 CHARCOAL	2-3/4 yards
	Е	SRKM-13694-186 SILVER	1/4 yard	You will also need: 5 yards Backing Fabric 1/2 yard Binding Fabric 66" x 86" Quilt Batting			

Oh Tannenbaum: "Gold" Colorstory



Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		One FQ Bundle of 's Grandeur Gold Co (FQ-887-10) vardage needed for fabri	olorstory		F	SRKM-15189-15 IVORY	1/4 yard
	Α	SRKM-15190-2 BLACK	1 panel		G	SRKM-15191-133 GOLD	1/4 yard
	В	SRKM-15187-133 GOLD	3/4 yard		Н	SRKM-15190-15 IVORY	1/4 yard
	С	SRKM-13694-268 NATURE	1/3 yard		I	SRKM-15191-15 IVORY	1/4 yard
	D	SRKM-15187-15 IVORY	5/8 yard		J	SRKM-15192-2 BLACK	2-3/4 yards
	Е	SRKM-15188-15 IVORY	1/4 yard		5 yards 1 1/2 yard	ill also need: Backing Fabric Binding Fabric " Quilt Batting	