

OLD GUYS RULE THE ROAD

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **OLD GUYS RULE**®



Finished quilt measures: 72" x 78"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOD-16712-14 NATURAL	1-1/2 yards		H	AOD-16698-15 IVORY	1/4 yard
	B	AOD-16699-3 RED	1-5/8 yard		I	AOD-16698-184 CHARCOAL	1/4 yard
	C	AOD-16699-184 CHARCOAL	1/2 yard		J	AOD-16703-3 RED	1/8 yard
	D	K001-7 TOMATO	1/2 yard		K	AOD-16703-14 NATURAL	1/8 yard
	E	K001-455 RIVIERA	1/2 yard		L	AOD-16703-67 DENIM	1/8 yard
	F	K001-1243 NAVY <i>*includes binding</i>	7/8 yard		M	AOD-16704-14 NATURAL	1/8 yard
	G	K001-1390 WINE	1/4 yard		N	AOD-16704-67 DENIM	1/8 yard
<p>Copyright 2017, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 42-1/2" x 48-1/2" center panel

cut the piece so that a grid remains that is 7 blocks wide and 8 blocks tall

From Fabric B, cut:

six 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 3-1/2" x 48-1/2" top and bottom inner borders

two 3-1/2" x 72-1/2" top and bottom outer borders

From the remaining width of fabric, cut:

seven 3-1/2" x length of fabric strips. Sew together, end-to-end, then trim to yield:

two 3-1/2" x 48-1/2" side inner borders

two 3-1/2" x 72-1/2" side outer borders

From Fabric C, cut:

one 3-1/2" x WOF strip. Subcut:

four 3-1/2" x 9-1/2" rectangles

two of Template 1

two of Template 1-Reversed

From each of Fabrics D and E, cut:

two of Template 2

two of Template 2-Reversed

nine 3-1/2" x 9-1/2" rectangles

From each of Fabrics F and G, cut:

two 3-1/2" x WOF strips. Subcut:

eight 3-1/2" x 9-1/2" rectangles

From Fabric F, cut:

eight 2-1/2" x WOF strips for the binding

From Fabric H, cut:

two 3-1/2" x WOF strips. Subcut:

seven 3-1/2" x 9-1/2" rectangles

From Fabric I, cut:

two 3-1/2" x WOF strips. Subcut:

five 3-1/2" x 9-1/2" rectangles

From each of Fabrics J, L, M and N, cut:

one 3-1/2" x WOF strip. Subcut:

four 3-1/2" x 9-1/2" rectangles

From Fabric K, cut:

one 3-1/2" x WOF strip. Subcut:

two 3-1/2" x 9-1/2" rectangles

Assemble the Borders and Corner Blocks


Step 1: Sew the 3-1/2" x 9-1/2" rectangles together along the long edge. Alternate between solid rectangles and print rectangles to create the following:

two side pieced borders, each eighteen units long

two top and bottom pieced borders, each sixteen units long

Note: Specific fabric placement can match the Quilt Assemble Diagram or be more freely mixed and matched, so long as the rectangles alternate between solids and prints.

Press the seams to one side or toward the solid fabrics.





Side pieced border shown rotated 90° from orientation in quilt.



Bottom pieced border shown in same orientation as quilt.

Step 2: Sew one Fabric D/Template 2 piece and one Fabric E/Template 2 piece to the long edges of a Fabric C/Template 1 piece. Press toward Fabric C. Repeat to make a second block. Repeat to create the remaining two corner blocks, using the Fabric D/Template 2-reversed pieces, Fabric E/Template 2-reversed pieces and the Fabric C/Template 1-reversed piece.



Assemble the Quilt



Step 3: Sew the 3-1/2" x 48-1/2" side inner borders to the sides of the quilt center. Press toward the borders. Sew the 3-1/2" x 48-1/2" top and bottom inner borders to the quilt center. Press toward the borders.

Step 4: Sew a side pieced border to each side of the quilt, pressing the seam toward the Fabric B strips.

Step 5: Sew a corner block to each end of both top and bottom pieced borders, referring to the Quilt Assembly Diagram for fabric placement and orientation. Press the seam toward the corner blocks.

Step 6: Sew completed border from Step 5 to the top and bottom of the quilt, noting the fabric placement and orientation of the corner blocks. Press the seam toward the Fabric B strips.


Step 7: Sew the 3-1/2" x 72-1/2" side outer borders to the sides of the quilt center. Press toward the borders. Sew the 3-1/2" x 72-1/2" top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

Print at 100%.

Align two parts of Template 1 along red line.
Tape together.

Second part of Template 1



ROBERT KAUFMAN
F A B R I C S

**OLD GUYS RULE
THE ROAD**
TEMPLATE 1

*Cut two from Fabric C
&
two reversed from Fabric C*



1" box for
scale

