


OLD GUYS RULE THE SEA

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **OLD GUYS RULE**®



Finished quilt measures: 72" x 78"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOD-16701-14 NATURAL	3/8 yard		I	AOD-16704-67 DENIM	1/8 yard
	B	AOD-16701-9 NAVY	3/8 yard		J	AOD-16704-14 NATURAL	1/8 yard
	C	AOD-16700-67 DENIM	5/8 yard		K	AOD-16702-67 DENIM	1/4 yard
	D	AOD-16700-184 CHARCOAL	3/4 yard		L	AOD-16700-14 NATURAL	1/8 yard
	E	AOD-16700-214 KHAKI	3/8 yard		M	K001-1071 CHARCOAL	1/2 yard
	F	AOD-16702-14 NATURAL	1/4 yard		N	K001-1238 MOSS	1/4 yard
	G	K001-1242 NATURAL	1/2 yard		O	K001-1243 NAVY <i>* includes binding</i>	7/8 yard
	H	AOD-16702-184 CHARCOAL	2 yards		P	K001-1162 HONEY	1/2 yard

Copyright 2017, Robert Kaufman
For individual use only - Not for resale

You will also need:
5 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From each of Fabrics A and B, cut:

one 4-1/2" x WOF strips. Subcut:
six 4-1/2" squares

From each of Fabrics C and D, cut:

three 4-1/2" x WOF strips. Subcut:
twenty-four 4-1/2" squares

From each of Fabrics E and F, cut:

three 2-1/2" x WOF strips. Set aside for strip piecing with Fabric G.

From Fabric D, cut:

two of Template 1
two of Template 1-Reversed

From Fabric G, cut:

six 2-1/2" x WOF strips. Set aside for strip piecing with Fabrics E and F.

From Fabric H, cut:

six 3-1/2" x WOF strips.

Sew together, end-to-end, then trim to yield:

two 3-1/2" x 48-1/2" top and bottom inner borders

two 3-1/2" x 72-1/2" top and bottom outer borders

From the remaining length of fabric, cut:

three 3-1/2" x *length of fabric* strips

Sew together, end-to-end, then trim to yield:

two 3-1/2" x 72-1/2" side outer borders

two 6-1/2" x *length of fabric* strips. Then trim to yield:

two 6-1/2" x 48-1/2" side inner borders

From each of Fabrics M and P, cut:

two of Template 2

two of Template 2-Reversed

nine 3-1/2" x 9-1/2" rectangles

From each of Fabrics A-C, I, J and L, cut:

one 3-1/2" x WOF strip. Subcut:

four 3-1/2" x 9-1/2" rectangles

From Fabric E, cut:

one 3-1/2" x WOF strip. Subcut:
two 3-1/2" x 9-1/2" rectangles

From each of Fabrics K, N and O, cut:

two 3-1/2" x WOF strips. Subcut:
eight 3-1/2" x 9-1/2" rectangles

From the binding fabric (Fabric O), cut:

eight 2-1/2" x WOF strips for the binding


Assemble the Borders and Corner Blocks

Step 1: Sew the 3-1/2" x 9-1/2" rectangles together along the long edge. Mix and match the various solid and print rectangles to create the following:


- two side pieced borders, each eighteen units long
- two top and bottom pieced borders, each sixteen units long

Note: Specific fabric placement can match the Quilt Assemble Diagram or be more freely mixed and matched.

Press the seams to one side or toward the solid fabrics.




Side pieced border shown rotated 90° from orientation in quilt.



Bottom pieced border shown in same orientation as quilt.

Step 2: Sew one Fabric P/Template 2 piece and one Fabric M/Template 2 piece to the long edges of a Fabric D/Template 1 piece. Press toward Fabric D. Repeat to make a second block. Repeat to create the remaining two corner blocks, using the Fabric P/Template 2-reversed pieces, Fabric M/Template 2-reversed pieces and the Fabric D/Template 1-reversed piece.



Assemble the A and B Blocks

Step 3: Sew each Fabric E and F strip to a Fabric G strip, along the longest edge. Press toward the darker fabric. Subcut each strip-set into 2-1/2" x 4-1/2" units. Make forty-eight of each type (G/E and G/F).



Step 4: Sew two G/E units together to create a four-patch. Press the seam open or to the side. The unit will measure 4-1/2" square. Repeat with all G/E and G/F units to make twenty-four of each color.



Step 5: Gather:
one 4-1/2" Fabric A square
four 4-1/2" Fabric C squares
four G/E four-patches

Arrange together in three rows of three, following with Block Assembly Diagram and noting the fabric placement and orientation.

Step 6: Sew the units together to form rows. Press the rows to the left in the top and bottom rows and to the right in the center row.

Step 7: Sew the rows together to form a 12-1/2" square A Block. Press the row seams open. Repeat Steps 5-7 to make six A Blocks.




Step 8: Gather:
 one 4-1/2" Fabric B square
 four 4-1/2" Fabric D squares
 four G/F four-patches

Arrange together in three rows of three, following with Block Assembly Diagram and noting the fabric placement and orientation.

Step 9: Sew the units together to form rows. Press the rows to the left in the top and bottom rows and to the right in the center row.

Step 10: Sew the rows together to form a 12-1/2" square B Block. Press the row seams open. Repeat Steps 8-10 to make six B Blocks.

Assemble the Quilt Center



Step 11: Arrange the six A and B Blocks in four rows of three, noting the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 12: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 13: Sew the rows together to form the quilt center. Press the row seams open.

Step 14: Sew the 6-1/2" x 48-1/2" side inner borders to the sides of the quilt center. Press toward the borders. Sew the 3-1/2" x 48-1/2" top and bottom inner borders to the quilt center. Press toward the borders.

Step 15: Sew a side pieced border to each side of the quilt, pressing the seam toward the Fabric H strips.

Step 16: Sew a corner block to each end of both top and bottom pieced borders, referring to the Quilt Assembly Diagram for fabric placement and orientation. Press the seam toward the corner blocks.

Step 17: Sew completed border from Step 16 to the top and bottom of the quilt, noting the fabric placement and orientation of the corner blocks. Press the seam toward the Fabric H border.


Step 18: Sew the 3-1/2" x 72-1/2" side outer borders to the sides of the quilt center. Press toward the Fabric H borders. Sew the 3-1/2" x 72-1/2" top and bottom outer borders to the quilt center. Press toward the Fabric H borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

Print at 100%.

Align two parts of Template 1 along red line.
Tape together.

Second part of Template 1



*Cut two from Fabric D
&
two reversed from Fabric D*

1" box for
scale

1" box for
scale

