
ONE NIGHT ONLY

Designed by Robert Kaufman Fabrics www.robertkaufman.com Featuring





Finished quilt measures: 68" x 86"

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Color Fabric Name/SKU Yardage Color Fabric Name/SKU Yardage AQR-16590-2 2/3 yard G K001-1480 1 yard A (one full CHINESE RED BLACK panel) *includes binding В AQR-16591-2 3/8 yard Н K001-1194 3/8 yard BLACK LIPSTICK С 1/4 yard AQR-16592-2 3/4 yard K001-1370 BLACK TANGERINE D AQR-16593-186 1-1/4 yard J K001-1265 3/8 yard SILVER ORANGE Е AQR-16593-195 1/3 yard K001-149 Κ 3/8 yard BRIGHT PAPAYA F K001-1019 2 yards K001-26 1/4 yard L BLACK CANARY Copyright 2017, Robert Kaufman You will also need: For individual use only - Not for resale 5-1/4 yards for backing

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From Fabric A, fussy cut:

one 22" x 42-1/2" center panel

From Fabric B, cut:

one 9-1/2" x WOF strip. Subcut: four 9-1/2" squares


From Fabric D, cut:

four 2-1/2" x <u>length of fabric</u> strips. Sew together, end-to-end, then trim to yield: two 2-1/2" x 78-1/2" side middle borders From the remaining width of fabric, cut:

five 2-1/2" x WOF strips. Sew together, end-to-end, then trim to yield: two 2-1/2" x 64-1/2" top/bottom middle borders

From each of Fabrics C and D, cut:

ten 6-7/8" squares, cut on point.



From Fabric E, cut:

two 4-1/2" x WOF strips. Subcut: two 4-1/2"x 36-1/2" strips

From Fabric F, cut:

- two 7-3/4" x WOF strips. Subcut: two 7-3/4"x 42-1/2" strips
- two 2-1/2" x WOF strips. Subcut:

two 2-1/2"x 36-1/2" strips

seven 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield: two 3-1/2"x 72-1/2" side inner border strips

two 3-1/2"x 60-1/2" top/bottom inner border strips

eight 2-1/2" x WOF strips. Sew together, end-to-end, then trim to yield: two 2-1/2"x 82-1/2" side outer border strips two 2-1/2"x 68-1/2" top/bottom outer border strips

From Fabric G, cut:

one or two 5-3/8" x WOF strips. Subcut: eight 5-3/8" squares. Cut each square in half once along the diagonal. eight 2-1/2" x WOF strips for the binding

From Fabric H, cut:

one or two 5-3/8" x WOF strips. Subcut: eight 5-3/8" squares. Cut each square in half once along the diagonal.

From Fabric I, cut:

one 5-3/8" x WOF strip. Subcut: four 5-3/8" squares. Cut each square in half once along the diagonal.

From Fabric J, cut:

one or two 5-3/8" x WOF strips. Subcut: eight 5-3/8" squares. Cut each square in half once along the diagonal.

From Fabric K, cut:

one or two 5-3/8" x WOF strips. Subcut: eight 5-3/8" squares. Cut each square in half once along the diagonal.

From Fabric L, cut:

one 5-3/8" x WOF strip. Subcut: four 5-3/8" squares. Cut each square in half once along the diagonal.

Assemble the Square in a Square Blocks (SIAS)

Step 1: Sew Fabric G triangles to the lower left and right sides of a Fabric D square. Sew Fabric H triangles to the upper left and right sides. Press seam allowances toward the triangles. Trim the SIAS block to 9-1/2" square. Repeat to make two.






Step 2: Repeat the SIAS block construction process from Step 1 to create all twenty SIAS blocks. Careful attention should be paid to the orientation of the center block and the location of the various triangles from the solid fabrics.

Tip: Organize all of the pieces in stacks for individual blocks before sewing and refer to color placement in the Quilt Assembly Diagram frequently.

Assemble the Quilt Center



Step 3: Sew the 7-3/4" x 42-1/2" Fabric F strips to the left and right edges of the Fabric A panel. Press the seams toward Fabric F. Sew the 6-1/2" x 36-1/2" Fabric F strips to the top and bottom edges of the Fabric A panel. Press the seams toward Fabric F.


Step 4: Sew the 4-1/2" x 36-1/2" Fabric E strips to the top and bottom edges of the quilt center. Press the seams toward Fabric E.

Step 5: Sew the upper and lower SIAS units together in the order shown in the Quilt Assembly Diagram, paying close attention to the fabric placement and block orientation. Press the seams open. Sew to the top and bottom of the quilt center, pressing the seams toward the Fabric E strip.

Step 6: Sew the left and right side SIAS units together in the order shown in the Quilt Assembly Diagram to form columns, paying close attention to the fabric placement and block orientation. Press the seams open. Sew a Fabric B square to the top and bottom of each column, again noting the fabric orientation. Press the seam toward the Fabric B square.

Step 7: Sew the completed Step 6 columns to the left and right sides of the quilt center, pressing the seams open.

Add the Borders



Step 8: Sew the 72-1/2" Fabric F side inner borders to the sides of the quilt center. Press toward the borders. Sew the 60-1/2" Fabric F top and bottom inner borders to the quilt center. Press toward the borders.

Step 9: Sew the 78-1/2" Fabric D side middle borders to the sides of the quilt center. Press toward the borders. Sew the 64-1/2" Fabric D top and bottom middle borders to the quilt center. Press toward the borders.

Step 10: Sew the 82-1/2" Fabric F side outer borders to the sides of the quilt center. Press toward the borders. Sew the 68-1/2" Fabric F top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!