


Out of Step

Designed by Libs Elliott

www.libsellott.com

Featuring

KONA[®]
cotton solids
30TH
1984
2014
ANNIVERSARY












Finished quilt measures: 56" x 56"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-440 BREAKERS	1/4 yard		F	K001-498 PARROT	1/2 yard
	B	K001-475 GRASSHOPPER	1/4 yard		G	K001-1173 ICE FRAPPE	3/4 yard
	C	K001-479 MEDITERRANEAN	1/4 yard		H	K001-1178 INDIGO	2/3 yard
	D	K001-483 ULTRA MARINE	1/4 yard		I	K001-1333 SILVER	1-1/2 yards
	E	K001-484 ASTRAL	1/2 yard	You will also need: 1/2 yard Binding Fabric 3-1/8 yards Backing Fabric 62" x 62" quilt batting			

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

- Cut the number of squares indicated on the chart below:

Fabric	3-1/2" x 3-1/2" Squares	3-7/8" x 3-7/8" Squares
A	5	11
B	5	8
C	6	10
D	9	8
E	9	12
F	13	9
G	17	8
I	64	64

- Subcut all of the 3-7/8" x 3-7/8" squares diagonally from corner to corner to yield two triangles each.

Fabric H

- Cut five strips 4-1/2" x WOF, then subcut:
 - Two rectangles 4-1/2" x 7".
 - Two rectangles 4-1/2" x 15".



Assembly Instructions

Step 1: Make the Half-Square Triangles (HSTs)

- Place a Fabric A triangle on a Fabric I triangle, with raw edges aligned.
- Sew together along the long edge.
- Press open. Trim to 3-1/2" x 3-1/2", if necessary.
- Repeat to make a total of one-hundred-twenty-eight HSTs, pairing Fabric A-G triangles with a Fabric I triangle.


You will yield:

- Twenty-one A/I HSTs
- Fifteen B/I HSTs
- Nineteen C/I HSTs
- Sixteen D/I HSTs
- Twenty-four E/I HSTs
- Seventeen F/I HSTs
- Sixteen G/I HSTs




Step 2: Assemble the Blocks

- Follow the grid below to assemble the blocks (sixty-four total)
Each block is made up of four squares: One Fabric I square, one Fabric B-G square and two HSTs.



make 64 blocks following the diagram below




Step 3: Assemble the Quilt

- Sew the blocks into horizontal rows of eight blocks each and then assemble all of the rows (Follow the diagram above an assembly guide).

Step 4: Attach the Borders

- Sew a Fabric H 4-1/2" x 7" rectangle to the end of two Fabric H 4-1/2" x WOF strips.
- Sew the border strips to the top and the bottom of the Quilt Center. Press seam allowance toward the borders and then trim the excess border fabric from the ends.
- Sew a Fabric H 4-1/2" x 15" rectangle to the end of two Fabric H 4-1/2" x WOF strips.
- Sew the border strips to the sides of the Quilt Center. Press seam allowance toward the borders and then trim the excess border fabric from the ends.



Your quilt top is complete! Baste, quilt, bind & enjoy.