

POSITIVE PALS

Designed by Ariga Mahmoudlou for RK Featuring
www.robertkaufman.com

Hello
LUCKY by Hello Lucky



Finished quilt measures: 60-1/2" x 81-1/2"

Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AILD-18664-1 WHITE	2/3 yard (one full panel)		J	AILD-18665-4 BLUE	1/8 yard
	B	K001-1387 WHITE	1-3/4 yard		K	AILD-18666-5 YELLOW	1/8 yard
	C	AILD-18668-10 PINK	1/3 yard		L	K001-254 SPROUT	1/8 yard
	D	AILD-18668-70 AQUA	1/3 yard		M	K001-419 AZALEA	1/8 yard
	E	AILD-18669-9 NAVY	1/3 yard		N	K001-848 BLUEPRINT	1/8 yard
	F	AILD-18670-70 AQUA	1/3 yard		O	K001-862 GOTHAM GREY	7/8 yard
	G	AILD-18673-70 AQUA	1/3 yard		P	AILD-18666-1 WHITE	1 yard
	H	AILD-18674-4 BLUE	1/3 yard		Binding*	K001-862 GOTHAM GREY *Also used for Fabric O	5/8 yard
	I	AILD-18665-12 GREY	3/8 yard	Copyright 2019, Robert Kaufman For individual use only - Not for resale You will also need: 5 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

six 10" x 11-1/2" rectangles for the A Block Centers

From Fabric B, cut:

ten 3" x WOF strips. Subcut:

eight 3" x 15-1/2" rectangles

eighteen 3" x 14" rectangles. Set twelve aside for the B Block borders and six aside for the top and bottom pieced border.

four 3" squares for the top/bottom pieced border

three 2-1/4" x WOF strips. Subcut:

twelve 2-1/4" x 10-1/2" rectangles for the B Block borders

four 2" x WOF strips. Subcut:

eighty-two 2" squares

eight 1-1/2" x WOF strips. Subcut:

twelve 1-1/2" x 13-1/2" strips for the A Block borders

twelve 1-1/2" x 14" strips for the A Block borders

From each of Fabrics C, D and G, cut:

one 10-1/2" x WOF strip. Subcut:

one 10-1/2" square for the B Block Centers

From the remainder of the strip, cut:

four 2" x 3" rectangles for the pieced sashings

four 3" x 2" rectangles for the pieced sashings

***Note: these do have the same general dimensions, but need to be cut this way for the directional prints to show correctly in the final quilt.*

From each of Fabrics E, F and H, cut:

one 10-1/2" x WOF strip. Subcut:

one 10-1/2" square for the B Block Centers

From Fabric I, cut:

six 2" x WOF strips. Subcut:

fifteen 2" x 6" rectangles for the pieced row sashing

sixteen 2" x 7-1/2" rectangles for the pieced block sashing

From each of Fabrics J, L, N and P, cut:

eight 2" x 3" rectangles for the pieced sashings

***For Fabric P, cut four 2" x 3" and four 3" x 2"*

From each of Fabrics K and M, cut:

twelve 2" x 3" rectangles for the pieced sashings

***For Fabric K, cut six 2" x 3" and six 3" x 2"*

From Fabric O, cut:

seven 2" x WOF strips. Sew together, end-to-end, then trim:

two 2" x 55" top/bottom inner borders

two 2" x 73" side inner borders

eight 1-1/2" x WOF strips. Subcut:

twelve 1-1/2" x 12" strips for the Block A borders

twelve 1-1/2" x 11-1/2" strips for the Block A borders

From Fabric P, cut:

five 3-1/2" x *length* of fabric strips. Sew together, end-to-end, then trim:

two 3-1/2" x 76" side inner borders

From the remaining WOF, cut:

six 3-1/2" x WOF strips. Sew together, end-to-end in sets of three, then trim:

two 3-1/2" x 61" top/bottom inner borders

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the A Blocks




Step 1: Sew a 1-1/2" x 11-1/2" Fabric O strip to the left and right edges of a Fabric A block center. Press toward the strips. Sew a 1-1/2" x 12" Fabric O strip to the top and bottom edges of the block center. Press toward the strips.

Step 2: Sew a 1-1/2" x 13-1/2" Fabric B strip to the left and right edges of the block center. Press toward the strips. Sew a 1-1/2" x 14" Fabric B strip to the top and bottom edges of the block center. Press toward the strips.

The resulting block should measure 14" x 15-1/2". Repeat Steps 1 and 2 to make six A Blocks.

Assemble the B Blocks



Step 3: Sew a 2-1/4" x 10-1/2" Fabric O strip to the left and right edges of a Fabric C block center. Press toward the strips. Sew a 3" x 14" Fabric O strip to the top and bottom edges of the block center. Press toward the strips.

The resulting block should measure 14" x 15-1/2". Repeat Step 3 with the Fabric D-H squares to make a total of six B Blocks.


Assemble the Block Sashing

Step 4: Gather:

- one 2" x 3" Fabric M rectangle
- two 2" Fabric B squares
- one 2" x 7-1/2" Fabric I rectangle
- one 2" x 3" Fabric C rectangle

Sew together as shown, pressing the seams away from the Fabric B squares. The block sashing strip should measure 2" x 15-1/2".

Repeat Step 4 to make a total of sixteen Block Sashing strips. Make one of each combination shown here:



Assemble the Row Sashing


Step 5: Gather:

- two 3" x 2" Fabric M rectangles
- ten 2" Fabric B squares
- three 2" x 6" Fabric I rectangles
- two 3" x 2" Fabric K rectangles
- two 3" x 2" Fabric D rectangles
- two 3" x 2" Fabric N rectangles

Sew together as shown, pressing the seams away from the Fabric B squares. The row sashing strip should measure 52" long.



Repeat Step 5 to make a total of five Row Sashing strips. Make one of each combination shown here:



Assemble the Top/Bottom Pieced Border

Step 6: Gather:

- one 2" x 3" Fabric M rectangle
- two 3" Fabric B squares
- three 3" x 14" Fabric B rectangles
- one 2" x 3" Fabric K rectangle
- one 2" x 3" Fabric D rectangle
- one 2" x 3" Fabric N rectangle

Sew together as shown, pressing the seams away from the Fabric B squares and rectangles. The top pieced border should measure 52" long.



Repeat Step 6 to make the bottom pieced border, using the fabrics shown here.



Assemble the Quilt



Step 7: Arrange the A and B Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using block sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Sew a 3" x 15-1/2" Fabric B rectangle to the beginning and end of the row. Press. Repeat to make four block rows, following the fabric and block placement in the Quilt Assembly Diagram.

Step 8: Sew the sashing rows, block rows and top and bottom rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 9: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 10: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.