

SEW MUCH FUN

Designed by Julia Williams
www.etsy.com/shop/alchemytea

Featuring SEWN WITH CHARM



Finished quilt measures: 36" x 36"


Difficulty Rating: **Beginner**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AJX-18003-133 GOLD	5/8 yard		E	K001-854 OVERCAST	1/4 yard
	B	AJX-18004-133 GOLD	5/8 yard		F	K001-1019 BLACK	3/8 yard
	C	AJX-18004-3 RED	5/8 yard		G	E105-1059 CAMEL	1/4 yard
	D	AJX-18005-195 BRIGHT	7/8 yard		Binding*	AJX-18004-3 RED <i>*Also used for Fabric C</i>	1/3 yard
<p>Copyright 2018, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 2-1/2 yards for backing paper backed fusible web</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 19" x WOF strips. Subcut:

one 19" center square

From the remainder of the strip, cut:

four 4-1/2" squares for the outer corners, fussy cutting if desired.

From Fabric B, cut:

two 2" x length of fabric strips. Subcut:

two 2" x 19" strips

From the remainder of the yardage, cut:

one 2-1/2" x WOF strip. Subcut:

eight 2-1/2" squares for the HSTs

two 2" x WOF of fabric strips. Subcut:

two 2" x 19" strips

Trim the remainder of the strip to 1-1/2" wide, then subcut:

eight 1-1/2" squares

From Fabric C, cut:

two 2" x length of fabric strips. Subcut:

two 2" x 19" strips

From the remainder of the yardage, cut:

one 2-1/2" x WOF strip. Subcut:

eight 2-1/2" squares for the HSTs

two 2" x WOF of fabric strips. Subcut:

two 2" x 19" strips

Trim the remainder of the strip to 1-1/2" wide, then subcut:

eight 1-1/2" squares

From Fabric D, cut:

four 6-1/2" x WOF strips. Subcut:

four 6-1/2" x 24" strips

From Fabric E, cut:

one 6" x 9" rectangle

From the remaining width of fabric, cut:

three 1-1/2" x WOF strips. Subcut:

sixteen 1-1/2" x 4-1/2" rectangles

From Fabric F, cut:

one 12" x 18" rectangle

From Fabric G, cut:

one 6" x 9" rectangle

From the Fusible Web, cut:

one 12" x 18" rectangle

two 6" x 9" rectangles

From the Binding Fabric, cut:

four 2-1/2" x WOF strips

Prepare the Appliqué Shapes

Step 1: Trace the appliqué shapes to the paper backed fusible web as follows:

on one 6" x 9" piece of fusible web:

two pin points

one scissor blades

one small circle for scissors

Label with 'Fabric E'

on one 6" x 9" piece of fusible web:

two pin circles

one scissor handle

Label with 'Fabric G'

on the 12" x 18" piece of fusible web:

Letters for "sew much fun!" (note that the letters will be a mirror image when traced)

Label with 'Fabric F'

Step 2: Fuse the paper backed fusible web to the corresponding size of the:

6" x 9" Fabric E rectangle

6" x 9" Fabric G rectangle

12" x 18" Fabric F rectangle

Step 3: Cut out on the drawn line of each shape. Peel the paper backing away from the fabric and place on the 19" Fabric A square, leaving a 1/2" margin on the outer edges. Follow the placement shown on the Quilt Assembly Diagram. Fuse in place following the manufacturer's directions. Edgestitch the appliqué pieces using a small zigzag stitch.

Assemble the Half-Square Triangles (HSTs)


Step 4: Pair a 2-1/2" Fabric B square with a 2-1/2" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2" square. Repeat to make sixteen B/C HSTs.




Step 5: Sew four HSTs together to form a pinwheel block. Press the seams in each row in opposite directions. Sew the rows together, nesting the seams. Repeat to make two units in each style.



Step 6: Sew a Fabric B strip to a Fabric C strip, being sure to match fabrics with the same print directionality. Press. Repeat to make four units like this.



Step 7: Sew a completed Step 6 strip pair (noting the directionality in the Quilt Assembly Diagram) to the left and right edges of the quilt center, with the Fabric B edge closest to the quilt center. Press. Sew a completed pinwheel from Step 5 to the ends of the remaining strip pairs, noting the orientation and fabric placement in the Quilt Assembly Diagram. Press. Sew to the top and bottom edges of the quilt center, with the Fabric C edge closest to the quilt center.




Assemble the Outer Border

Step 8: Sew a 1-1/2" x 4-1/2" Fabric E strip to the left and right edges of a 4-1/2" Fabric A square. Press. Repeat for all four 4-1/2" Fabric A squares.

Step 9: Sew a 1-1/2" Fabric B square to the left end of a 1-1/2" x 4-1/2" Fabric E strip and a Fabric C square to the right end. Press. Repeat for all remaining Fabric E strips. Sew to the top and bottom edges of each A square, noting the fabric placement in the Quilt Assembly Diagram. Press.

Step 10: Sew a Fabric D strip to the left and right edges of the quilt center. Press. Sew a completed block from Step 9 to the ends of the remaining Fabric D strips, noting the orientation and fabric placement in the Quilt Assembly Diagram. Press. Sew to the top and bottom edges of the quilt center. Press.




Your quilt top is complete. Baste, quilt, bind and enjoy!


Templates

Print at 100%.

Check size printed correctly using 1" box for scale prior to cutting fabric.


1" box for
scale







1" box for
scale

1" box for
scale






pin heads



pin points



scissor handles



scissor joint



scissor blade