

# SEWING PARTY

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **SEWING WITH SINGER®**



Finished quilt measures: 64-1/2" x 88-1/2"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

**ROBERT KAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AGZM-15639-199 ANTIQUE	1-1/3 yard (two complete panels)		E	AGZM-15646-3 RED <small>*includes binding</small>	1-1/3 yard
	B	AGZM-15640-199 ANTIQUE	2/3 yard (one complete panel)		F	AGZM-15646-15 IVORY	1 yard
	C	AGZ-15644-271 SEPIA	2/3 yard		G	AGZM-15646-2 BLACK	1/2 yard
	D	AGZ-15648-15 IVORY	3/4 yard		H	AGZM-15647-2 BLACK	1 yard
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: 5-1/2 yards for backing			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, fussy cut:

eight 9-1/2" x 17" rectangles, each with three sewing machines per rectangle

### From Fabric B, fussy cut:

seven 9-1/2" x 11" rectangles

**From Fabric C, cut:**

one 17" x WOF strip. Subcut:  
six 7-1/4" x 17" rectangles

**From Fabric D, cut:**

five 4-1/2" x WOF strips. Subcut:  
forty-two 4-1/2" squares

**From Fabric E, cut:**

five 4-1/2" x WOF strips. Subcut:  
forty-two 4-1/2" squares  
eight 2-1/2" x WOF strips for the binding

**From Fabric F, cut:**

two 17" x WOF strips. Subcut:  
four 7-1/4" x 17" rectangles  
sixteen 3-1/2" x 17" rectangles

**From Fabric G, cut:**

three 4-1/4" x WOF strips. Subcut:  
twenty-eight 3-1/2" x 4-1/4" rectangles

**From Fabric H, cut:**

nine 3-1/4" x length of fabric strips. Sew together, end-to-end, then trim to yield:  
two 3-1/4" x 59" top and bottom borders  
two 3-1/4" x 88-1/2" side borders

Note: fussy cut these along the length as much as possible to allow the print to line up when the strips are sewn together.

### Assemble the Hourglass Blocks

**Step 1:** Pair a 4-1/2" Fabric D and E square right sides together. Mark a diagonal line on the wrong side of the lighter fabric. Sew 1/4" away on both sides of the marked line. Cut on the marked line, creating two half-square triangle blocks (HSTs). Press the seam to the darker fabric and trim to 4" square. Repeat with all remaining Fabric D and E squares.

**Step 2:** Pair two matching HSTs right sides together, with seams nested and opposite fabrics paired together. Mark a line perpendicular to the seam on the back of the HST block.



Sew 1/4" away on both sides of the marked line. Cut on the marked line, creating two hourglass blocks. Press the seam open.



Trim hourglass blocks to 3-1/2" square. Repeat to make eighty-four hourglass blocks.

**Step 3:** Sew the hourglass blocks together in sets of three, as illustrated.



Repeat to make twenty-eight sets of three blocks.

### Assemble the A Blocks



**Step 4:** Sew a 3-1/2" x 17" Fabric F rectangle to the left and right edges of a Fabric A rectangle. Press the seam toward the Fabric A rectangle. Repeat to make eight 15-1/2" x 17" A Blocks.

### Assemble the B Blocks



**Step 5:** Sew a 3-1/2" x 4-1/4" Fabric G rectangle to either end of an hourglass unit from Step 3. Press the seam toward the Fabric G rectangle. Repeat to make fourteen units like this. (illo of one unit completed)

**Step 6:** Sew a Step 3 hourglass unit to the top and bottom of a Fabric B rectangle. Press the seam toward the Fabric B rectangle.

**Step 7:** Sew a completed unit from Step 5 to the left and right sides of a Fabric B rectangle. Press the seam toward the Fabric B rectangle.

Repeat Steps 5-7 to make seven 15-1/2" x 17" B Blocks.

## Assemble the Rows

**Step 8:** Gather two A Blocks, one B Block and two 7-1/4" x 17" Fabric C rectangles. Sew together as indicated in the Row A Assembly Diagram. Press all seams toward the A Blocks. Repeat to make three A Rows.



Row A Assembly Diagram

**Step 9:** Gather two B Blocks, one A Block and two 7-1/4" x 17" Fabric F rectangles. Sew together as indicated in the Row A Assembly Diagram. Press all seams away from the B Blocks. Repeat to make two B Rows.



Row B Assembly Diagram

## Assemble the Quilt

**Step 10:** Sew the rows together, alternating the A and B Rows and beginning and ending with an A Row. Nest the seams and press the row seams open.

**Step 11:** Sew the top and bottom borders to the quilt center. Press seams toward the border. Sew the side borders to the quilt center. Press seams toward the border.

Your quilt top is now complete! Baste, quilt, bind and enjoy!



Quilt Assembly Diagram