

SILLY FACES

Designed by Ariga Mahmoudlou RK
www.robertkaufman.com

Featuring



Finished quilt measures: 48" x 48"










Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		A ADE-18195-203 CELEBRATION	2/3 yard (one panel)			F ADE-10792-2 BLACK	3/8 yard
		B ADE-18198-3 RED	1/3 yard			G K001-1194 LIPSTICK	1/3 yard
		C ADE-18198-203 CELEBRATION	1/3 yard			H ADE-18197-70 AQUA	7/8 yard
		D ADE-18196-203 CELEBRATION	1/3 yard			Binding* ADE-10792-2 BLACK <i>*Also used for Fabric F</i>	1/2 yard
		E ADE-18197-5 YELLOW	1/3 yard	<p>You will also need: 3-1/8 yards for backing</p>			

Copyright 2018, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

five 10-1/2" squares

From each of Fabrics B-E, fussy cut:

one 10-1/2" square

From Fabric F, cut:

eight 1-1/2" x WOF strips. Subcut:

six 1-1/2" x 10-1/2" block sashing strips

four 1-1/2" x 32-1/2" row sashing strips

two 1-1/2" x 34-1/2" side sashing strips

From Fabric G, cut:

four 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 34-1/2" top/bottom inner borders

two 2-1/2" x 38-1/2" side inner borders

From Fabric H, cut:

five 5-1/2" x WOF strips. Sew together, end-to-end, then cut:

two 5-1/2" x 38-1/2" top/bottom outer borders

two 5-1/2" x 48-1/2" side outer borders

From the Binding Fabric, cut:

five 2-1/2" x WOF strips

Assemble the Quilt



Step 1: Arrange the Fabric A-E Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using Fabric F block sashing strips between each block. Press seams toward the sashing. Repeat to make three block rows.

Step 2: Gather the four Fabric F row sashing strips. Sew the sashing and block rows together. Press seams open or to the sashing.

Step 3: Sew the side sashing strips to the sides of the quilt center. Press seams open or to the sashing.

Step 4: Sew the Fabric G top and bottom inner borders to the quilt center. Press toward the borders. Sew the Fabric G side inner borders to the sides of the quilt center. Press toward the borders.

Step 5: Sew the Fabric H top and bottom outer borders to the quilt center. Press toward the borders. Sew the Fabric H side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2018. All rights reserved.