

Simple Streamers

Designed by Robert Kaufman Fabrics

Featuring

REMIX
BY Ann Kelle












Finished quilt measures: 70" x 70"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AAK-12136-50 LIME	2/3 yard		F	AAK-14741-147 TANGERINE	2/3 yard
	B	AAK-12136-195 BRIGHT	2/3 yard		G	AAK-14741-193 SUMMER	2/3 yard
	C	AAK-13389-3 RED	2/3 yard		H	AAK-14741-195 BRIGHT	2/3 yard
	D	AAK-13389-28 KELLY	2/3 yard		I	K001-1387 WHITE	2 yards
	E	AAK-13389-246 WATER	2/3 yard	You will also need: 3/8 yard Binding 3-3/4 yards Backing Fabric and Batting			

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric I

- Cut two strips 8-1/2" x WOF.
 - Subcut one strip into two rectangles 8-1/2" x 13" and one square 8-1/2" x 8-1/2".
 - Subcut one strip into six rectangles 5-1/2" x 8-1/2".
- Cut four strips 5-1/2" x WOF
 - Subcut two strips into six rectangles 5-1/2" x 13".
 - Subcut two strips into nine squares 5-1/2" x 5-1/2".
- Cut two strips 3-1/2" x WOF.
 - Subcut into eight rectangles 3-1/2" x 9-1/2".
- Cut two strips 5" x WOF.
 - Subcut into eight rectangles 5" x 9-1/2".
- Cut one square 13" x 13".

Fabrics A and F

- Cut one strip 9-1/2" x WOF.
 - Subcut one strip into four rectangles 5-1/2" x 9-1/2" and two squares 9-1/2" x 9-1/2".
- Cut one rectangle 8-1/2" x 9-1/2".
- Cut two squares 5" x 5".

Fabrics B and E

- Cut one strip 9-1/2" x WOF.
 - Subcut into two rectangles 9-1/2" x 19-1/2".
- Cut one rectangle 8-1/2" x 9-1/2".
- Cut two squares 5" x 5".


Fabrics C, D, G and H

- Cut one strip 9-1/2" x WOF.
 - Subcut into one rectangle 9-1/2" x 19-1/2" and one rectangle 9-1/2" x 22-1/2".
- Cut one rectangle 5-1/2" x 9-1/2".
- Cut two squares 5" x 5".

Assembly Instructions


Step 1: Make the Flying Geese Units

- Gather up all of the 5" x 5" squares (two each for fabrics A-H) and draw a diagonal line from corner to corner on the wrong side of each square.




5" x 5" square

- Place a 5" x 5" Fabric A square onto a 5" x 9-1/2" Fabric I rectangle right sides together and with left edges aligned.



- Sew along the drawn line.

- Trim the seam allowance to 1/4" and press flat.




- Place a second 5" x 5" Fabric A square onto the Fabric I rectangle right sides together and with right edges aligned.

- Sew along the drawn line.


- Trim the seam allowance to 1/4".

- Press geese unit flat.




- Repeat steps to make Flying Geese Units for Fabrics B-H (one each).


Step 2: Assemble the Rows




- Assemble Row 1. Sew the smaller pieces in Row 1 together first to make larger units and then sew those units together to make a complete row. Refer to the diagram above.



Completed Row 1




- Next, make Row 3. It is assembled the same way as Row 1, but the top pieces are smaller.




Next, sew Row 2 together referring to the diagram above.



- Row 4 is pieced the same way as Row 2, but you will be using Fabric D instead of Fabric H.



- Sew Row 5 together according to the diagram above.



Completed Row 5

