SPOOKY NIGHT

Designed by Ariga Mahmoudlou for RK Featuring www.robertkaufman.com







Finished quilt measures: 59-1/2" x 69-1/2"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ACYD-18113-283 EERIE	1/4 yard		F	ACYD-18117-1 WHITE	1/4 yard
	В	ACYD-18114-283 EERIE	1/4 yard	WIG	G	ACYD-18115-8 ORANGE	1 yard
	C	ACYD-18115-1 WHITE	1/4 yard		Н	K001-1019 BLACK	1-1/2 yard
+	D	ACYD-18116-6 PURPLE	1/4 yard		I	AWHD-18486-2 BLACK	1-1/8 yard
T .	E	ACYD-18116-12 GREY	1/4 yard		Binding*	AWHD-18486-2 BLACK Also used for Fabric I	5/8 yard
Copyright 2019, Robert Kaufman For individual use only - Not for resale				You will also need: 3-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From each of Fabrics A, B and F, cut:

one 6" x WOF strip. Subcut: three 6" squares

From Fabric C, cut:

one 6" x WOF strip. Subcut: four 6" squares

From Fabric D, cut:

one 6" x WOF strip. Subcut: six 6" squares

From Fabric E, cut:

one 6" x WOF strip. Subcut: five 6" squares

From Fabric G, cut:

one 6" x WOF strip. Subcut: six 6" squares

six 4-1/2" x WOF strips. Sew together, end-to-end, then trim to make:

two 4-1/2" x 52" top/bottom outer borders

two 4-1/2" x 70" side outer borders

From Fabric H, cut:

twenty-four 2" x WOF strips. Subcut: sixty 2" x 6" side block borders sixty 2" x 9" top/bottom block borders

From Fabric I, cut:

eighteen 2" x WOF strips. Subcut:

twenty-four 2" x 9" block sashing strips Sew the remaining twelve strips together, end-to-end, then trim to make: seven 2" x 49" row sashing strips two 2" x 62" side sashing strips

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Blocks

Step 1: Sew a 2" x 6" Fabric H strip to the left and right edges of a Fabric A square. Press toward the strips. Sew a 2" x 9" Fabric H strip to the top and bottom edges of a the block. Press toward the strips. The resulting block should measure 9" square.

Step 2: Repeat Step 1 with all Fabric A-G squares, for a total of thirty 9" blocks.



Assemble the Quilt

Step 3: Arrange the Blocks together as indicated in the Quilt Assembly Diagram, in rows of five blocks. Sew each row together, using sashing strips between each block. Press seams toward the sashing. Repeat to make six block rows.

Step 4: Sew the Fabric I row sashing strips and block rows together. Press seams open or to the sashing.

Step 5: Sew the Fabric I side sashing strips to the sides of the quilt center. Press toward the borders.

Step 6: Sew the top and bottom outer borders to the quilt center, noting the orientation in the Quilt Assembly Diagram. Press toward the borders. Sew the side outer borders to the sides of the quilt center, again noting the orientation in the Quilt Assembly Diagram. Press toward the borders.



Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.