Jennifer Sampon summer bloom

Quilt By: Diana McClun & Laura Nownes

Quilt size: 45" x 45"







AJS-5755-144 PEACH



AJS-5756-144 PEACH



AJS-5756-10 PINK



AJS-5759-15 IVORY





AJS-5760-49 OLIVE



AJS-5760-144 PEACH



AJS-5757-5 YELLOW



AJS-5757-144 PEACH



**Visit our website for more quilt patterns ROBERTIKAUFMAN** F A B R I C S

www.robertkaufman.com

AJS-5758-14 PEACH

AJS-5759-5 YELLOW

#### Summer Bloom

#### Made by Diana McClun & Laura Nownes Machine Quilted by Victoria Simpson

## Finished size is 45" x 45"

FABRIC #	YARDAGE	CUTTING
5755-3	5/8	Three 2" strips and two 5" strips. Cut the 5" strips into 5" squares.
5755-144	3/4	Three 2" strips and three 5" strips. Cut the 5" strips into 5" squares.
5756-10	1/4	Three 2" strips
5756-144	1/2	Two 8-1/2" strips. Cut the strips into six 8-1/2" squares. Cut the
		squares into <b>quarters</b> diagonally (side triangles). Also cut two 7"
		squares. Cut these in half diagonally for the corners.
5757-5	5/8	Three 2" strips and two 5" strips. Cut the 5" strips into 5" squares.
5757-144	1/4	Three 2" strips
5758-144	1/4	Three 2" strips
5759-5	1/4	Three 2" strips
5759-15	1/4	Three 2" strips
5760-49	1/4	Three 2" strips
5760-144	1/4	Three 2" strips
5758-144	3	Backing
5757-144	3/8	Binding: Five 2-1/4" strips $4\frac{1}{2}$ "
		Nine-Pa

### CONSTRUCTION

Following are the five fabric combinations for the nine-patch blocks. [diagram #1]

Combination:	# of blocks needed:
#1 5756-10 and 5757-5	12 –6 with light corners & 6 with dark corners
#2 5759-15 and 5760-49	11 – 3 with light corners & 8 with dark corners
#3 5757-144 and 5758-144	8 – all with dark corners
#4 5755-3 and 5759-5	6 – all with dark corners
#5 5755-144 and 5760-144	4 – all with light corners

Alternate Blocks

#6	5755-3
#7	5757-5
#8	5755-144

1. For each nine-patch combination, join the six 2" strips together to make two strips sets, as shown. [diagram #2]

2. Cut the sets apart every 2", to make units. [diagram #3]

3. Sew the units together to make the nine-patch blocks. Refer to the chart above to determine the number of blocks required with light and dark corners before assembling the units.

# [diagram #4]

# ASSEMBLY

1. Layout all of the nine-patch, alternate blocks and setting triangles, referring to the diagram for the exact placement. [diagram #5]

2. Sew the blocks together with the setting triangles in diagonal rows.

3. Join the rows together to complete the quilt top.

- 4. Trim and straighten the edges, if necessary.
- 5. Layer, baste, quilt and bind to complete the quilt.











