Under Construction



Pattern by Ramona Rose

http://www.ramonarose.net

featuring Ruff N' Tuff by Sleepy Tree

For individual use only - Not for resale

Supplies needed:

A) AOY-14204-204 - 1 Fat Quarter B) AOY-14171-204 - 1 Fat Quarter C) AOY-14173-204 - 1 Fat Eighth AOY -14175-204 - 1 Panel AOY-14172-12 - 1 Fat Eighth AOY-14172-5 - 1 Fat Quarter AOY-14172-3 - 1 Fat Quarter AOY-14174-204 - Fat Quarter AOY-14174-3 - Fat Quarter Backing - 2 yards



Finished size: 42" x 44"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

Step 1 – Cut the Fabric


Cut the panel 22-1/4 x 40-1/2 (along the white border) Fabric A (grey bkgnd) cut 4 6 " square Signs Fabric B (dk blue bkgnd) cut 4 6-1/8" square Signs Fabric C (light blue bkgnd) cut 2 6-1/8" square Signs

From Grids: Cut 2 squares 4-7/8" for each sign block. Cut each square in half on the diagonal to make 4 triangles per sign block.

Step 2 – Piece the Blocks

Match up the Grid triangles with the Sign squares, and sew pairs of triangles to opposite sides of the squares, then sew triangles to the tops and bottoms the same way. How to cut the corner blocks. Each center square needs 4 triangles





Press. Trim, if necessary, to make 8-1/2" square blocks.

Step 3 – Assemble Quilt Top

Arrange signs to match the illustration (Red Grid, Yellow Grid, Grey Grid, Yellow Grid, Red Grid), and sew them together to form 2 matching columns.

Sew the columns on the sides of the center panel,

From 2 colors of Treads cut 5 strips 2-1/4" wide. sew 2 pairs of 2 same color strips, and 2 pairs of 3 same color strips. Sew the 2 piece strips to the vertical sides of the quilt top, sew the 3 piece strips to the horizontal sides (ie, top and bottom)

From the rest of Fabric C, cut as many 21" x 1-3/4" strips as possible for a very skinny binding. You'll need 9, supplement with scraps of the other fabrics as needed/desired.

You'll also need 50" of Backing fabric.

Sandwich your quilt, baste, quilt, bind, and enjoy!