


UPSIDE DOWN TOWN

Designed by Wishwell for RK
www.robertkaufman.com

Featuring *Happy Place*
Wishwell
fabric for daydreamers.



Finished quilt measures: 70" x 94"

Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.




Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	WELD-19457-243 CERULEAN	7/8 yard		I	WELD-19460-252 THISTLE	1/2 yard
	B	WELD-19458-78 PEACOCK	1/2 yard		J	WELD-19455-92 TERRACOTTA	7/8 yard
	C	WELD-19459-63 SKY	7/8 yard		K	WELD-19456-92 TERRACOTTA	1/2 yard
	D	WELD-19454-437 DAY	3/4 yard		L	WELD-19458-108 FUCHSIA	1/2 yard
	E	WELD-19460-263 RAINBOW	1/3 yard		M	WELD-19460-391 PARIS BLUE	3/8 yard
	F	WELD-19456-155 STONE	1/3 yard		N	WELD-19454-438 NIGHT	3/4 yard
	G	WELD-19457-96 BLUSH	1/3 yard		O	WELD-19455-438 NIGHT	1/2 yard
	H	WELD-19459-143 CORAL	1/2 yard		P	WELD-19456-438 NIGHT	1/3 yard

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	Q	WELD-19457-438 NIGHT	1/3 yard		Binding*	WELD-19457-438 NIGHT <small>*Also used for Fabric Q</small>	2/3 yard
	R	WELD-19459-69 MIDNIGHT	7/8 yard	<p>You will also need: 5-2/3 yards for backing</p>			
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Tip: Stack the pieces in piles by Column number for faster piecing during the Assembly process. Columns 1-11 are for the top half of the quilt, and Columns 12-22 are for the bottom half of the quilt.

From Fabric A, cut:

- ▶ one 12-1/2" x WOF strip. Subcut:
 - one 8-1/2" x 12-1/2" rectangle for Column 15
 - Trim the remainder of the strip to 6-1/2" wide, then subcut:
 - ◆ one 6-1/2" x 8-1/2" rectangle for Column 19
 - ◆ Trim the remainder of the strip to 5-1/2" wide, then subcut:
 - one 5-1/2" x 8-1/2" rectangle for Column 8
 - Trim the remainder of the strip to 5" wide, then subcut:
 - one 5" square. Cut in half to form triangles. Set aside two for Column 20.
 - Trim the remainder of the strip to 4-1/2" wide, then subcut:
 - ◇ one 4-1/2" square for Column 20
 - ◇ one 4-1/2" square for the Column 2 stitch and flip technique

- ▶ one 9" x WOF strip. Subcut:
 - one 9" square. Cut in half from upper right to lower left to form two triangles. Set aside one each for Columns 8 and 22.
 - ◆ Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - one 8-1/2" x 6-1/2" rectangle for Column 12
 - one 8-1/2" square for Column 22
 - Trim the remainder of the strip to 7" wide, then subcut:
 - two 7" squares. Cut one square in half to form triangles, cutting from upper right to lower left. Set aside one for Column 5. The second triangle will not be used. Cut the remaining square in half from upper left to lower right. Set aside both triangles for Column 11.
- ▶ two 2-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - one 2-1/2" x 70-1/2" strip for the top of the quilt.

From Fabric B, cut:

- ▶ one 9" x WOF strip. Subcut:
 - two 9" squares. Cut one in half from upper left to lower right. Set aside one each for Columns 4 and 14. Cut one in half from upper right to lower left. Set aside one each for Columns 1 and 19.
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - ◆ one 8-1/2" square for the Column 10 stitch & flip technique.
 - ◆ Trim the remainder of the strip to 7" wide, then subcut:
 - one 7" square. Cut in half from upper left to lower right and set aside both for Column 17.
- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" square for the Column 7 stitch & flip technique.
 - one 4-1/2" x 8-1/2" rectangle for Column 14
 - Trim the remainder of the strip to 3-1/2" wide, then subcut:
 - ◆ one 3-1/2" x 8-1/2" rectangle for Column 19.

From Fabric C, cut:

- ▶ one 13-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 13-1/2" rectangle for Column 3
 - Trim the remainder of the strip to 11-1/2" wide, then subcut:
 - ◆ one 8-1/2" x 11-1/2" rectangle for Column 9
 - ◆ Trim the remainder of the strip to 9-1/2" wide, then subcut:
 - one 8-1/2" x 9-1/2" rectangle for Column 4.
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - one 6-1/2" x 8-1/2" rectangle for Column 11.
 - Trim the remainder of the strip to 7-1/2" wide, then subcut:
 - ◇ one 6-1/2" x 7-1/2" rectangle for Column 6.
- ▶ one 9" x WOF strip. Subcut:
 - four 9" squares. Cut two in half from upper right to lower left, setting aside two for Column 1 and two for Column 8. Cut two in half from upper left to lower right, setting aside two for Column 9 and one for Column 4. The remaining triangle will not be used.
- ▶ one 7" x WOF strip. Subcut:

- two 7" squares. Cut one in half from upper left to lower right, setting aside one for Column 6 and one for Column 11. Cut one in half from upper right to lower left, setting aside one for Column 5. The remaining triangle will not be used.
- Trim the remainder of the strip to 5-1/2" wide, then subcut:
 - ◆ one 5-1/2" x 8-1/2" rectangle for Column 1.
 - ◆ Trim the remainder of the strip to 5" wide, then subcut:
 - two 5" squares. Cut one in half from upper left to lower right, setting aside one for Column 3. Cut one in half from upper right to lower left, setting aside one for Column 3. The remaining triangles will not be used.

From Fabric D, cut:

- ▶ one 8-1/2" x WOF strip. Subcut:
 - one 8-1/2" x 42-1/2" strip for Column 10
- ▶ one 6-1/2" x WOF strip. Subcut:
 - one 6-1/2" x 39-1/2" strip for Column 5
- ▶ two 4-1/2" x WOF strips. Subcut:
 - one 4-1/2" x 42-1/2" strip for Column 2
 - one 4-1/2" x 42-1/2" strip for Column 7

From Fabric E, cut:

- ▶ one 9" x WOF strip. Subcut:
 - one 9" square. Cut in half to make two triangles, setting one aside for Column 9 and one for Column 22.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - ◆ one 7" square. Cut in half to make two triangles, setting one aside for Column 11 and one for Column 12.
 - ◆ Trim the remainder of the strip to 5" wide, then subcut:
 - two 5" squares. Cut each in half to make two triangles, setting one aside for Column 3, and two for Column 20. The remaining triangle will not be used.
 - Trim the remainder of the strip to 4-1/2" wide, then subcut:
 - one 4-1/2" x 6-1/2" rectangle for Column 12
 - one 4-1/2" x 8-1/2" rectangle for Column 15

From Fabric F, cut:

- ▶ one 9" x WOF strip. Subcut:
 - two 9" squares. Cut both in half from upper right to lower left. Set aside the bottom right triangle from each square for Column 1 and Column 8. The upper left triangles will not be used.
 - Trim the remainder of the strip to 4-1/2" wide. Subcut:
 - ◆ one 4-1/2" x 6-1/2" rectangle for Column 11
 - ◆ Trim the remainder of the strip to 3-1/2" wide. Subcut:
 - one 3-1/2" x 8-1/2" rectangle for Column 4

From Fabric G, cut:

- ▶ one 9" x WOF strip. Subcut:
 - one 9" square. Cut in half from upper right to lower left. Set aside one triangle each for Column 1 and Column 4.
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - ◆ one 8-1/2" square. From the square, cut:
 - one 4-1/2" x 8-1/2" rectangle for Column 8 (note the orientation of the print in the sample quilt)
 - one 3-1/2" x 6-1/2" rectangle for Column 11, again noting the print orientation in the sample.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - one 7" square. Cut in half from upper left to lower right to make two triangles, setting aside both for Column 6
 - Trim the remainder of the strip to 5" wide, then subcut:
 - ◇ one 5" square. Cut in half from upper left to lower right to make two triangles, setting aside both for Column 3.

From Fabric H, cut:

- ▶ one 9" x WOF strip. Subcut:
 - three 9" squares. Cut two in half from upper right to lower left, setting aside one triangle for Column 1 and two triangles for Column 4. The remaining triangle will not be used. Cut the remaining square in half from upper left to lower right, setting aside these triangles for Column 9.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - ◆ two 7" squares. Cut one square in half from upper left to lower right to make two triangles, setting aside both for Column 6. Cut the remaining square in half from upper right to lower left, setting one triangle aside for Column 11. The remaining triangle will not be used.

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 8-1/2" rectangle for Column 8

From Fabric I, cut:

- ▶ one 9" x WOF strip. Subcut:
 - one 9" square. Cut in half along a diagonal. Set aside one triangle each for Column 1 and Column 14.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - ◆ two 7" squares. Cut in half along a diagonal. Set aside one triangle each for Column 11 and Column 12.
 - ◆ Trim the remainder of the strip to 5" wide, then subcut:
 - two 5" squares. Cut in half along a diagonal. Set aside two triangles for Column 3, and one for Column 20. The remaining triangle will not be used.

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 8-1/2" rectangle for Column 8
 - one 4-1/2" x 6-1/2" rectangle for Column 11

From Fabric J, cut:

- ▶ one 12-1/2" x WOF strip. Subcut:
 - one 12-1/2" x 8-1/2" rectangle for Column 8.
 - Trim the remainder of the strip to 9" wide, then subcut:
 - ◆ two 9" squares. Cut in half from upper right to lower left. Set aside the bottom right triangle from each square for Column 1 and Column 15. The upper left triangles will not be used.
 - ◆ Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - one 8-1/2" square for Column 1
 - one 8-1/2" x 6-1/2" rectangle for Column 11

- ▶ one 7" x WOF strip. Subcut:
 - two 7" squares. Cut one in half from upper left to lower right. Set both aside for Column 12. Cut the remaining square in half from upper right to lower left. Set the lower right triangle aside for Column 18. The upper left triangle will not be used.
 - Trim the remainder of the strip to 6-1/2" wide, then subcut:
 - ◆ one 6-1/2" x 8-1/2" rectangle for Column 4
 - ◆ Trim the remainder of the strip to 5-1/2" wide, then subcut:
 - one 5-1/2" x 8-1/2" rectangle for Column 15
 - Trim the remainder of the strip to 5" wide, then subcut:
 - one 5" square. Cut in half from upper left to lower right and set both triangles aside for Column 3

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" square for Column 3
 - one 4-1/2" square for the Column 21 stitch & flip technique.

- ▶ two 2-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - one 2-1/2" x 70-1/2" strip for the top of the quilt.

From Fabric K, cut:

- ▶ one 14-1/2" x WOF strip. Subcut:
 - one 14-1/2" x 6-1/2" rectangle for Column 6
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - ◆ one 8-1/2" x 4-1/2" rectangle for Column 3
 - ◆ Trim the remainder of the strip to 7" wide, then subcut:
 - one 7" square. Cut in half from upper left to lower right to make two triangles, setting aside one for Column 6. The remaining triangle will not be used.
 - Trim the remainder of the strip to 6-1/2" wide, then subcut:
 - one 6-1/2" x 8-1/2" rectangle for Column 9
 - From the remaining fabric, cut:
 - ◇ one 5" square. Cut in half from upper left to lower right. Set aside the lower left triangle for Column 3.
 - ◇ two 3-1/2" x 4-1/2" rectangles (noting the print orientation in the sample quilt), setting aside one each for Column 2 and Column 7
 - ◇ one 3-1/2" x 8-1/2" rectangle for Column 10

From Fabric L, cut:

- ▶ one 9" x WOF strip. Subcut:
 - three 9" squares. Cut two squares in half from upper right to lower left. Set aside one triangle each for Column 4, Column 13 and Column 22. The remaining triangle will not be used. Cut the remaining square in half from upper left to lower right. Set aside one triangle each for Column 9 and Column 19.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - ◆ one 7" square. Cut in half from upper left to lower right to make two triangles, setting aside both for Column 6.

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 8-1/2" rectangle for Column 9
 - one 4-1/2" square for the Column 16 stitch & flip
 - Trim the remainder of the strip to 3-1/2" wide, then subcut:
 - ◆ one 3-1/2" x 4-1/2" rectangle for Column 4

From Fabric M, cut:

- ▶ one 7" x WOF strip. Subcut:
 - one 7" square. Cut in half along one diagonal. Set aside one triangle for Column 17. The remaining triangle will not be used.
 - Trim the remainder of the strip to 6-1/2" wide. Subcut:
 - ◆ one 6-1/2" x 14-1/2" rectangle for Column 17
 - ◆ one 6-1/2" x 8-1/2" rectangle for Column 14
 - ◆ Trim the remainder of the strip to 5" wide. Subcut:
 - one 5" square. Cut in half along one diagonal. Set aside one triangle for Column 20. The remaining triangle will not be used.

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 8-1/2" rectangle for Column 20
 - two 4-1/2" x 3-1/2" rectangles, one each for Column 16 and Column 21
 - Trim the remainder of the strip to 3-1/2" wide. Subcut:
 - ◆ one 3-1/2" x 8-1/2" rectangle for Column 13

From Fabric N, cut:

- ▶ one 8-1/2" x WOF strip. Subcut:
 - one 8-1/2" x 42-1/2" strip for Column 13

- ▶ one 6-1/2" x WOF strip. Subcut:
 - one 6-1/2" x 39-1/2" strip for Column 18

- ▶ two 4-1/2" x WOF strips. Subcut:
 - one 4-1/2" x 42-1/2" strip for Column 16
 - one 4-1/2" x 42-1/2" strip for Column 21

From Fabric O, cut:

- ▶ one 9" x WOF strip. Subcut:
 - three 9" squares. Cut two in half from upper right to lower left, setting aside one triangle for Column 22 and two triangles for Column 19. The remaining triangle will not be used. Cut the remaining square in half from upper left to lower right, setting aside these triangles for Column 14.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - ◆ two 7" squares. Cut one square in half from upper left to lower right to make two triangles, setting aside both for Column 17. Cut the remaining square in half from upper right to lower left, setting one triangle aside for Column 12. The remaining triangle will not be used.

- ▶ one 4-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 8-1/2" rectangle for Column 15

From Fabric P, cut:

- ▶ one 9" x WOF strip. Subcut:
 - two 9" squares. Cut in half from upper right to lower left. Set aside the lower right portion of each for Column 19 and Column 22.
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - ◆ one 8-1/2" square. From the square, cut:
 - one 4-1/2" x 8-1/2" rectangle for Column 15 (note the orientation of the print in the sample quilt)
 - one 3-1/2" x 6-1/2" rectangle for Column 12, again noting the print orientation in the sample.
 - Trim the remainder of the strip to 7" wide, then subcut:
 - one 7" square. Cut in half from upper left to lower right to make two triangles, setting aside both for Column 17
 - Trim the remainder of the strip to 5" wide, then subcut:
 - ◇ one 5" square. Cut in half from upper left to lower right to make two triangles, setting aside both for Column 20.

From Fabric Q, cut:

- ▶ one 9" x WOF strip. Subcut:
 - one 9" square. Cut in half from upper right to lower left. Set aside one each for Column 15 and Column 22
 - Trim the remainder of the strip to 4-1/2" wide. Subcut:
 - ◆ one 4-1/2" x 6-1/2" rectangle for Column 12
 - ◆ Trim the remainder of the strip to 3-1/2" wide. Subcut:
 - one 3-1/2" x 8-1/2" rectangle for Column 19

From Fabric R, cut:

- ▶ one 13-1/2" x WOF strip. Subcut:
 - one 4-1/2" x 13-1/2" rectangle for Column 20
 - Trim the remainder of the strip to 11-1/2" wide, then subcut:
 - ◆ one 8-1/2" x 11-1/2" rectangle for Column 14
 - ◆ Trim the remainder of the strip to 9-1/2" wide, then subcut:
 - one 8-1/2" x 9-1/2" rectangle for Column 19.
 - Trim the remainder of the strip to 8-1/2" wide, then subcut:
 - one 6-1/2" x 8-1/2" rectangle for Column 12.
 - Trim the remainder of the strip to 7-1/2" wide, then subcut:
 - ◇ one 6-1/2" x 7-1/2" rectangle for Column 17.
- ▶ one 9" x WOF strip. Subcut:
 - four 9" squares. Cut two in half from upper right to lower left, setting aside two for Column 22 and two for Column 15. Cut two in half from upper left to lower right, setting aside two for Column 14 and one for Column 19. The remaining triangle will not be used.
- ▶ one 7" x WOF strip. Subcut:
 - two 7" squares. Cut one in half from upper left to lower right, setting aside one for Column 12 and one for Column 17. Cut one in half from upper right to lower left, setting aside one for Column 18. The remaining triangle will not be used.
 - Trim the remainder of the strip to 5-1/2" wide, then subcut:
 - ◆ one 5-1/2" x 8-1/2" rectangle for Column 22.
 - ◆ Trim the remainder of the strip to 5" wide, then subcut:
 - two 5" squares. Cut one in half from upper left to lower right, setting aside one for Column 20. Cut one square in half from upper right to lower left, setting aside one for Column 20. The remaining triangles will not be used.

From the Binding Fabric, cut:

- ▶ nine 2-1/2" x WOF strips

Assemble the Columns

Note: For all columns, take care to orient any directional fabrics as they are shown in the sample.

Step 1: Gather the pieces cut for Column 1. Pair the triangles as shown to form the half-square triangles (HSTs). Trim each HST to 8-1/2" square. Sew the HSTs, rectangles and square together to form the column. Press the seams up.

Step 2: Repeat Step 1 for Columns 4, 8, 9, 14, 15, 19 and 22. Each of the HSTs in these columns will also be trimmed to 8-1/2" square. Press the seams up in the odd numbered columns and down in the even numbered columns.

Step 3: Gather the pieces cut for Column 3. Pair the triangles as shown to form the half-square triangles (HSTs). Trim each HST to 4-1/2" square. Sew the HSTs, rectangles and square together to form the column. Press the seams up.


Step 4: Repeat Step 3 for Column 20, pressing the final seams down.



Step 5: Gather the pieces cut for Column 6. Pair the triangles as shown to form the half-square triangles (HSTs). Trim each HST to 6-1/2" square. Sew the HSTs, rectangles and square together to form the column. Press the seams down.

Step 6: Repeat Step 5 for Columns 5, 11, 12, 17 and 18. Each of the HSTs in these columns will also be trimmed to 6-1/2" square. Press the seams up in the odd numbered columns and down in the even numbered columns.


Step 7: Gather the pieces cut for Column 2. Place the square for the stitch and flip technique at the top edge of the Fabric D strip, right sides together. Note: rotate the print for Fabric A 90-degrees to the left. This allows the print to be right-reading when the seam is sewn. Mark a diagonal from upper left to lower right on the back side of the square. Sew on this marked line, then trim away the excess leaving a 1/4" seam allowance. Press. Sew the remaining rectangle to the bottom edge of the column, and press the seams down.

Step 8: Repeat Step 7 for Columns 7, 10, 13, 16 and 21. Repeat the stitch and flip process in Step 7, always checking the final orientation of any directional print before sewing. Press the seams up in the odd numbered columns and down in the even numbered columns.





Assemble the Quilt



Step 9: Sew Columns 1-11 together, in order, taking care to orient the columns correctly. Press the seams to the left.

Step 10: Sew Columns 12-22 together, in order, taking care to orient the columns correctly. Press the seams to the left.

Step 11: Sew the two halves together, nesting the seams. Press the seam to one side. Sew the Fabric A strip to the top of the quilt and the Fabric J strip to the bottom of the quilt. Press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.