

WINTER'S SONG

Designed by Robert Kaufman Fabrics Featuring
www.robertkaufman.com



Finished quilt measures: 68-1/2" x 68-1/2"

Quilt shown in "HOLIDAY" colorstory. For alternate "MIDNIGHT" colorstory see page 8.

Pattern Level: Experienced Intermediate







"I know the ropes and would like to test my skills!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMDM-16779-186 SILVER <i>*includes binding</i>	1-1/2 yards		D	AMDM-16779-223 HOLIDAY	1/4 yard
	B	AMDM-16780-223 HOLIDAY	1-1/3 yard		E	AMDM-16781-223 HOLIDAY	1/4 yard
	C	AMDM-16780-87 SNOW	1-3/4 yard		F	AMDM-16779-87 SNOW	1-1/8 yard
<p>Copyright 2017, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4-1/4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 12-1/4" x WOF strip. Subcut:

two 12-1/4" squares for the flying geese

From the remainder, cut:

one 8-5/8" square for the center hourglass

one 6-1/2" x WOF strip. Subcut:

two 6-1/2" squares for the HSTs

From the remainder, cut:

two 4-3/8" squares for the corner blocks

eight 2-1/2" x WOF strips for the binding

six 1-1/2" x WOF strips. Sew together, end-to-end, and set aside for the 2nd border

From Fabric B, cut:

one 12-1/4" x WOF strip. Subcut:

two 12-1/4" squares for the flying geese

From the remainder, cut:

one 8-5/8" square for the center hourglass

two 6-3/8" x WOF strips. Subcut:

eight 6-3/8" squares. Cut each in half once on a diagonal to create the setting triangles

From the remainder of the second strip, cut:

two 4-3/8" squares for the corner blocks

seven 2-1/2" x WOF strips. Sew together, end-to-end, and set aside for the 4th border

From Fabric C, cut:

three 6-3/8" x WOF strips. Subcut:

sixteen 6-3/8" squares for the flying geese

From the remainder of the last strip, cut:

two 6-1/2" squares for the HSTs

one 4-3/4" x WOF strip. Subcut:

four 4-3/4" squares. Cut each square in half once on a diagonal for the corner blocks

seven 4-1/2" x WOF strips. Sew together, end-to-end, and set aside for the 3rd border

From Fabric D, cut:

four 6-1/2" squares for the HSTs

From Fabric E, cut:

six 6-1/2" squares for the HSTs

From Fabric F, cut:

two 6-1/2" x WOF strips. Subcut:

ten 6-1/2" squares for the HSTs

five 4-1/2" x WOF strips. Trim the selvages sparingly. Sew together, end-to-end, and set aside for the 1st border



Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 6-1/2" Fabric A square with a 6-1/2" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 6" square. Repeat to make four A/C, eight D/F and twelve E/F HSTs.



Assemble the Hourglass Block

Step 2: Arrange two Fabric A and two Fabric B hourglass triangles to form an hourglass block.



Step 3: Sew one A triangle to one B triangle to form a pair. Repeat with the remaining triangles. Press both seams to the darker fabric.


Step 4: Sew the triangles together along the longest edge, nesting the seams and pressing the seam open or to one side. Trim to 11" square.



Assemble the Flying Geese

Note: This quilt uses a time saving construction method for making flying geese blocks. You will make the flying geese units four at a time, so do not be alarmed if the cut sizes seem too large for the final block.

Step 5: Pin two 6-3/8" Fabric C squares in opposing corners of a 12-1/4" Fabric A square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




Step 6: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.





Step 7: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 8: Place one 6-3/8" Fabric C square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.




Step 9: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 6" x 11-1/2" if necessary. Repeat Steps 5-9 to make eight A/C flying geese blocks.


Step 10: Repeat Steps 5-9 with the 12-1/4" Fabric B squares and 6-3/8" Fabric C squares to make a total of eight B/C flying geese blocks.

Assemble the Corner Blocks

Step 11: Sew a 4-3/4" Fabric C triangle to two adjacent edges of a 4-3/8" Fabric B square. Press the seams toward the triangles. Repeat to make a second B/C unit. Repeat to make two A/C units.



Assemble the Quilt Center



Step 12: Arrange the corner blocks, flying geese blocks, half-square triangles and hourglass block in diagonal rows, following the Quilt Assembly Diagram. Note the fabric placement and block orientation. Place a Fabric B setting triangle at the end of each row.

Step 13: Sew each row together, pressing the seams in opposite directions with each row so that seams will nest for Step 14. Align in the right angle of each setting triangle with the corner of the block it is sewn to. Note: The points of these triangles will extend beyond the adjacent piece.

Step 14: Sew the rows together, nesting the seams and pressing the seams open or to one side.

Step 15: Sew a corner block to each corner of the quilt center.

Add the Borders



Step 16: Measure the width of the quilt through the center. Cut two Fabric F border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border. Measure the length of the quilt through the center. Cut two Fabric F side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border.

Step 17: Measure the width of the quilt through the center. Cut two Fabric A border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border. Measure the length of the quilt through the center. Cut two Fabric A side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border.

Step 18: Measure the width of the quilt through the center. Cut two Fabric C border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border. Measure the length of the quilt through the center. Cut two Fabric C side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border.

Step 19: Measure the width of the quilt through the center. Cut two Fabric B border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border. Measure the length of the quilt through the center. Cut two Fabric B side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!

WINTER'S SONG - Midnight Colorstory



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMDM-16779-69 MIDNIGHT <i>*includes binding</i>	1-1/2 yards		D	AMDM-16779-277 WINTER	1/4 yard
	B	AMDM-16780-277 WINTER	1-1/3 yard		E	AMDM-16781-277 WINTER	1/4 yard
	C	AMDM-16780-254 FROST	1-3/4 yard		F	AMDM-16779-254 FROST	1-1/8 yard

Copyright 2017, Robert Kaufman
For individual use only - Not for resale

You will also need:
4-1/4 yards for backing