

ABC ANIMALS

Designed by Ariga Mahmoudlou for RK Featuring **A to Z ANIMALS** STUDIO RK
www.robertkaufman.com



Finished quilt measures: 45" x 63"












Difficulty Rating: **Beginner**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 43" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKD-18975-1 WHITE	2/3 yard (one full panel)		G	SRKD-18978-70 AQUA	1/8 yard
	B	SRKD-18981-9 NAVY	1/3 yard		H	SRKD-18979-160 TAUPE	1/8 yard
	C	SRKD-18978-5 YELLOW	1/2 yard		I	SRKD-18980-6 PURPLE	1/8 yard
	D	K001-1387 WHITE	3/4 yard		J	SRKD-18977-1 WHITE	1-5/8 yard
	E	SRKD-18981-3 RED	1/8 yard		Binding*	SRKD-18981-9 NAVY <i>*Also used for Fabric B</i>	1/2 yard
	F	SRKD-18979-7 GREEN	1/8 yard				
<p>Copyright 2019, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 43" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

one 24-1/2" x 42-1/2" center panel

From Fabric B, cut:

one 3" x WOF strip. Subcut:

four 3" squares for the pinwheel blocks

four 1-1/2" x WOF strips. Subcut:

two 1-1/2" x 42-1/2" side Border 1 pieces

two 1-1/2" x 25-1/2" top/bottom Border 1 pieces

From Fabric C, cut:

four 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 44-1/2" side Border 2 pieces

two 2-1/2" x 30-1/2" top/bottom Border 2 pieces

From Fabric D, cut:

three 4-1/2" x WOF strips. Subcut:

two 4-1/2" x 24-1/2" strips

two 4-1/2" x 19-1/2" strips

three 3" x WOF strips. Subcut:

thirty-six 3" squares for the pinwheel blocks

two 1-1/2" x WOF strips. Subcut:

fourteen 1-1/2" x 4-1/2" sashing strips

From each of Fabrics E-G, cut:

one 3" x WOF strip. Subcut:

eight 3" squares for the pinwheel blocks

From each of Fabrics H and I, cut:

one 3" x WOF strip. Subcut:

four 3" squares for the pinwheel blocks

From Fabric J, cut:

two 4" x *length of fabric* strips. Subcut:

two 4" x 56-1/2" side Border 4 pieces

From the remaining width of fabric, cut:

three 4" x WOF strips. Sew together, end-to-end, then trim:

two 4" x 45-1/2" top/bottom Border 4 pieces

From the Binding Fabric, cut:


six 2-1/2" x WOF strips

Assemble the Pinwheel Blocks


Step 1: Pair a 3" Fabric D square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make a total of eight D/E HSTs.




Step 2: Arrange four matching HSTs together in two rows of two, noting the fabric placement and HST orientation in the diagram. Sew the HSTs together to form rows, pressing the seam toward the darker fabric. Sew the rows together, nesting the seams and pressing the row seam open. Repeat to make two 4-1/2" square pinwheel blocks.




Step 3: Repeat Steps 1 and 2 to make:




four Fabric E pinwheel blocks




four Fabric F pinwheel blocks



four Fabric G pinwheel blocks



two Fabric H pinwheel blocks




two Fabric I pinwheel blocks

Assemble the Border 3 Sections

Step 4: Gather:

one pinwheel block in each of Fabrics B, E, F, G, H and I
 five 1-1/2" x 4-1/2" Fabric D sashing strips
 one 4-1/2" x 19-1/2" Fabric D strip

Step 5: Arrange in the order shown and sew together. Press the seam to one side. This is one side Border 3 unit.



Repeat Steps 4 and 5 to make a second side Border 3 unit.

Step 6: Gather:

one pinwheel block in each of Fabrics E, F and G
 two 1-1/2" x 4-1/2" Fabric D sashing strips
 one 4-1/2" x 24-1/2" Fabric D strip

Step 7: Arrange in the order shown and sew together. Press the seam to one side. This is one top/bottom Border 3 unit.



Repeat Steps 6 and 7 to make a second top/bottom Border 3 unit.

Assemble the Border 3 Sections



Step 8: Sew the side Border 1 pieces to the sides of the Fabric A quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 9: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 10: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders. *Pay close attention to the orientation shown in the Quilt Assembly Diagram.*

Step 11: Sew the side Border 4 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 4 pieces to the quilt center. Press toward the borders. *Pay close attention to the print orientation shown in the Quilt Assembly Diagram.*

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.