

AUTUMN FALLS

Designed by Ariga Mahmoudlou for RK Featuring **Autumn Beauties** STUDIO RK
www.robertkaufman.com



Finished quilt measures: 76-1/2" x 87"

Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRK-19316-15 IVORY	3-3/4 yards		I	SRKM-19320-14 NATURAL	1/4 yard
	B	SRKM-19317-16 BROWN	5/8 yard		J	SRKM-19318-16 BROWN	1/4 yard
	C	SRKM-19319-163 SPICE	1-1/4 yard		K	SRKM-19315-175 NUTMEG	1/4 yard
	D	SRKM-19320-2 BLACK	1/4 yard		L	SRK-19316-7 GREEN	1/4 yard
	E	SRKM-19315-222 REDWOOD	1/4 yard		M	SRKM-19319-191 AUTUMN	1/4 yard
	F	SRKM-19318-184 CHARCOAL	1/4 yard		N	SRKM-19320-16 BROWN	1/4 yard
	G	SRKM-19318-175 NUTMEG	1/4 yard		O	SRK-19316-163 SPICE	3/8 yard
	H	SRKM-19320-125 SUNFLOWER	1/4 yard		P	SRKM-19319-200 VINTAGE	3/8 yard

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	Q	SRKM-19317-92 TERRACOTTA	3/8 yard		S	SRKM-19315-184 CHARCOAL	1/4 yard
	R	SRK-19316-12 GREY	1/4 yard		Binding*	SRKM-19315-175 NUTMEG <i>*Also used for Fabric K</i>	5/8 yard
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 5-1/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

three 9-1/2" x WOF strips. Subcut:

two 9-1/2" x 23" rectangles*

one 9-1/2" x 21-1/2" rectangle

two 9-1/2" x 12-1/2" rectangles*

one 9-1/2" x 11" rectangle

*Tip: cut one of each of these from one strip to maximize yardage.

seven 4" x WOF strips. Subcut:

sixty-six 4" squares for the HSTs

three 3-1/2" x WOF strips. Subcut:

thirty-three 3-1/2" squares

five 3" x WOF strips. Subcut:

sixty-six 3" squares

twenty-two 2" x WOF strips. Sew sixteen strips together, end-to-end, then trim:
eight 2" x 62" row sashing strips
two 2" x 75-1/2" side inner borders
From the remaining strips, subcut:
twenty-two 2" x 9-1/2" block sashing strips

From Fabric B, cut:

seven 2-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 2-1/2" x 69" top/bottom middle borders
two 2-1/2" x 75-1/2" side middle borders

From Fabric C, cut:

seven 4-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 4-1/2" x 77" top/bottom outer borders
two 4-1/2" x 79-1/2" side outer borders
one 4" x WOF strip. Subcut:
six 4" squares for the HSTs
one 3-1/2" x WOF strip. Subcut:
twelve 3-1/2" squares

From each of Fabrics D-K, R and S, cut:

one 4" x WOF strip. Subcut:
two 4" squares for the HSTs
Trim the remainder of the strip to 3-1/2" wide, then subcut:
four 3-1/2" squares

From Fabric L, cut:

one 4" x WOF strip. Subcut:
four 4" squares for the HSTs
one 3-1/2" x WOF strip. Subcut:
eight 3-1/2" squares

From each of Fabrics M and N, cut:

one 4" x WOF strip. Subcut:
six 4" squares for the HSTs
one 3-1/2" x WOF strip. Subcut:
twelve 3-1/2" squares

From each of Fabrics O-Q cut:

one 4" x WOF strip. Subcut:
eight 4" squares for the HSTs
two 3-1/2" x WOF strips. Subcut:
sixteen 3-1/2" squares

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric A square with a 4" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make twelve A/C HSTs.



Step 2: Repeat Step 1 to make:




four A/D HSTs



four A/E HSTs



four A/F HSTs




four A/G HSTs



four A/H HSTs



four A/I HSTs




four A/J HSTs



four A/K HSTs



eight A/L HSTs



twelve A/M HSTs



twelve A/N HSTs



sixteen A/O HSTs



sixteen A/P HSTs



sixteen A/Q HSTs



four A/R HSTs



four A/S HSTs

Assemble the Stem Units

Step 3: Place a 3" Fabric A square in one corner of a 3-1/2" Fabric D square, right sides together. Sew along the diagonal, as shown. Trim the excess fabric, leaving a 1/4" seam allowance. Press toward Fabric A. Repeat on the opposite corner, with a second 3" Fabric A square.



Step 4: Repeat Step 4 to make:
one Stem unit from each of Fabrics D-K, R and S
two Stem units Fabric L
three Stem units from each of Fabrics C, M and N
four Stem units from each of Fabrics O-Q

Assemble the Blocks



Step 5: Gather:
one 3-1/2" Fabric A square
three 3-1/2" Fabric D squares
one Fabric D Stem unit
four A/D HSTs

Arrange the units into three rows of three. Note the fabric placement and orientation in the Block Assembly Diagram.

Step 6: Sew the pieces together to form the rows. Press the seams in opposite directions every other row.

Step 7: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting Block will measure 9-1/2" square.

Step 8: Repeat Steps 5-7 to make a total of thirty-three Blocks:
one Block from each of Fabrics D-K, R and S
two Block from Fabric L
three Block from each of Fabrics C, M and N
four Block from each of Fabrics O-Q

Assemble the Quilt



Step 9: Arrange the Blocks and Fabric A rectangles together as indicated in the Quilt Assembly Diagram. Note the orientation of the leaf blocks. Sew each row together, using sashing strips between each block. Press seams toward the sashing. Repeat to make seven block rows.

Step 10: Sew the eight Fabric A row sashing strips and block rows together. Press seams open or to the sashing.

Step 11: Sew the side inner borders to the sides of the quilt center. Press toward the borders.

Step 12: Sew two middle borders to the sides of the quilt center. Press toward the borders. Sew two middle borders to top and bottom the quilt center. Press toward the borders.

Step 13: Sew two outer borders to the sides of the quilt center. Press toward the borders. Sew two outer borders to top and bottom the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.