BEAR PAW ROLL UP

Designed by Elise Lea for RK www.robertkaufman.com

Featuring ARTISAN

Hummingbird Lane by Lunn





Finished quilt measures: 56-1/2" x 68"

Difficulty Rating: Intermediate



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color Fabric Name/SKU Yardage Color Fabric Name/SKU Yardage



RU-962-40 HUMMINGBIRD LANE

One Roll Up

Plus yardage of:



A AMD-7000-187 2-1/8 yards PLATINUM

Copyright 2020, Robert Kaufman For individual use only - Not for resale



B AMD-20184-107 7/8 yard PETAL



Binding* AMD-20187-239 5/8 yard SORBET *Also appears in the Roll Up

You will also need: 3-5/8 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From the Roll Up:

Divide the strips into two stacks: Warm (red, orange, pink) and Cool (blue, green) From the Warm stack, cut a total of:

eighty 2-1/2" squares for the HSTs

one hundred sixty-six 2" squares

ten 1-1/2" square for the Block centers

From the Cool stack, cut a total of:

eighty 2-1/2" squares for the HSTs

one hundred sixty-six 2" squares

ten 1-1/2" square for the Block centers

From Fabric A, cut:

ten 2-1/2" x WOF strips. Subcut:

one hundred sixty 2-1/2" squares for the HSTs

seventeen 2" x WOF strips. Subcut:

thirty-one 2" x 10-1/2" block sashing strips

eighty 2" squares for the Blocks

Sew the remaining five strips together, end-to-end, then trim:

two 2" x 56-1/2" side inner borders

two 2" x 48" top/bottom inner borders

ten 1-1/2" x WOF strips. Subcut:

eighty 1-1/2" x 5" rectangles for the Blocks

From Fabric B, cut:

six 5" x WOF strips. Sew the strips together, end-to-end, then trim:

two 5" x 59-1/2" side outer borders


two 5" x 57" top/bottom outer borders

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 2-1/2" Fabric A square with a 2-1/2" Warm square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2" square. Repeat with all 2-1/2" Warm squares to make one hundred sixty Warm HSTs.



Step 2: Repeat Step 1 with all 2-1/2" Cool squares to make one hundred sixty Cool HSTs.



Assemble the Blocks



Step 3: Gather:


four 2" Warm squares

four Warm HSTs

one 2" Fabric A square

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.





Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the block unit. This unit should measure 5" square.





Step 6: Repeat Steps 3-5 with all 2-1/2" Cool squares to make forty Cool Block Units.



Step 7: Gather: two Warm Block Units two Cool Block Units four 1-1/2" x 5" Fabric A rectangles one 1-1/2" Warm (or Cool) square

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 8: Sew the units together to form the rows. Press the seams toward the Fabric A rectangles.



Step 9: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting Block should measure 10-1/2" square. Repeat to make a total of twenty Blocks.



Assemble the Quilt

Step 10: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block. Press seams toward the sashing. Repeat to make five block rows.

Step 11: Gather three cornerstone squares and four sashing strips. Sew each row together, using cornerstones between each sashing strip. Press seams toward the sashing. Repeat to make four sashing rows.

Step 12: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 13: Sew the side inner borders to the



sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 14: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.