

BOUQUETS

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring *Margeaux*



Finished quilt measures: 68" x 82"

Pattern Level: Experienced Intermediate

"I know the ropes and would like to test my skills!"

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.


Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2-7/8 yard		J	SRK-7448-15 IVORY	1/2 yard or 1 fat quarter
	B	SRK-7450-12 GREY	1/2 yard or 1 fat quarter		K	SRK-7451-21 LILAC	1/2 yard or 1 fat quarter
	C	SRK-7447-10 PINK	1/2 yard or 1 fat quarter		L	SRK-7450-32 MINT	1/2 yard or 1 fat quarter
	D	SRK-7449-15 IVORY	1/2 yard or 1 fat quarter		M	SRK-7453-200 VINTAGE	1/2 yard or 1 fat quarter
	E	SRK-7451-144 PEACH	1/2 yard or 1 fat quarter		N	SRK-7453-15 IVORY	1/2 yard or 1 fat quarter
	F	SRK-7451-7 GREEN	1/2 yard or 1 fat quarter		O	SRK-7450-200 VINTAGE	1/2 yard or 1 fat quarter
	G	SRK-7447-70 AQUA	1/2 yard or 1 fat quarter		P	SRK-7451-150 SALMON	1/2 yard or 1 fat quarter
	H	SRK-7447-144 PEACH	1/2 yard or 1 fat quarter		Q	SRK-7448-200 VINTAGE	1/2 yard or 1 fat quarter
	I	SRK-7450-70 AQUA	1/2 yard or 1 fat quarter		R	SRK-7451-12 GREY	1/2 yard or 1 fat quarter

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	S	SRK-7449-200 VINTAGE	1/2 yard or 1 fat quarter		W	K001-24 PETUNIA	5/8 yard
	T	SRK-7451-70 AQUA	1/2 yard or 1 fat quarter		X	K001-1513 SKY	5/8 yard
	U	SRK-7447-12 GREY	1/2 yard or 1 fat quarter		Y	K001-1291 PINK	5/8 yard
	V	K001-1333 SILVER	5/8 yard		Z	SRK-16697-12 GREY	1-3/8 yard
<p>Copyright 2017, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5 yards for backing 5/8 yards for binding</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

seven 6-7/8" x WOF strips. Subcut:

forty 6-7/8" squares. Cut each square in half once along a diagonal.

nine 2-1/2" x WOF strips. Subcut:

twenty-five 2-1/2" x 12-1/2" block sashing strips

nine 2-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

six 2-1/2" x 58-1/2" row sashing strips.

From each of Fabrics B-U, cut:

one from Template 1

Note: For raw edge appliqué, cut using the inner line. For needle turn appliqué, cut using the outer line.

From each of Fabrics V-Y, cut:

two 9" x WOF strips. Subcut:

five 9" squares

From Fabric Z, cut:

eight 5-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 5-1/2" x 86-1/2" side borders


two 5-1/2" x 72-1/2" top/bottom borders

From the binding fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Blocks

Step 1: Sew a Fabric A triangle to opposite sides of a 9" Fabric V square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric V square. Trim the SIAS block to 12-1/2" square, if necessary.



Step 2: Repeat Step 1 for all Fabric V-Y squares, for a total of twenty blocks.

Step 3: Center the Fabric C/Template 1 piece right side up on a block unit with a Fabric V center. Appliqué the template piece to the block using your preferred raw edge appliqué method, such as a small zig zag stitch or blanket stitch.

Note: Alternately, use needle turn appliqué to stitch the circle to the unit, hiding the raw edges.



Step 4: Repeat Step 3 for all remaining template pieces, placing them in the following background block pairings:


Fabric V background block
Fabric I
Fabric L
Fabric Q
Fabric T

Fabric W background block
Fabric D
Fabric F
Fabric M
Fabric O
Fabric R

Fabric X background block
Fabric E
Fabric H
Fabric J
Fabric P
Fabric S

Fabric Y background block
Fabric B
Fabric G
Fabric K
Fabric N
Fabric U

Assemble the Quilt Center




Step 5: Arrange the blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make five block rows.

Step 6: Sew the sashing and block rows together, using a sashing strip between each row and at the top and bottom of the quilt. Press seams open or to the sashing.

Add the Borders

Step 7: Center and pin one outer border to the quilt top. Sew the border, starting and stopping 1/4" from each end of the quilt top. Repeat with the remaining side outer border. Repeat with the top and bottom borders.

Note: Borders will extend beyond the quilt's edge.



Step 8: Fold the quilt diagonally, right sides together and align two of the borders directly on top of each other.


Use your ruler to draw a line from the corner of the quilt to the edge of the border.




Step 9: Trim off excess border along line and sew 1/4" in from the edge. Begin at the point where your border stitching had ended and sew to the edge of the border.


Your quilt top is now complete. Baste, bind, quilt and enjoy!

Print at 100%.






1" box for
scale



1" box for
scale



ERTKAUFMAN
B R I C S

OUQUETS
EMPLATE 1

