


# BRIGHT SIDE BLOCKS

Designed by Wishwell for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring *Wishwell*

## BRIGHT SIDE

by Linda Fitch and Vanessa Stevens



Finished quilt measures: 50" x 50"


Difficulty Rating: **Beginner**

ROBERTKAUFMAN  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	WELD-19711-195 BRIGHT	1-1/4 yard		C	WELD-19714-69 MIDNIGHT	3/4 yard
	B	WELD-19712-19 ORCHID	1/4 yard		Binding*	WELD-19714-69 MIDNIGHT <i>*Also used for Fabric C</i>	1/2 yard
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/4 yard for backing			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, fussy cut:

four 10-1/2" pink squares  
 four 10-1/2" green squares  
 four 10-1/2" blue squares  
 four 10-1/2" purple squares

### From Fabric B, cut:

two 2-1/2" x WOF strips. Subcut:  
 twenty-five 2-1/2" squares for the cornerstones

### From Fabric C, cut:


ten 2-1/2" x WOF strips. Subcut:  
 forty 2-1/2" x 10-1/2" rectangles for the sashing strips

### From the Binding Fabric, cut:

six 2-1/2" x WOF strips



## Assemble the Quilt



**Step 1:** Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make four block rows.

**Step 2:** Gather five cornerstone squares and four sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make five sashing rows.

**Step 3:** Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.