BROKEN CHEVRON

Designed by Elise Lea for RK www.robertkaufman.com

Featuring KONA® Cotton solids



Finished quilt measures: 58" x 66"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1339 SNOW	2-5/8 yards		Н	K001-482 TERRACOTTA	1/4 yard
	В	K001-1083 COFFEE	1/4 yard		l R	K001-857 OASTED PECAN	1/4 yard
	С	K001-1136 ESPRESSO	1/4 yard		J	K001-178 LEATHER	1/4 yard
	D	K001-1469 RAISIN	1/4 yard		K	K001-1162 HONEY	1/4 yard
	Е	K001-1215 MAHOGANY	1/4 yard		L	K001-1045 BROWN	3/8 yard
	F	K001-1042 BRICK	1/4 yard		Binding*	K001-1083 COFFEE Also used for Fabric B	5/8 yard
	G	K001-150 PAPRIKA	1/4 yard	You will also need:			
Copyright 2022, Robert Kaufman For individual use only - Not for resale				3-2/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

nine 5" x WOF strip. Subcut:

sixty-five 5" squares for the HSTs

eight 4-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 4-1/2" x 58-1/2" top/bottom Border 3 strips

two 4-1/2" x 58-1/2" side Border 3 strips

thirteen 4-1/2" squares

five 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 48-1/2" top/bottom Border 1 strips

two 2-1/2" x 52-1/2" side Border 1 strips

From each of Fabrics B, D, F, H, and J, cut:

one 5" x WOF strip. Subcut:

six 5" squares for the HSTs

From each of Fabrics C, E, G, I, and K, cut:

one 5" x WOF strip. Subcut:

seven 5" squares for the HSTs

From Fabric L, cut:

six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 50-1/2" top/bottom Border 2 strips

two 1-1/2" x 56-1/2" side Border 2 strips

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make twelve A/B HSTs.



Step 2: Repeat to make:



fourteen A/C HSTs



twelve A/D HSTs



fourteen A/E HSTs



twelve A/F HSTs



fourteen A/G HSTs



twelve A/H HSTs



fourteen A/I HSTs



twelve A/J HSTs



fourteen A/K HSTs

Assemble the Quilt

Step 3: Arrange the HSTs and Fabric A squares into thirteen rows of eleven blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.


Step 4: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 5: Sew the rows together to form the quilt center. Press the row seams open.

Step 6: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 7: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the

borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.



Your quilt top is complete! Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.