


BUTTER AND EGGS

Designed by Darlene Zimmerman
www.feedsacklady.com

Featuring

Darlene Zimmerman
Morningside Farm



Finished project measures: 20" x 55"


Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S






Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADZ-15879-73 LAKE	1-1/4 yards		I	ADZ-15880-3 RED	part of Roll Up
	1/2 of Roll Up RU-520-40, containing fabrics B-V:				J	ADZ-15880-36 ALOE	part of Roll Up
	B	ADZ-15878-3 RED	part of Roll Up		K	ADZ-15880-80 EVENING	part of Roll Up
	C	ADZ-15878-5 YELLOW	part of Roll Up		L	ADZ-15880-140 SCREAMIN' YELLOW	part of Roll Up
	D	ADZ-15878-36 ALOE	part of Roll Up		M	ADZ-15881-3 RED	part of Roll Up
	E	ADZ-15877-200 VINTAGE	part of Roll Up		N	ADZ-15881-73 LAKE	part of Roll Up
	F	ADZ-15879-3 RED	part of Roll Up		O	ADZ-15881-140 SCREAMIN' YELLOW	part of Roll Up
	G	ADZ-15879-36 ALOE	part of Roll Up		P	ADZ-15882-3 RED	part of Roll Up
	H	ADZ-15879-73 LAKE	part of Roll Up		Q	ADZ-15882-80 EVENING	part of Roll Up

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	R	ADZ-15882-140 SCREAMIN' YELLOW	part of Roll Up		U	ADZ-15883-73 LAKE	part of Roll Up
	S	ADZ-15883-3 RED	part of Roll Up		V	ADZ-15878-73 LAKE	part of Roll Up
	T	ADZ-15883-5 YELLOW	part of Roll Up	<p>You will also need: 3/8 yard for binding 1-3/4 yards for backing Easy Angle (EZ Quilting #88237459A) Ruler</p>			

Copyright 2015, Robert Kaufman
 For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- ten 2-1/2" x WOF strips. Subcut:
 ninety-six 2-1/2" squares
 ninety-six Easy Angle triangles*
- seven 1-1/2" x WOF strips. Subcut:
 thirty-seven 1-1/2" x 6-1/2" rectangles for sashing

From twelve selected 2-1/2" x WOF strips, cut:

- two 2-1/2" squares
- eight Easy Angle triangles*
- two 1-1/2" cornerstone squares


From the binding fabric, cut:

- four 2-1/2" x WOF strips


**Tip: To save time at the sewing machine, layer the print and background strips right sides together and cut pairs of Easy Angle triangles. They will then be ready to chain-sew.*

Assembling the Blocks

Step 1 Sew all the Easy Angle triangles together on the diagonal edges. Press toward the darker fabric. Make eight pairs from each print.




Step 2 For each block, assemble four matching triangle squares, one matching 2-1/2" square and four background squares. Press as shown. Make twenty-four blocks. At this point the blocks should measure 6-1/2" square.



Assembling the Quilt Top


Step 1 Arrange the blocks in eight rows of three blocks. Sew sashing strips between each of the rows, pressing toward the sashing. Make eight rows.



Step 2 Sew three sashing strips and two corner squares together to make a horizontal sashing row. Press toward the sashing strips. Repeat to make seven sashing rows.



Step 3 Sew the block rows and sashing rows together, matching and pinning seam intersections. Press toward the sashing rows.



Finishing the Quilt

Step 1 Layer the backing wrong side up, the batting and the quilt top right side up. Baste, then quilt as desired.

Step 2 Before binding, hand-baste a scant $\frac{1}{4}$ " from the edge of the quilt to hold the layers together and prevent shifting.

Step 3 Sew the binding strips together with diagonal seams pressed open. Fold the binding in half, wrong sides together and press to make a double binding. Sew to the quilt with a $\frac{1}{4}$ " seam, mitering the corners.

Step 4 Trim the excess batting and backing, then turn the binding to the back side of the quilt and stitch down with matching thread.