


# Cabin Crossing

Designed by Robert Kaufman Fabrics

Featuring

**MAMMOTH  
FLANNEL** STUDIO  
Rk



Finished quilt measures: 74" x 98"

**Pattern Level: Confident Beginner**

*"I have basic block construction down  
and would like to learn a new trick!"*

**ROBERT KAUFMAN**  
F A B R I C S

## Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKF-14900-93 SCARLET	1/2 yard		E	SRKF-14769-9 NAVY	1-1/8 yard
	B	SRKF-14880-295 IRON	5/8 yard		F	SRKF-13936-157 RAFFIA	1-5/8 yards
	C	SRKF-14895-72 COBALT	7/8 yard		G	SRKF-14770-9 NAVY	2-1/4 yards
	D	SRKF-14770-12 GREY	1-1/8 yard	<p>You will also need: 5/8 yard Binding 5-1/2 yards Backing Fabric and Batting</p>			

### Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

### Cutting Instructions

*You may cut Fabrics B-E as specified, or cut the strips slightly longer and trim as you go. The width for all of the strips will remain 2".  
You will use slightly more yardage and strips if you choose to cut them longer.*

#### **Fabric A**

- Cut four strips 3-1/2" x WOF, then subcut into forty-eight squares 3-1/2" x 3-1/2".

#### **Fabric B**

- Cut ten strips 2" x WOF.
- Subcut into forty-eight strips 2" x 3-1/2" and forty-eight strips 2" x 5".

#### **Fabric C**

- Cut fourteen strips 2" x WOF.
- Subcut into forty-eight strips 2" x 5" and forty-eight strips 2" x 6-1/2".

### Fabric D

- Cut eighteen strips 2" x WOF.
- Subcut into forty-eight strips 2" x 6-1/2" and forty-eight strips 2" x 8".

### Fabric E

- Cut twenty-two strips 2" x WOF.
- Subcut into forty-eight strips 2" x 8" and forty-eight strips 2" x 9-1/2".

### Fabric F

- Cut twenty-eight strips 2" x WOF.
- Subcut into forty-eight strips 2" x 9-1/2" and forty-eight strips 2" x 11".



### Fabric G

- Cut thirty-two strips 2" x WOF
- Subcut into forty-eight strips 2" x 11" and forty-eight strips 2" x 12-1/2".

## Assembly Instructions



### Step 1: Make Blocks

- Begin with a Fabric A square and sew a Fabric B 2" x 3-1/2" strip to the top edge. Press seams and trim any excess fabric, if necessary.



- Sew a Fabric B 3" x 5" strip to the left edge of the A/B unit. Press and trim.

- Next, sew a Fabric C 3" x 5" strip to the bottom of the A/B unit. Press and trim.




- Continue sewing strips around the block in a counter-clockwise direction, pressing and trimming strips as you go.
- Trim block to 12-1/2" x 12-1/2".
- Repeat to make forty-eight blocks.



## Step 2: Assemble Quilt

- Follow the diagram to sew eight rows of six blocks each, and then sew the rows together to complete the quilt top.

*Be sure your blocks are rotated into the proper orientation before sewing into rows.*



Your quilt top is complete. Baste, quilt, bind and enjoy!