


# CAGED STARS

Designed by Elise Lea for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring ARTISAN  
BATIKS

Modern Twist by 



Finished quilt measures: 66-1/2" x 81"

Difficulty Rating: **Intermediate**












**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).



## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

| Color  | Fabric | Name/SKU                 | Yardage     | Color  | Fabric   | Name/SKU   | Yardage     |
|--|--------|--------------------------|-------------|--|----------|--|-------------|
|    | A      | AMD-7000-187<br>PLATINUM | 1-7/8 yards |    | G        | AMD-19760-213<br>TEAL  | 1-1/4 yards |
|    | B      | AMD-19755-238<br>GARDEN  | 1/3 yard    |    | H        | AMD-19760-7<br>GREEN   | 1/3 yard    |
|    | C      | AMD-19758-192<br>SPRING  | 1/3 yard    |    | I        | AMD-19756-7<br>GREEN   | 1/3 yard    |
|   | D      | AMD-19755-7<br>GREEN     | 1/3 yard    |   | J        | AMD-19760-253<br>BOYSENBERRY                                   | 1-5/8 yards |
|  | E      | AMD-19757-238<br>GARDEN  | 1/2 yard    |  | Binding* | AMD-19760-253<br>BOYSENBERRY<br><i>*Also used for Fabric J</i> | 5/8 yard    |
|  | F      | AMD-19756-6<br>PURPLE    | 1/3 yard    | <div>You will also need:<br/>5 yards for backing</div>                               |          |  |             |
| Copyright 2020, Robert Kaufman<br>For individual use only - Not for resale         |        |                          |             |  |          |  |             |

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, cut:**

eight 4" x WOF strips. Subcut:

eighty 4" squares for the HSTs

eight 3-7/8" x WOF strips. Subcut:

eighty 3-7/8" squares. Cut each square in half along one diagonal.

### **From each of Fabrics B-D, cut:**

two 5-1/8" x WOF strips. Subcut:

ten 5-1/8" squares. Cut each square in half along one diagonal.

### **From Fabric E, cut:**

two 5-1/8" x WOF strips. Subcut:

ten 5-1/8" squares. Cut each square in half along one diagonal.

two 1-1/2" x WOF strip. Subcut:

thirty 1-1/2" squares

### **From each of Fabrics F, H and I, cut:**

two 4" x WOF strips. Subcut:

twenty 4" squares for the HSTs

one 1-1/2" x WOF strip. Subcut:

five 1-1/2" squares

### **From Fabric G, cut:**

seven 4-1/2" x WOF strips. Sew together, end-to-end, then set aside for the outer border.

two 4" x WOF strips. Subcut:

twenty 4" squares for the HSTs

one 1-1/2" x WOF strip. Subcut:

five 1-1/2" squares

### **From Fabric J, cut:**

thirty-seven 1-1/2" x WOF strips. Subcut:

forty-nine 1-1/2" x 14" strips


eighty 1-1/2" x 10" strips

### **From the Binding Fabric, cut:**


eight 2-1/2" x WOF strips

## Assemble the Half-Square Triangles (HSTs)


**Step 1:** Pair a 4" Fabric A square with a 4" Fabric F square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make forty A/F HSTs.




**Step 2:** Repeat Step 1 to make:



forty A/G HSTs







forty A/H HSTs




forty A/I HSTs

**Step 3:** Sew HSTs together in pairs, as shown. Make twenty pairs from each of Fabrics G-I. Press.




## Assemble the Blocks




**Step 4:** Gather:  
one A/F HST pair  
two Fabric A triangles  
one Fabric B triangle

Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.


**Step 5:** Sew the Fabric A triangles to the left and right edges of the HST pair. Press.



**Step 6:** Sew the Fabric B triangle to the bottom edges of the HST pair. Press.



**Step 7:** Trim the angled edges of the unit so that 1/4" of fabric is left beyond the 90-degree point of the Fabric F triangles.



**Step 8:** Repeat Steps 4-7 to make a total of four triangle units from Fabrics F and B.






**Step 9:** Gather:  
four completed Step 8 units  
one 1-1/2" Fabric F square  
two 1-1/2" x 10" Fabric J strips


**Step 10:** Sew a Fabric J strip to opposite edges of the Fabric F square. Press toward the strips.



**Step 11:** Sew a Fabric J strip between two Step 8 units, as shown, aligning the corners as shown. Press toward the strips. Repeat to make a second unit like this.




**Step 12:** Sew two completed Step 11 units to opposite long edges of the completed Step 10 unit, nesting the seams at the center Fabric F square. Press.



**Step 13:** Repeat Steps 9-12 to make a total of five blocks from Fabrics F and B. *Do not trim the outer edges of the blocks yet.*

**Step 14:** Repeat Steps 4-12 to make a total of five blocks each from Fabrics G/C, Fabrics H/D and Fabrics I/E.



**Step 15:** Trim all twenty Blocks to the same size, each roughly 13-7/8"-14" square. It is important that all Blocks are trimmed to the same size.

**Step 16:** Trim all 1-1/2" x 14" Fabric J strips to the same length as one side of the Block, if needed. These will be the sashing strips.



## Assemble the Quilt

**Step 17:** Arrange the Blocks together as indicated in the Quilt Assembly Diagram, noting the fabric placement shown. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make five block rows.

**Step 18:** Gather five Fabric E cornerstone squares and four sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make six sashing rows.

**Step 19:** Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

**Step 20:** Measure the length of the quilt through the center. Cut two side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two top/bottom border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!

