


CASSANDRA'S FAVORITE

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring *Cassandra* 



Finished quilt measures: 65-1/2" x 79"

Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1037 BONE	1-5/8 yards		H	SRKD-18682-238 GARDEN	1/2 yard
	B	SRKD-18684-63 SKY	1/4 yard		I	SRKD-18683-149 APRICOT	1/2 yard
	C	SRKD-18686-63 SKY	1/2 yard		J	SRKD-18687-47 GRASS	1/4 yard
	D	SRKD-18687-63 SKY	1/2 yard		K	SRKD-18685-63 SKY	1-1/8 yard
	E	SRKD-18683-63 SKY	1/2 yard		L	SRKD-18682-84 CREAM	1-1/8 yard
	F	SRKD-18684-149 APRICOT	1/4 yard		Binding*	SRKD-18687-47 GRASS <i>*Also used for Fabric J</i>	5/8 yard
	G	SRKD-18686-149 APRICOT	1/2 yard	<div style="background-color: #cccccc; padding: 10px; border: 1px solid #ccc;"> <p style="text-align: center;">You will also need: 5 yards for backing</p> </div>			

Copyright 2019, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

three 4-1/2" x WOF strips. Subcut:
twenty 4-1/2" squares
four 4" x WOF strips. Subcut:
forty 4" squares for the HSTs
seven 3-1/2" x WOF strips. Subcut:
eighty 3-1/2" squares

From each of Fabrics B and F, cut:

two 4" x WOF strips. Subcut:
twenty 4" squares for the HSTs

From each of Fabrics C and G cut:

three 4-1/2" x WOF strips. Subcut:
twenty 4-1/2" squares

From each of Fabrics D and H, cut:

three 4-1/2" x WOF strips. Subcut:
twenty 4-1/2" squares

From each of Fabrics E and I, cut:

three 4-1/2" x WOF strips. Subcut:
twenty 4-1/2" squares

From Fabric J, cut:

two 2" x WOF strips. Subcut:
thirty 2" squares for the cornerstones

From Fabric K, cut:

seventeen 2" x WOF strips. Subcut:
forty-nine 2" x 12-1/2" sashing strips

From Fabric L, cut:

seven 5-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 5-1/2" x 66" top/bottom outer borders
two 5-1/2" x 74-1/2" side outer borders

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 4" Fabric A square with a 4" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make forty A/B HSTs.




Step 2: Repeat Step 1 to make forty A/F HSTs.

Assemble the Quarter Square Triangles (QSTs)


Step 3: Pair a 4-1/2" Fabric A square with a 4-1/2" Fabric E square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4" square. Repeat to make forty A/E HSTs.




Cut each HST in half, perpendicular to the seam line, to create eighty units like this. You will have forty of each style.



Step 4: Repeat Step 3 to make:



eighty C/D HSTs,
forty of each style.




eighty A/I HSTs,
forty of each style.



eighty G/H HSTs,
forty of each style.

Step 5: Sew one A/E and one C/D unit together, as shown, noting the fabric placement in the illustration. Press. Repeat to make forty A/E-C/D units like this.




Step 6: Repeat Step 5, noting the fabric placement shown here, to make:



forty E/A-D/C units




forty A/I-G/H units



forty I/A-H/G units

Trim each Step 5 and Step 6 unit to 3-1/2" square, if needed.

Assemble the A Blocks



Step 7: Gather:
 four A/B HSTs
 four of each blue QST style (for a total of eight)
 four Fabric A squares

Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 8: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 9: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting block should measure 12-1/2" square.

Repeat to make ten A Blocks.

Assemble the B Blocks



Step 10: Gather:

four A/F HSTs

four of each red QST style (for a total of eight)

four Fabric A squares

Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 11: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 12: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting block should measure 12-1/2" square.

Repeat to make ten B Blocks.

Assemble the Quilt



Step 13: Arrange the A and B Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make five block rows.

Step 14: Gather five cornerstone squares and four sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make six sashing rows.

Step 15: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 16: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!