
# CELEBRATE

Designed by Ariga Wilson for RK Featuring Wishwell www.robertkaufman.com





Finished quilt measures: 58" x 76"

Difficulty Rating: Intermediate



## Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/\$KU	Yardage
	A	K001-484 ASTRAL	5/8 yard		I	K001-455 RIVIERA	1/4 yard
6	В	WELM-21215-202 AMERICANA	1/3 yard		J	WELM-21217-91 CRIMSON	1/3 yard
	С	WELM-21216-91 CRIMSON	1/4 yard		K	WELM-21219-9 NAVY	1/2 yard
	D	K001-25 OCEAN	3/8 yard		L	K001-1387 WHITE	1/3 yard
	E	WELM-21216-9 NAVY	1/3 yard		M	WELM-21219-63 SKY	1/4 yard
	F	WELM-21217-4 BLUE	1/3 yard		N	WELM-21218-3 RED	1/4 yard
	G	K001-1243 NAVY	1-7/8 yards		0	WELM-21215-1 WHITE	1/4 yard
	Н	WELM-21219-202 AMERICANA	1/4 yard		Р	WELM-21219-3 RED	1/3 yard

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
W. W. W.	Q	WELM-21216-4 BLUE	1/4 yard		Binding *A	K001-1308 RED Iso used for Fabric R	5/8 yard
	R	K001-1308 RED	7/8 yards				
Fo		2022, Robert Kaufman I use only - Not for resa				ill also need: rds for backing	

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## **Cutting Instructions**

#### From Fabric A, cut:

two 4-1/2" x WOF strips. Subcut:

twelve 4-1/2" squares for the large HSTs

Trim the remainder of the second strip to 4" wide, then subcut:

three 4" squares

one 4" x WOF strip. Subcut:

ten 4" squares, for a total of thirteen

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/2" wide, then subcut:

ten 2-1/2" squares

two 2" x WOF strips. Subcut:

forty 2" squares for the small HSTs

#### From Fabric B, cut:

one 4-1/2" x WOF strips. Subcut:

four 4-1/2" squares for the large HSTs

Trim the remainder of the strip to 4" wide, then subcut:

four 4" squares

one 4" x WOF strip. Subcut:

two 4" squares, for a total of six

Trim the remainder of the strip to 2-3/4" wide, then subcut:

eight 2-3/4" squares for the medium HSTs

#### From Fabric C, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

eight 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

eight 2-1/4" squares

#### From Fabric D, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares for the large HSTs

one 4" x WOF strip. Subcut:

five 4" squares

one 2-3/4" x WOF strip. Subcut:

eight 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric E, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

Trim the remainder of the strip to 4" wide, then subcut:

one 4" square

one 2-3/4" x WOF strip. Subcut:

eight 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric F, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares for the large HSTs

one 4" x WOF strip. Subcut:

eight 4" squares

#### From Fabric G, cut:

three 14-1/2" x WOF strips. Subcut:

sixty-two 2" x 14-1/2" strips for the pieced sashing

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

Trim the remainder of the strip to 4" wide, then subcut:

one 4" square

one 2-3/4" x WOF strip. Subcut:

eight 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

four 2" x WOF strips. Subcut:

eighty 2" squares for the small HSTs

three 1-1/2" x WOF strips. Subcut:

eighty 1-1/2" squares

#### From Fabric H, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric I, cut:

one 4" x WOF strip. Subcut:

three 4" squares

one 2-3/4" x WOF strip. Subcut:

twelve 2-3/4" squares for the medium HSTs

#### From Fabric J, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares for the large HSTs

Trim the remainder of the strip to 4" wide, then subcut:

one 4" square

one 2-3/4" x WOF strip. Subcut:

twelve 2-3/4" squares for the medium HSTs

one 2-1/4" x WOF strip. Subcut:

eight 2-1/4" squares

#### From Fabric K. cut:

two 4-1/2" x WOF strips. Subcut:

twelve 4-1/2" squares for the large HSTs

Trim the remainder of the second strip to 4" wide, then subcut:

two 4" squares

one 4" x WOF strip. Subcut:

ten 4" squares, for a total of twelve

#### From Fabric L, cut:

one 4" x WOF strip. Subcut:

one 4" square

Trim the remainder of the strip to 2-3/4" side, then subcut:

four 2-3/4" squares for the medium HSTs

one 2-1/2" x WOF strip. Subcut:

ten 2-1/2" squares

two 2" x WOF strips. Subcut:

forty 2" squares for the small HSTs

#### From Fabric M, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric N, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric O, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric P, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares for the large HSTs

one 4" x WOF strip. Subcut:

eight 4" squares

#### From Fabric Q. cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares for the large HSTs

one 2-3/4" x WOF strip. Subcut:

four 2-3/4" squares for the medium HSTs

Trim the remainder of the strip to 2-1/4" wide, then subcut:

four 2-1/4" squares

#### From Fabric R, cut:


two 14-1/2" x WOF strips. Subcut:
thirty-one 1-1/2" x 14-1/2" strips for the pieced sashing
From the remainder of the second strip, cut:
one 4" square
four 2-3/4" squares for the medium HSTs

#### From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

## Assemble the Large Half-Square Triangles (HSTs)

**Step 1:** Pair a 4-1/2" Fabric A square with a 4-1/2" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4" square. Repeat to make sixteen A/C HSTs.



Step 2: Repeat Step 1 with the remaining 4-1/2" squares to make:









eight B/G HSTs



eight Q/P HSTs

## Assemble the Medium Half-Square Triangles (HSTs)

**Step 3:** Pair a 2-3/4" Fabric B square with a 2-3/4" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/4" square. Repeat to make sixteen B/C HSTs.



**Step 4:** Repeat Step 3 with the remaining 2-3/4" squares to make:



eight D/E HSTs



eight G/H HSTs



sixteen I/J HSTs



eight L/M HSTs



eight A/N HSTs



eight I/O HSTs



eight D/J HSTs



eight G/R HSTs



eight E/Q HSTs

## Assemble the Small Half-Square Triangles (HSTs)

**Step 5:** Pair a 2" Fabric A square with a 2" Fabric G square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 1-1/2" square. Repeat to make eighty A/G HSTs.



**Step 6:** Repeat Step 5 with the remaining 2" squares to make:



eighty L/G HSTs

## Assemble the Sashing Strips

**Step 7:** Gather: two 2" x 14-1/2" Fabric G strips one 1-1/2" x 14-1/2" Fabric R strip

Sew a Fabric G strip to each long edge of the Fabric R strip. Press toward the Fabric G strips. The unit should measure 4-1/2" x 14-1/2". Repeat to make thirty-one sashing strips.



#### Assemble the Cornerstone Units

**Step 8:** Gather: one 2-1/2" Fabric A square eight small A/G HSTs four 1-1/2" Fabric G squares

Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagrams found on page 10.

**Step 9:** Sew the HSTs together to form pairs. Press the seams open.

Step 10: Sew the units together to form rows. Press the seams away from the HSTs pairs.

**Step 11:** Sew the rows together, nesting the seams and pressing the seams to one side to form the cornerstone. The unit should measure 4-1/2" square. Repeat to make ten cornerstones using Fabric A.





#### Assemble the Blocks




**Step 13:** Gather: one 4" Fabric B square eight B/C medium HSTs four 2-1/4" Fabric C squares

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

**Step 14:** Sew the HSTs together to form pairs. Press the seams open.

**Step 15:** Sew the units together to form the rows. Press the seams away from the HST pairs.

**Step 16:** Sew the rows together, nesting the seams and pressing the seams to one side to form the block center, which should measure 7-1/2" square.



**Step 17:** Gather: the complete block center from Step 16 four 4" Fabric A squares eight A/C large HSTs

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

**Step 18:** Sew the HSTs together to form pairs. Press the seams open.

**Step 19:** Sew the units together to form the rows. Press the seams away from the HST units.

**Step 20:** Sew the rows together, nesting the seams and pressing the seams to one side to form the block center.

The resulting block will measure 14-1/2" square. Repeat Steps 13-20 to make the remaining eleven blocks, referring to the Quilt Assembly Diagram for fabric placement.

#### Assemble the Quilt



Step 21: Arrange the Blocks together as indicated in the Quilt Assembly Diagram (QAD). Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make four block rows.

Step 22: Gather two
Fabric A, two Fabric L
cornerstone units and
three sashing strips. Sew
each row together, using
cornerstones between
each sashing strip and at
the beginning and end
of each row. Press seams
toward the sashing.
Repeat to make five
sashing rows.

**Step 23:** Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing. Note the orientation of the sashing rows in the QAD for proper placement of the Fabric A and Fabric L cornerstones.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.