CHESTERFIELD MEDALLION

Designed by Elise Lea for RK www.robertkaufman.com Featuring

Chesterfield



Finished quilt measures: 71" x 71"

Difficulty Rating: Intermediate

For questions about this pattern, please email Patterns@RobertKaufman.com.

B

R

C

S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRK-18859-15 IVORY	2/3 yard		J	SRK-18864-15 IVORY	7/8 yard
	В	SRK-18860-4 BLUE	3/8 yard		K	SRK-18861-15 IVORY	3/4 yard
	С	SRK-18862-15 IVORY	1/2 yard		L	SRK-18862-9 NAVY	1/4 yard
	D	SRK-18863-4 BLUE	3/8 yard		М	SRK-18859-4 BLUE	1/4 yard
	E	SRK-18862-4 BLUE	1-1/2 yards		Ν	SRK-18864-289 LT. BLUE	1/4 yard
	F	SRK-18863-289 LT. BLUE	7/8 yard		0	SRK-18859-9 NAVY	1/4 yard
	G	SRK-18864-13 TAN	fat eighth		Р	SRK-18862-289 LT. BLUE	1/8 yard
	н	SRK-18860-15 IVORY	fat eighth		Q	SRK-18865-4 BLUE	1/8 yard
	I	SRK-18865-15 IVORY	fat eighth		R	SRK-18861-9 NAVY	1/8 yard
			I				

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	S	SRK-18861-4 BLUE	1/8 yard		Binding	SRK-18863-15 IVORY	5/8 yard
	Т	SRK-18860-289 LT. BLUE	1/8 yard				
Fe		2019, Robert Kaufman I use only - Not for resal	e			vill also need: ards for backing	

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 6-1/4" x WOF strip. Subcut: one 6-1/4" square for the Center Block SIAS unit Trim the remainder of the strip to 4-1/2" wide, then cut: four 4-1/2" squares for the Center Block six 2-1/2" x WOF strips. Sew together, end-to-end, then trim: four 2-1/2" x 57-1/2" Border 7 strips

From Fabric B, cut:

one 5" x WOF strip. Subcut:

four 5" squares for the Center Block HSTs

Trim the remainder of the strip to 4-7/8" wide, then cut:

two 4-7/8" squares for the Center Block SIAS unit. Cut each square in half along one diagonal.

one 4-3/4" x WOF strip. Subcut:

four 4-3/4" squares for the SIAS blocks in Border 4.

two 1-1/2" x WOF strips. Subcut:

three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric C, cut:

one 5-1/4" x WOF strip. Subcut:

three 5-1/4" squares for the flying geese in Border 2

two 5" x WOF strips. Subcut:

twelve 5" squares for the Center Block HSTs

Trim the remainder of the second strip to 4-1/2" wide. Subcut: four 4-1/2" squares for the Center Block

From Fabric D, cut:

one 5" x WOF strip. Subcut:

eight 5" squares for the Center Block HSTs

one 4-3/4" x WOF strip. Subcut:

four 4-3/4" squares for the SIAS blocks in Border 4.

two 1-1/2" x WOF strips. Subcut:

three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric E, cut:

one 4-3/4" x WOF strip. Subcut:

four 4-3/4" squares for the flying geese in the Border 7 corner blocks.

eleven 3" x WOF strips. Sew together, end-to-end, then trim:

eight 3" x 57-1/2" Border 7 strips

one 2-1/4" x WOF strip. Subcut:

sixteen 2-1/4" squares for the Border 7 corner blocks.

six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 24-1/2" side Border 1 strips two 1-1/2" x 26-1/2" top/bottom Border 1 strips two 1-1/2" x 34-1/2" side Border 3 strips two 1-1/2" x 36-1/2" top/bottom Border 3 strips

From Fabric F, cut:

one 4-3/4" x WOF strip. Subcut: four 4-3/4" squares for the SIAS blocks in Border 4. five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares for the flying geese in Border 2

five 2" x WOF strips. Sew together, end-to-end, then trim:

two 2" x 48-1/2" side Border 5 strips

two 2" x 51-1/2" top/bottom Border 5 strips

From Fabric G, cut:

one 5-1/4" x WOF strip. Subcut: three 5-1/4" squares for the flying geese in Border 2

From Fabric H, cut:

one 5-1/4" x WOF strip. Subcut: three 5-1/4" squares for the flying geese in Border 2

From Fabric I, cut:

one 5-1/4" x WOF strip. Subcut: three 5-1/4" squares for the flying geese in Border 2

From Fabric J, cut:

one 5-1/4" x WOF strip. Subcut: three 5-1/4" squares for the flying geese in Border 2 fourteen 1-1/2" x WOF strips. Subcut:

twenty-seven 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 28th (left over) strip.

From Fabric K, cut:

six 3-7/8" x WOF strips. Subcut:

fifty-six 3-7/8" squares for the SIAS blocks in Border 4. Cut each square in half along one diagonal.

From Fabric L, cut:

one 4-3/4" x WOF strip. Subcut: four 4-3/4" squares for the SIAS blocks in Border 4 Trim the remainder of the strip to 4" wide, then subcut: one 4" x WOF strip. Subcut: four 4" squares for the Border 7 corner blocks. one 2-5/8" x WOF strip. Subcut: sixteen 2-5/8" squares for the Border 7 flying geese.

From Fabric M, cut:

one 4-3/4" x WOF strip. Subcut: four 4-3/4" squares for the SIAS blocks in Border 4.

From Fabric N, cut:

one 4-3/4" x WOF strip. Subcut: four 4-3/4" squares for the SIAS blocks in Border 4.

two 1-1/2" x WOF strips. Subcut: three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric O, cut:

one 4-3/4" x WOF strip. Subcut:

four 4-3/4" squares for the SIAS blocks in Border 4.

two 1-1/2" x WOF strips. Subcut: three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric P, cut:

two 1-1/2" x WOF strips. Subcut:

three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric Q, cut:

two 1-1/2" x WOF strips. Subcut: three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric R, cut:

two 1-1/2" x WOF strips. Subcut: three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric S, cut:

two 1-1/2" x WOF strips. Subcut:

three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From Fabric T, cut:

two 1-1/2" x WOF strips. Subcut: three 1-1/2" x 20" strips. Set aside for strip piecing for Border 6. Discard the 4th (left over) strip.

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Center Block



Step 1: Sew a 4-7/8" Fabric B triangle to opposite sides of the 6-1/4" Fabric A square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric A square. Trim the Square-in-a-Square (SIAS) block to 8-1/2" square.



Step 2: Pair a 5" Fabric B square with a 5" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make eight B/C HSTs.



Step 3: Repeat the process in Step 2 to make sixteen C/D HSTs.




Step 4: Gather: the completed Step 1 SIAS unit four 4-1/2" Fabric B squares four 4-1/2" Fabric C squares sixteen 4-1/2" C/D HSTs eight 4-1/2" B/C HSTs


Arrange the units into six rows of six, placing the SIAS unit at the center. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 5: Sew the units together to form the Center Block, which will measure 24-1/2" square.


Assemble Borders 1 & 2

Step 6: Sew the Fabric E 1-1/2" Border 1 strips to the quilt center. Press toward the borders.






Step 7: Pin two 2-7/8" Fabric F squares in opposing corners of a 5-1/4" Fabric C square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



Step 8: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 9: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 10: Place one 2-7/8" Fabric F square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 11: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four flying geese blocks.



Step 12: Repeat with all remaining 2-7/8" Fabric F squares and 5-1/4" Fabric C and Fabric G-J squares to make a total of twelve flying geese blocks from each of Fabrics C, G, H, I and J.












Step 13: Arrange the flying geese as shown to form a column. Sew together and press the seams toward the Fabric J flying geese unit. Repeat to make a second column like this. Sew to the left and right edges of the Quilt Center, noting the orientation in the diagram. Press.

Step 14: Arrange the flying geese as shown to form a row, noting the rotation of the two Fabric J flying geese on the left. Sew together and press the seams toward the three Fabric J flying geese units at the right end. Repeat to make a second row like this. Sew to the top and bottom edges of the Quilt Center, noting the orientation in the diagram. Press.







Step 15: Sew the Fabric E 1-1/2" Border 3 strips to the quilt center. Press toward the borders.



Step 16: Sew a 3-7/8" Fabric K triangle to opposite sides of the 4-3/4" Fabric B square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric B square. Trim the Square-in-a-Square (SIAS) block to 6-1/2" square.

Step 17: Repeat with all remaining 3-7/8" Fabric K squares and 5-1/4" Fabric B, D, F, L, M, N and O squares to make a total of four SIAS blocks from each of the Fabrics.



D















Step 18: Arrange the SIAS units as shown to form a column, noting the order of the fabrics in the diagram. Sew together and press the seams in one direction. Repeat to make a second column like this. Sew to the left and right edges of the Quilt Center, noting the orientation in the diagram. Press.

Step 19: Arrange the SIAS units as shown to form a row, noting the order of the fabrics in the diagram. Sew together and press the seams in one direction. Repeat to make a second row like this. Sew to the top and bottom edges of the Quilt Center, noting the orientation in the diagram. Press.





Assemble Borders 5 & 6

Step 20: Sew the 2" Fabric F Border 5 strips to the quilt center. Press toward the borders.

Step 21: Sew 1-1/2" x 20" strips together along the longest edge to form strip sets, sewing in this order:

Fabric P - Fabric J - Fabric P	Fabric N - Fabric J - Fabric N	Fabric D - Fabric J - Fabric D
		antationation management Management
Fabric Q - Fabric J - Fabric Q	Fabric B - Fabric J - Fabric B	Fabric R - Fabric J - Fabric R
Fabric O - Fabric J - Fabric O	Fabric S - Fabric J - Fabric S	Fabric T - Fabric J - Fabric T

Press all seams toward the darker fabric. Cut each strip set into 1-1/2" wide pieces.

In a similar fashion, sew the following strip sets:

Fabric J - Fabric P - Fabric J	Fabric J - Fabric N - Fabric J	Fabric J - Fabric D - Fabric J
Fabric J - Fabric Q - Fabric J	Fabric J - Fabric B - Fabric J	Fabric J - Fabric R - Fabric J
Fabric J - Fabric O - Fabric J	Fabric J - Fabric S - Fabric J	Fabric J - Fabric T - Fabric J

Press all seams toward the darker fabric. Cut each strip set into 1-1/2" wide pieces.

Step 22: Sew together the cut units to make nine-patch units. Nest the seams and press the row seams to one side. You will make four of each style shown here:

1			「ない」	15.54 15.54	
The state	A.S.				
-				A CAN	

Ê	1999	ESE:		A.	
24		the second	18 C	24	8
6	A.S.		2043		Tork.
5.0		343	S	Ser and a series	3.
23	271	Rick		547	

	XXXX
140	

Step 23: Sew nine-patches together, as shown, to form the left Border 6 section. Note the specific style of each block to ensure the correct placement. Press. Repeat to make a second unit like this. Sew to the left and right edges of the Quilt Center.

Step 24: Sew nine-patches together, as shown, to form the top Border 6 section. Note the specific style of each block to ensure the correct placement. Press. Repeat to make a second unit like this. Sew to the top and bottom edges of the Quilt Center.






Assemble Border 7

Step 25: Repeat the process shown in Steps 7-11, using the 2-5/8" Fabric L squares and the 4-3/4" Fabric E squares to make sixteen 2-1/4" x 4" flying geese.



Step 26: Gather: four Step 25 flying geese four 2-1/4" Fabric E squares one 4" Fabric L square

Sew together in three rows of three, pressing the seams away from the flying geese units. Sew the rows together, nesting the seams and pressing to one side. The resulting corner block will measure 7-1/2" square. Repeat to make four corner blocks.



Fabric E - Fabric A - Fabric E



Step 28: Sew one completed Step 27 unit to the left and right edges of the quilt center. Press. Sew a completed corner block from Step 26 to the end of each remaining border unit. Press. Sew these units to the top and bottom edges of the quilt. Press.



Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.

