


CHURN PLUS

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring

TOPIA
Wishwell
fabrics for daydreamers.



Finished quilt measures: 59" x 70-1/2"














Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	1-5/8 yards		H	WELD-19531-63 SKY	1/4 yard
	B	WELD-19528-254 FROST	1-1/8 yards		I	WELD-19527-437 DAY	1/4 yard
	C	WELD-19531-17 IRIS	3/8 yard		J	WELD-19530-19 ORCHID	1/4 yard
	D	WELD-19528-438 NIGHT	1/4 yard		K	WELD-19530-405 WATERFALL	1/4 yard
	E	WELD-19529-45 MOSS	1/4 yard		L	WELD-19527-438 NIGHT	1/4 yard
	F	WELD-19528-235 HYACINTH	1/4 yard		Binding*	WELD-19531-17 IRIS *Also used for Fabric C	5/8 yard
	G	WELD-19529-213 TEAL	1/4 yard	<div>You will also need: 3-3/4 yards for backing</div>			
Copyright 2020, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

eight 5" x WOF strips. Subcut:
sixty 5" squares for the HSTs
six 2-1/2" x WOF strips. Subcut:
one hundred twenty 2-1/2" squares

From Fabric B, cut:

eighteen 2" x WOF strips. Subcut:
seventy-one 2" x 10-1/2" rectangles for the sashing strips

From Fabric C, cut:

one 5" x WOF strip. Subcut:
six 5" squares for the HSTs
one 2-1/2" x WOF strip. Subcut:
three 2-1/2" x 6-1/2" rectangles
six 2-1/2" squares
two 2" x WOF strips. Subcut:
forty-two 2" squares for the cornerstones

From each of Fabrics D-L, cut:

one 5" x WOF strip. Subcut:
six 5" squares for the HSTs
one 2-1/2" x WOF strip. Subcut:
three 2-1/2" x 6-1/2" rectangles
six 2-1/2" squares

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 5" Fabric A square with a 5" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew $\frac{1}{4}$ " away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4- $\frac{1}{2}$ " square. Repeat to make twelve A/C HSTs.




Step 2: Repeat Step 1 to make:



twelve A/D HSTs




twelve A/E HSTs



twelve A/F HSTs




twelve A/G HSTs




twelve A/H HSTs



twelve A/I HSTs



twelve A/J HSTs




twelve A/K HSTs



twelve A/L HSTs

Step 3: Sew each 2- $\frac{1}{2}$ " Fabric C-L square to a 2- $\frac{1}{2}$ " Fabric A square. Press toward the darker fabric. You will create six units from each of Fabrics C-L.



six A/C units



six A/D units



six A/E units



six A/F units



six A/G units




six A/H units



six A/I units



six A/J units




six A/K units



six A/L units

Assemble the Blocks



Step 4: Gather:


four Fabric A/D HSTs
two completed Step 3 units, Fabric E
two 2-1/2" Fabric A squares
one 2-1/2" x 6-1/2" Fabric E rectangle

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 5: Sew the units together to form the rows. Press the seams away from the HSTs in the top and bottom row, and toward the rectangle in the middle row.

Step 6: Sew the rows together and press the seams to one side to form the block.


The resulting Block should measure 10-1/2" square. Repeat to make three Blocks in this fabric combination.



Step 7: Repeat Steps 4-6 to make:




three Blocks
from
Fabrics E/D




three Blocks
from
Fabrics I/F




three Blocks
from
Fabrics F/I




three Blocks
from
Fabrics G/H



three Blocks
from
Fabrics H/G



three Blocks
from
Fabrics C/J



three Blocks
from
Fabrics J/C




three Blocks
from
Fabrics K/L



three Blocks
from
Fabrics L/K

Assemble the Blocks



Step 8: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make six block rows.

Step 9: Gather six cornerstone squares and five sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make seven sashing rows.

Step 10: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.