
COURTHOUSE PANELS

Designed by Elise Lea for RK www.robertkaufman.com

Featuring GUSTAV KLIMT



Finished quilt measures: 48" x 66"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

	Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
0.0		А	SRKM-17179-133 GOLD	2/3 yard (one full panel)		I	SRKM-21351-74 SAPPHIRE	1/4 yard
		В	K001-1019 BLACK	1/4 yard		J	SRKM-17181-13 TAN	1/4 yard
		С	SRKM-17182-72 COBALT	1/4 yard		K	SRKM-21352-7 GREEN	1/4 yard
		D	SRKM-21352-2 BLACK	1/4 yard		L	SRKM-21350-84 CREAM	1/4 yard
		Е	SRKM-21350-72 COBALT	1/4 yard		М	SRKM-17181-7 GREEN	1/4 yard
		F	SRKM-17184-133 GOLD	1/4 yard		N	SRKM-21352-15 IVORY	1/4 yard
		G	SRKM-21352-74 SAPPHIRE	1/4 yard		Binding*	K001-1019 BLACK *Also used for Fabric B	5/8 yard
		Н	SRKM-17183-133 GOLD	1/4 yard				
						You	will also need:	

Copyright 2022, Robert Kaufman For individual use only - Not for resale 3-1/8 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A:

fussy cut the panel to measure 22-1/2" x 40-1/2".

From Fabric B, cut:

four 1-1/2" x WOF strips. Subcut:

two 1-1/2" x 40-1/2" rectangles.

two 1-1/2" x 24-1/2" rectangles.

From Fabric C, cut:

three* 2-1/2" x WOF strips. If needed, sew the strips together end-to-end, then subcut: two 2-1/2" x 42-1/2" rectangles.

*If the usable width of your fabric is 42-1/2" or greater, you only need to cut two strips.

From Fabric D, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 28-1/2" rectangles.

From Fabric E. cut:

three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 46-1/2" rectangles.

From Fabric F, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 32-1/2" rectangles.

From Fabric G, cut:

three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 50-1/2" rectangles.

From Fabric H, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 36-1/2" rectangles.

From Fabric I. cut:

three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 54-1/2" rectangles.

From Fabric J, cut:

two 2-1/2" x WOF strips. Subcut: two 2-1/2" x 40-1/2" rectangles.

From Fabric K, cut:

three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 58-1/2" rectangles.

From Fabric L, cut:

three* 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 44-1/2" rectangles.

*If the usable width of your fabric is 44-1/2" or greater, you only need to cut two strips.

From Fabric M, cut:


three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 62-1/2" rectangles.

From Fabric N, cut:

three 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 48-1/2" rectangles.

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips.



Step 1: Sew the two 1-1/2" x 40-1/2" Fabric B rectangles to the two sides of the Fabric A rectangle. Press towards the outside edges.

Step 2: Sew the two 1-1/2" x 24-1/2" Fabric B rectangles to the top/bottom of the unit. Press towards the outside edges.

- **Step 3:** Sew the two 2-1/2" x 42-1/2" Fabric C rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 4:** Sew the two 2-1/2" x 28-1/2" Fabric D rectangles to the top/bottom of the unit. Press towards the outside edges.
- **Step 5:** Sew the two 2-1/2" \times 46-1/2" Fabric E rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 6:** Sew the two 2-1/2" \times 32-1/2" Fabric F rectangles to the top/bottom of the unit. Press towards the outside edges.
- **Step 7:** Sew the two 2-1/2" x 50-1/2" Fabric G rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 8:** Sew the two 2-1/2" x 36-1/2" Fabric H rectangles to the top/bottom of the unit. Press towards the outside edges.
- **Step 9:** Sew the two 2-1/2" x 54-1/2" Fabric I rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 10:** Sew the two 2-1/2" x 40-1/2" Fabric J rectangles to the top/bottom of the unit. Press towards the outside edges.
- **Step 11:** Sew the two 2-1/2" x 58-1/2" Fabric K rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 12:** Sew the two 2-1/2" x 44-1/2" Fabric L rectangles to the top/bottom of the unit. Press towards the outside edges.
- **Step 13:** Sew the two 2-1/2" x 62-1/2" Fabric M rectangles to the two sides of the unit. Press towards the outside edges.
- **Step 14:** Sew the two 2-1/2" x 48-1/2" Fabric N rectangles to the top/bottom of the unit. Press towards the outside edges.

Your quilt top is complete! Baste, quilt, bind, and enjoy!