Delftware

Runner & Cushion Pattern

Designed by Leesa Chandler and featuring her Culture Club's fabric range

"Dutch Cottage" for Robert Kaufman fabrics.



Runner 67" x 19'



Cushion 17" x 17"

Show off your Dutch inspired fabrics in this easy to piece runner and then complete the picture with a Dutch plate cushion, using your left over fabrics!

www.leesachandlerdesigns.com © Jeesa Chandler Designs, 2012 info@leesachandlerdesigns.com

1

Fabric Requirements

Panel Print	12464-75	24″ / 60cm	Medium Coordinate	12467-75	10" / 25cm
Sashing & Binding	12141-46	30″ / 75cm	Small Coordinate	12465-75	6" / 15cm
End Trim Fabric	12470-75	18″ / 45cm			



Don't forget the cuppa rule, sit down with a cuppa and read the pattern from start to finish before you commence.

All measurements include ¼" seam allowances.

Cutting Requirements

From Panel fabric:

cut four 9 ½" squares (B)

cut sixteen 4 ¹/₂" squares (A)

cut two 3 ¹/₂" x 19 ¹/₂" strips (C)

Set aside one 9 $\frac{1}{2}$ " square and four 4 $\frac{1}{2}$ " squares to make the cushion later.

From Sashing and Binding fabric:

cut six 2 ¹/₂" strips and set aside for binding.

 cut ten
 1 ½" x 19 ½" strips

 cut six
 1 ½" x 9 ½" strips

From Medium Coordinate (Floral):

cut six $4 \frac{1}{2}$ " x 9 $\frac{1}{2}$ " (D)

From Small Coordinate:

cut eight 4 ¹/₂" x 4" (E)


From End Trim fabric (Stripe): cut two 19 1/2" x 9 1/2" (F)

cut four $9 \frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips and set aside to make the cushion later.

Method

- 1. Using the Runner diagram on the next page as a guide, join A and E pieces together in strips.
- 2. Then piece B squares together with piece D strips, adding a 1 ½" x 9 ½" sashing strip in between the pieces.
- 3. Piece the quilt together with pieced and un-pieced strips with 1 ½" x 19 ½" sashing strips, from the centre out, ensuring that you keep the runner straight.
- 4. Once quilted, bind in sashing fabric which was set aside during cutting.
- 5. Using the Cushion diagram on the next page as a guide, join a 9 ½" x 4 ½" end trim fabric strip to each side of the 9 ½" panel.
- 6. Add a 4 ½" square to each end of the other two trim fabric strips and add these to the other two sides of the cushion. Cut a 17 ½" square of fabric for the back of the cushion, pin right sides together with the cushion front, sew around all sides leaving a 6" gap to turn through. Turn side right sides out, fill and close opening.

© Jeesa Chandler Designs, 2012



www.leesachandlerdesigns.com