


DIAMOND TRANSPARENCY

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

KONA[®]
cotton solids



Finished quilt measures: 81" x 81"

Pattern Level: Confident Beginner













*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	3-7/8 yard		G	K001-842 KEY LIME	3/8 yard
	B	K001-853 ORANGEADE	1/4 yard		H	K001-841 EUCALYPTUS	3/8 yard
	C	K001-59 CANTALOUPE	1/2 yard		I	K001-856 QUICKSILVER	5/8 yard
	D	K001-851 MAC AND CHEESE	5/8 yard		J	K001-859 ZINC	1/3 yard
	E	K001-840 DUCKLING	7/8 yard		K	K001-106 METAL	1/4 yard
	F	K001-860 ACID LIME	7/8 yard		Binding*	K001-859 ZINC <i>*Also used for Fabric J</i>	3/4 yard
<p>Copyright 2017, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4-1/4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

twenty-four 5-3/8" x WOF strips. Subcut:

one hundred sixty-two 5-3/8" squares. Cut each square in half along one diagonal.

From Fabric B, cut:

one 4-1/8" x WOF strip. Subcut:

ten 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric C, cut:

one 5-1/8" x WOF strip. Subcut:

five 5-1/8" squares

two 4-1/8" x WOF strips. Subcut:

sixteen 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric D, cut:

one 5-1/8" x WOF strip. Subcut:

eight 5-1/8" squares

three 4-1/8" x WOF strips. Subcut:

twenty-four 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric E, cut:

two 5-1/8" x WOF strips. Subcut:

twelve 5-1/8" squares

four 4-1/8" x WOF strips. Subcut:

thirty-two 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric F, cut:

two 5-1/8" x WOF strips. Subcut:

sixteen 5-1/8" squares

four 4-1/8" x WOF strips. Subcut:

thirty-two 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric G, cut:

two 5-1/8" x WOF strips. Subcut:

sixteen 5-1/8" squares

From Fabric H, cut:

three 4-1/8" x WOF strips. Subcut:

twenty-four 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric I, cut:

two 5-1/8" x WOF strips. Subcut:

twelve 5-1/8" squares

two 4-1/8" x WOF strips. Subcut:

sixteen 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric J, cut:

one 5-1/8" x WOF strip. Subcut:

eight 5-1/8" squares

one 4-1/8" x WOF strip. Subcut:

eight 4-1/8" squares. Cut each square in half along one diagonal.

From Fabric K, cut:


one 5-1/8" x WOF strip. Subcut:

four 5-1/8" squares

From the Binding Fabric, cut:

nine 2-1/2" x WOF strips


Assemble the Square in a Square Blocks (SIAS)




Step 1: Sew a Fabric B triangle to opposite sides of a Fabric C square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric C square. Trim to 6-7/8" square, if necessary.

Step 2: Sew a Fabric A triangle to opposite sides of the unit from Step 1. Press seam allowances toward the triangles. Repeat on remaining sides of the unit.


Trim the SIAS block to 9-1/2" square.




Repeat Steps 1 and 2 to complete the following blocks:




Fabric B/C: Make five




Fabric C/D: Make eight




Fabric D/E: Make twelve




Fabric E/F: Make sixteen




Fabric F/G: Make sixteen



Fabric H/I: Make twelve




Fabric I/J: Make eight



Fabric J/K: Make four

Assemble the Quilt



Step 3: Arrange the blocks into nine rows of nine blocks. Note the fabric placement in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 5: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!