# **DOUBLE DIAMOND FADE**

Designed by Elise Lea for RK www.robertkaufman.com

Featuring KONA® Cotton solids



Finished quilt measures: 56" x 60"

Difficulty Rating: Intermediate



# Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2-3/4 yards		J	K001-440 BREAKERS	1/4 yard
	В	K001-846 SEA GLASS	1/3 yard		K	K001-1376 TURQUOISE	1/4 yard
	C	K001-1514 ROBIN EGG	1/3 yard		L	K001-1183 JADE GREEN	1/4 yard
	D	K001-1173 ICE FRAPPE	1/3 yard		М	K001-479 MEDITERRANEAN	1/4 yard
	E	K001-1011 BAHAMA BLUE	3/8 yard		N	K001-483 ULTRA MARINE	1/4 yard
	F	K001-837 ARUBA	3/8 yard		0	K001-233 CELESTIAL	1/8 yard
	G	K001-491 JAMAICA	1/3 yard		Р	K001-356 EVERGLADE	1/8 yard
	Н	K001-45 POOL	1/3 yard		Binding*	K001-846 SEA GLASS *Also used for Fabric B	1/2 yard
	l	K001-1282 PEACOCK	1/4 yard	F	3-5/8 y	will also need: ards for backing t 2020, Robert Kaufman al use only - Not for resc	

# Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

# **Cutting Instructions**

#### From Fabric A, cut:

two 5" x WOF strips. Subcut: fourteen 5" squares for the HSTs

nineteen 4-1/2" x WOF strips. Subcut: one hundred sixty-eight 4-1/2" squares

#### From Fabric B, cut:

two 5" x WOF strips. Subcut: fourteen 5" squares for the HSTs

#### From each of Fabrics C and D, cut:

two 5" x WOF strips. Subcut: fourteen 5" squares for the HSTs

#### From each of Fabrics E and F, cut:

three 4" x WOF strips. Subcut: twenty-eight 4" squares

#### From each of Fabrics G and H, cut:

three 3-1/2" x WOF strips. Subcut: twenty-eight 3-1/2" squares

#### From each of Fabrics I and J. cut:

two 3" x WOF strips. Subcut: twenty-eight 3" squares

#### From each of Fabrics K and L. cut:

two 2-1/2" x WOF strips. Subcut: twenty-eight 2-1/2" squares

#### From each of Fabrics M and N, cut:

two 2" x WOF strips. Subcut: twenty-eight 2" squares

#### From each of Fabrics O and P, cut:

one 1-1/2" x WOF strip. Subcut: twenty-eight 1-1/2" squares


one 1" x WOF strip. Subcut: fourteen 1" squares

## From the Binding Fabric, cut:


six 2-1/2" x WOF strips

# Assemble the Half-Square Triangles (HSTs)


**Step 1:** Pair a 5" Fabric B square with a 5" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make fourteen B/C HSTs.




**Step 2:** Repeat Step 1 to make:



fourteen B/D HSTs



fourteen A/C HSTs



fourteen A/D HSTs

**Step 3:** Sew the B/C HSTs together, as shown, to form Row 8. Press the seams to the right.




**Step 4:** Sew the B/D HSTs together, as shown, to form Row 9. Press the seams to the left.



## Assemble the Rows


**Step 5:** Position an A/C HST with the C fabric on the lower right. Place a 4" Fabric E square in the upper left corner of the HST, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat to make fourteen units like this.



Sew all fourteen units together, as shown, to make Row 7. Press the seams to the left.




**Step 6:** Position an A/D HST with the D fabric on the lower right. Place a 4" Fabric F square in the upper left corner of the HST, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat to make fourteen units like this.



Sew all fourteen units together, as shown, to make Row 10. Press the seams to the right.




Step 7: Place a Fabric G square in the upper right corner of a Fabric A square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat on the lower left corner with a Fabric E square. Press. Repeat to make fourteen units like this.



Sew all fourteen units together, as shown, to make Row 6. Press the seams to the right.




**Step 8:** Repeat the process in Step 7 using Fabric F and H squares on a Fabric A square to make fourteen units.




Sew all fourteen units together, as shown, to make Row 11. Press the seams to the left.






**Step 9:** Repeat the process in Step 7 using Fabric G and I squares on a Fabric A square to make fourteen units.

Sew all fourteen units together, as shown, to make Row 5. Press the seams to the left.



Sew all fourteen units together, as shown, to make Row 12. Press the seams to the right.





**Step 11:** Repeat the process in Step 7 using Fabric K and I squares on a Fabric A square to make fourteen units.


Sew all fourteen units together, as shown, to make Row 4. Press the seams to the right.



**Step 12:** Repeat the process in Step 7 using Fabric J and L squares on a Fabric A square to make fourteen units.


Sew all fourteen units together, as shown, to make Row 13. Press the seams to the left.






**Step 13:** Repeat the process in Step 7 using Fabric K and M squares on a Fabric A square to make fourteen units.

Sew all fourteen units together, as shown, to make Row 3. Press the seams to the left.



Sew all fourteen units together, as shown, to make Row 14. Press the seams to the right.






**Step 15:** Repeat the process in Step 7 using Fabric M and O squares on a Fabric A square to make fourteen units.

Sew all fourteen units together, as shown, to make Row 2. Press the seams to the right.






**Step 16:** Repeat the process in Step 7 using Fabric N and P squares on a Fabric A square to make fourteen units.

Sew all fourteen units together, as shown, to make Row 15. Press the seams to the left.




**Step 17:** Repeat the process in Step 7 using a 1-1/2" Fabric O square in one corner and a 1" Fabric O square in the opposite corner of a Fabric A square to make fourteen units.



Sew all fourteen units together, as shown, to make Row 1. Press the seams to the left.



**Step 18:** Repeat the process in Step 7 using a 1-1/2" Fabric P square in one corner and a 1" Fabric P square in the opposite corner of a Fabric A square to make fourteen units.



Sew all fourteen units together, as shown, to make Row 16. Press the seams to the left.




# Assemble the Quilt

**Step 19:** Arrange the rows in order from 1-16. Note the fabric placement and row orientation in the Quilt Assembly Diagram.

**Step 20:** Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.