

FADED GEESE

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring Superluxe Poplin



Finished quilt measures: 65-1/2" x 91"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	S462-604 WHITE #99	5-1/2 yards		J	S462-573 HUNTER #62	1/8 yard
	B	S462-558 BABY BLUE #7	1/8 yard		K	S462-577 LIME #68	1/8 yard
	C	S462-560 BLUE #73	1/8 yard		L	S462-585 OLIVE #26	1/8 yard
	D	S462-561 BLUSH #19	1/8 yard		M	S462-593 RED #31	1/8 yard
	E	S462-563 BURGUNDY #63	1/8 yard		N	S462-595 ROYAL #22	1/8 yard
	F	S462-567 CELERY #46	1/8 yard		O	S462-598 SLATE #67	1/8 yard
	G	S462-568 CRANBERRY #28	1/8 yard		P	S462-603 TURQUOISE #48	1/8 yard
	H	S462-571 GREEN #69	1/8 yard		Q	S462-581 MUSHROOM #57	1/2 yard
	I	S462-578 LIPSTICK #41	1/8 yard		R	S462-572 GREY #27 <i>(binding)</i>	5/8 yard

Copyright 2016, Robert Kaufman
For individual use only - Not for resale

You will also need:
5-1/2 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Note: This quilt uses a time saving construction method for making flying geese blocks. You will make the flying geese units four at a time, so do not be alarmed if the cut sizes seem too large for the final block.

Cutting Instructions

From Fabric A, cut:

four 8-1/2" x WOF strips. Sew together in pairs, end-to-end, then trim to yield:

- two 8-1/2" x 76" side inner borders

five 5-1/2" x WOF strips. Subcut:

- three 5-1/2" x 18-1/2" rectangles
- three 5-1/2" x 15-1/2" rectangles
- three 5-1/2" x 11" rectangles
- three 5-1/2" x 8" rectangles

seven 4" x WOF strips. Sew together, end-to-end, then trim to yield:

- two 4" x 91" side outer borders
- two 4" x 58-1/2" top/bottom outer borders

three 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

- two 3-1/2" x 56-1/2" top/bottom inner borders

eighteen 3" x WOF strips. Subcut:

- two hundred-forty 3" squares

ten 2-1/2" x WOF strips. Sew together in pairs, end-to-end, then trim to yield:

- five 2-1/2" x 76" sashing strips

From each of Fabrics B-P, cut:

one 3" x WOF strip. Subcut:

- eight 3" x 5-1/2" rectangles. *Cut carefully to use the full 44" width of fabric to yield eight rectangles per strip.*

From Fabric Q, cut:


seven 1-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

- two 1-1/2" x 82" side middle borders
- two 1-1/2" x 58-1/2" top/bottom middle borders


From the binding fabric, cut:
eight 2-1/2" x WOF strips

Assemble the Blocks


Step 1: Place a 3" Fabric A square RST at one end of a Fabric B rectangle. Mark a diagonal line on the wrong side of the square, as shown. Sew on the marked line and trim away the excess fabric, leaving a 1/4" seam allowance. Press toward the triangle.



Step 2: Repeat Step 1 at the remaining end of the rectangle. The resulting flying geese block should measure 3" x 5-1/2".




Step 3: Repeat with all remaining Fabric B rectangles. Sew together in sets of four flying geese blocks. Press the seams up. Set aside.



Step 4: Repeat this process for all remaining 3" x 5-1/2" Fabric B-P rectangles, sewing each into matching sets of four flying geese blocks.

Assemble the Quilt



Step 5: Sew the flying geese blocks into columns as shown in the Quilt Assembly Diagram, noting the orientation and fabric placement of each. You will create two sets of each column type (organized by color family). Press all seams away from the flying geese point.

Step 6: Sew the 5-1/2" wide Fabric A pieces to the top and bottom of each column, noting the sizes listed below. Press seams toward the darker fabric.

Sew the 8" tall rectangle to the top of columns 1, 3 and 5

Sew the 15-1/2" tall rectangle to the top of columns 2, 4 and 6

Sew the 18-1/2" tall rectangle to the bottom of columns 1, 3 and 5

Sew the 11" tall rectangle to the bottom of columns 2, 4 and 6

Step 7: Sew the 2-1/2" sashing strips between each column. Press toward the sashing.

Step 8: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 9: Sew the side middle borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

Step 10: Sew the top/bottom outer borders to the quilt center. Press toward the borders. Sew the side outer borders to the quilt center. Press toward the borders.

Your quilt top is now complete! Baste, quilt, bind and enjoy!