FARMER'S MARKET

Designed by Robert Kaufman Fabrics www.robertkaufman.com

Featuring

down on the farm



Finished quilt measures: 53" x 59"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 43" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	AGA-17185-163 SPICE	2/3 yard		D	P-5689-18 NAVY	1/2 yard
	В	ETJ-9864-9 NAVY	1 yard		E	etj-9864-105 Garnet	1 yard
	С	P-9811-67 DENIM	1/2 yard		Binding*	P-5689-18 NAVY Also used for Fabric D	1/2 yards
Copyright 2017, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 43" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

eight 8-1/2" x 10-1/2" rectangles

From Fabric B, cut:

five 4-1/2" x WOF strips. Sew together, end-to-end, then trim to yield: two 4-1/2" x 36-1/2" top/bottom middle borders two 4-1/2" x 50-1/2" side middle borders one 8-1/2" x 10-1/2" rectangle

From Fabric C, cut:

three 4-1/2" x WOF strips. Subcut:

six 4-1/2" x 10-1/2" block sashing strips

six 4-1/2" x 8-1/2" row sashings

From Fabric D, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" square cornerstones

four 2-1/2" x WOF strips. Trim to yield:

two 2-1/2" x 32-1/2" top/bottom inner borders

two 2-1/2" x 42-1/2" side inner borders

From Fabric E, cut:

six* 5" x WOF strips. Sew together, end-to-end, then trim to yield:

two 5" x 44-1/2" top/bottom outer borders


two 5" x 59-1/2" side outer borders

*if selvages are trimmed sparingly, you may be able to cut these from five WOF strips.

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Quit Center



Step 1: Arrange the Fabric A and B rectangles together as indicated in the Quilt Assembly Diagram. Sew each row together, using Fabric C block sashing strips between each block. Press seams toward the sashing. Repeat to make three block rows.

Step 2: Gather two Fabric D cornerstone squares and three Fabric C row sashing strips. Sew each row together, using cornerstones between each sashing strip. Press seams toward the sashing. Repeat to make two sashing rows.

Step 3: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.



Step 4: Sew the Fabric D top and bottom inner borders to the quilt center. Press toward the borders. Sew the Fabric D side inner borders to the sides of the quilt center. Press toward the borders.

Step 5: Sew the Fabric B top and bottom middle borders to the quilt center. Press toward the borders. Sew the Fabric B side middle borders to the sides of the quilt center. Press toward the borders.

Step 6: Sew the Fabric E top and bottom outer borders to the quilt center. Press toward the borders. Sew the Fabric E side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is now complete! Baste, quilt, bind and enjoy!