
FLOWERS BY THE BROOK

Designed by Elise Lea for RK www.robertkaufman.com Featuring **KONA®** cotton solids



Finished quilt measures: 55" x 65"

Difficulty Rating: Intermediate

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

A

R

1

C

S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2-7/8 yards		F	K001-1846 LEMON ICE	5/8 yard
	В	K001-26 CANARY	1/8 yard		G	K001-1077 CITRUS	5/8 yard
	с	K001-838 BRIGHT IDEA	5/8 yard		Н	K001-840 DUCKLING	5/8 yard
	D	K001-1056 BUTTERCUP	5/8 yard		Binding*	K001-26 CANARY Iso used for Fabric B	5/8 yard
	E	K001-1835 BANANA PEPPER	5/8 yard				
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- two 9-1/2" x WOF strips. Subcut: forty-nine 1-1/2" x 9-1/2" sashing strips
- five 4-1/2" x WOF strips. Subcut: one hundred twenty 1-1/2" x 4-1/2" rectangles six 3-1/2" x WOF strips. Sew together, end-to-end, then trim: two 3-1/2" x 59-1/2" side outer borders two 3-1/2" x 55-1/2" top/bottom outer borders
- five 3-1/4" x WOF strips. Subcut: sixty 3-1/4" squares. Cut each square in half along both diagonals. eight 2-1/2" x WOF strips. Subcut:

one hundred twenty 2-1/2" squares

From Fabric B, cut:

two 1-1/2" x WOF strips. Subcut: fifty 1-1/2" squares for the cornerstones and block centers

From each of Fabrics C-H, cut:

three 4-7/8" x WOF strips. Subcut: ten 4-7/8" squares. Cut each square in half along one diagonal.
one 3-1/4" x WOF strip. Subcut: ten 3-1/4" squares. Cut each square in half along both diagonals.

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Blocks




Step 1: Sew a small Fabric A triangle and a small Fabric C triangle together along one short edge, as shown. Press toward the darker fabric. Repeat to make twenty pairs like this.



Step 2: Repeat Step 1, but place the fabrics in the opposite places to make a unit that is the mirror image of the Step 1 units. Repeat to make twenty pairs like this.

Step 3: Repeat Steps 1 and 2 with Fabrics D-H, making twenty pairs of each style.





Step 4: Gather: one 2-1/2" Fabric A square one completed Step 1 unit one completed Step 2 unit one large Fabric C triangle



Step 5: Sew the triangle pair units to adjacent edges of the Fabric A square, sewing the Fabric C part of the triangle pair to the Fabric A square. Press.



Step 6: Sew the Fabric C triangle to the long edge of the completed Step 5 unit. Press. Trim to 4-1/2" square, if needed.

Repeat Steps 4-6 to make a total of four Step 6 units.

Step 7: Gather: four Step 6 units four 1-1/2" x 4-1/2" Fabric A rectangles one 1-1/2" Fabric B square

Arrange the units into three rows of three. Note the fabric placement and unit orientation in the Block Assembly Diagram.




Step 8: Sew the units together to form the rows. Press the seams away from the Fabric A rectangles.

Step 9: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The finished block should measure 9-1/2" square.

Step 10: Repeat Steps 4-9 to make five blocks from each of Fabrics C-H, for a total of thirty blocks.

Assemble the Quilt



Step 11: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using Fabric A sashing strips between each block. Press seams toward the sashing. Repeat to make six block rows.

Step 12: Gather four cornerstone squares and five sashing strips. Sew each row together, using cornerstones between each sashing strip. Press seams toward the sashing. Repeat to make five sashing rows.

Step 13: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 14: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.